

DRUGS BY THERAPEUTIC GROUP

You will find hereafter the medicines used by MSF sorted according to the WHO Therapeutic Groups classification

LABEL

Section 1: Anaesthetics

1.1. General anaesthetics and oxygen

HALOTHANE, 250 ml, bot.

KETAMINE hydrochloride, eq. 50 mg/ml base, 10 ml, vial

THIOPENTAL sodium, 500 mg, powder, vial

1.2. Local anaesthetics

BUPIVACAINE HCl, hyperbaric/spinal, 5 mg/ml, 4 ml, amp.

EPHEDRINE hydrochloride, 30 mg/ml, 1 ml, amp.

LEVOBUPIVACAINE hydrochloride eq. 5 mg/ml base, 10 ml, amp

LIDOCAINE 2% / EPINEPHRINE 1/80 000, 1.8 ml, cart.

LIDOCAINE hydrochloride, 1%, 10 ml, vial

LIDOCAINE, 2%, jelly, sterile, tube

1.3. Preoperative medication and sedation for short-term procedures

ATROPINE sulfate, 1 mg/ml, 1 ml, amp.

DIAZEPAM, 5 mg, tab.

DIAZEPAM, 5 mg/ml, 2 ml, amp.

MIDAZOLAM, 1 mg / ml, 5 ml, amp

MORPHINE hydrochloride, 10 mg/ml, 1 ml, amp.

Section 2: Analgesics, antipyretics, NSAIDs, DMARDs

2.1. Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)

ACETYLSALICYLIC acid (aspirin), 300 mg, tab.

ACETYLSALICYLIC acid (aspirin), 500 mg, tab.

DICLOFENAC sodium, 25 mg/ml, 3 ml, amp.

IBUPROFEN, 100 mg/5 ml, syrup, 150 ml, bot.

IBUPROFEN, 200 mg, tab.

IBUPROFEN, 400 mg, tab.

PARACETAMOL (acetaminophen), 100 mg, tab.

PARACETAMOL (acetaminophen), 500 mg, tab.

PARACETAMOL (acetaminophen), syrup, 120 mg/5ml, bot.

PARACETAMOL (acetaminophen), 10 mg/ml, 50 ml, sol., bot.

2.2. Opioid analgesics

CODEINE phosphate, 30 mg, tab.

FENTANYL citrate, eq. 0.05 mg/ml base, 2 ml, amp.

MORPHINE hydrochloride, 10 mg/ml, 1 ml, amp.

MORPHINE sulfate, 10 mg, immediate release breakable tab.

MORPHINE sulfate, 10 mg, sustained release caps.

MORPHINE sulfate, 10 mg, sustained release tab.

MORPHINE sulfate, 30 mg, sustained release caps.

MORPHINE sulfate, 30 mg, sustained release, tab.

LABEL

TRAMADOL hydrochloride, 100 mg/ml, oral solution, 10 ml, bt.

TRAMADOL hydrochloride, 50 mg, caps.

TRAMADOL hydrochloride, 50 mg/ml, 2 ml, amp.

2.3. Medicines used to treat gout

PROBENECID, 500 mg, tab.

2.4. Disease modifying agents used in rheumatoid disorders (DMARDs)

CHLOROQUINE, 100 mg base, (161 mg phosphate), tab.

CHLOROQUINE, 150 mg base, (242 mg phosphate), tab.

CHLOROQUINE, 155 mg base, (250 mg phosphate), tab.

Section 3: Antiallergics and medicines used in anaphylaxis

CHLORPHENAMINE hydrogen maleate, 4 mg, tab.

DEXAMETHASONE phosphate, 4 mg/ml, 1 ml, amp.

EPINEPHRINE (adrenaline) tartrate, eq.1 mg/ml base, 1ml, amp

HYDROCORTISONE sodium succinate, eq.100mg base, powder, vial

PREDNISOLONE, 5 mg, tab.

PROMETHAZINE hydrochloride, eq. 25 mg base, tab.

PROMETHAZINE hydrochloride, eq. 25 mg/ml base, 2 ml, amp.

Section 4: Antidotes and other substances used in poisonings

4.1. Non-specific

CHARCOAL ADSORBENT, 200 mg, caps.

4.2. Specific

ATROPINE sulfate, 1 mg/ml, 1 ml, amp.

CALCIUM GLUCONATE, 100 mg/ml, 10 ml, amp.

NALOXONE hydrochloride, 0.4 mg/ml, 1 ml, amp.

Section 5: Anticonvulsants / antiepileptics

CARBAMAZEPINE, 200 mg, tab.

DIAZEPAM, 5 mg/ml, 2 ml, amp.

MAGNESIUM sulfate, 0.5 g/ml, 10 ml, vial

PHENOBARBITAL sodium, 200 mg/ml, 1 ml, amp.

PHENOBARBITAL, 5.4%, 1 mg/drop, oral solution, 30 ml, bot

PHENOBARBITAL, 50 mg, tab.

PHENYTOIN sodium, 100 mg, tab.

PHENYTOIN sodium, 50 mg/ml, 5ml, vial

VALPROATE SODIUM, 200 mg, enteric coated tab.

VALPROATE SODIUM, 500 mg, enteric coated tab.

Section 6: Anti-infective medicines

6.1. Anthelmintics

6.1.1. Intestinal anthelmintics

ALBENDAZOLE, 400 mg, tab.

LABEL

MEBENDAZOLE, 100 mg, tab.

PRAZIQUANTEL, 150 mg, tab.

PRAZIQUANTEL, 600 mg, tab.

6.1.2. Antifilarials

ALBENDAZOLE, 400 mg, tab.

DIETHYLCARBAMAZINE dihydrogen citrate, eq.100mg base, br.tab

IVERMECTIN (onchocerciasis), 3 mg, tab.

IVERMECTIN (onchocerciasis, mass distribution), 3 mg, tab.

6.1.3. Antischistosomals and antitrematode medicines

PRAZIQUANTEL, 600 mg, tab.

TRICLABENDAZOLE, 250 mg, tab.

6.2. Antibacterials**6.2.1. Beta Lactam medicines**

AMOXICILLIN 1g / CLAVULANIC acid 100mg, powder

AMOXICILLIN 1g / CLAVULANIC acid 200mg, powder

AMOXICILLIN 400mg / CLAVULAN.ac. 57mg/5ml, 100 ml oral susp.

AMOXICILLIN 500mg / CLAVULAN.ac. 62.5mg/5ml, 60ml oral susp.

AMOXICILLIN 500mg / CLAVULANIC acid, 62.5 mg, tab.

AMOXICILLIN 875mg / CLAVULANIC acid 125mg, tab.

AMOXICILLIN, 250 mg, caps.

AMOXICILLIN, 250 mg, disp. tab.

AMOXICILLIN, 250 mg, tab.

AMOXICILLIN, 500 mg, tab.

AMPICILLIN, 1 g, powder, vial

AMPICILLIN, 500 mg, powder, vial

BENZATHINE BENZYL PENICILLIN , 2.4 M IU, powder, vial

BENZATHINE BENZYL PENICILLIN, 1.2 M IU, powder, vial

BENZYL PENICILLIN (peni G, crystal peni), 1 MIU, powder,vial

BENZYL PENICILLIN (peni G, crystal peni), 5 MIU, powder,vial

CEFALEXIN, 250 mg, tab.

CEFAZOLIN, 1 g, (IV), powder, vial

CEFIXIME, 100 mg/5 ml, powder for oral susp., 40ml, bottle

CEFIXIME, 200 mg, tab.

CEFOTAXIME sodium, eq. 500 mg base, vial

CEFTRIAZONE sodium, eq. 1 g base, powder, vial

CEFTRIAZONE sodium, eq. 250 mg base, powder, vial

CEFTRIAZONE sodium, eq.1 g base, powder, vial + lidocaine IM

CEFTRIAZONE sodium, eq.250mg base, powd, vial + lidocaine IM

CLOXA CILLIN sodium, eq. 250 mg base, caps.

CLOXA CILLIN sodium, eq. 500 mg base, powder, vial

CLOXA CILLIN sodium, eq. 500 mg base, caps.

PENICILLIN PROCAINE 3 MIU / PENI G 1 MIU, (PPF) powder,vial

PHENOXYMETHYL PENICILLIN, 125ml/5ml, powd. susp.100ml, bott.

PHENOXYMETHYL PENICILLIN, 250 mg, tab.

6.2.2. Other antibacterials

AZITHROMYCIN, 200 mg/ 5 ml, powder for oral susp., bottle

LABEL

AZITHROMYCIN, 250 mg, caps.
AZITHROMYCIN, 250 mg, tab.
CHLORAMPHENICOL, 1 g powder, vial
CHLORAMPHENICOL, 250 mg, caps.
CIPROFLOXACIN hydrochloride, eq. 500 mg base, breakable tab.
CLARITHROMYCIN, 500 mg, tab.
CLINDAMYCIN, 150mg/ml, 2 ml, amp.
CLINDAMYCIN, 300 mg, caps.
COTRIMOXAZOLE, 100 mg / 20 mg, tab.
COTRIMOXAZOLE, 200mg/40mg/5ml, powder oral susp,100 ml, bt.
COTRIMOXAZOLE, 400 mg / 80 mg, breakable tab.
COTRIMOXAZOLE, 800 mg / 160 mg, tab.
COTRIMOXAZOLE, 80mg/16mg/ml, 5 ml for infusion, vial
DOXYCYCLINE hydrochloride, eq. 100 mg base, tab.
ERYTHROMYCIN ethylsucc. 125mg/5ml, powder oral susp.100ml bt
ERYTHROMYCIN lactobionate, eq. to 1 g base, pdr, vial
ERYTHROMYCIN stearate, eq. 250 mg base, tab.
ERYTHROMYCIN stearate, eq. 500 mg base, tab.
FOSFOMYCIN trometamol, eq. 3 g base, sachet
GENTAMICIN sulfate, eq. 40 mg/ml base, 2 ml, amp.
METRONIDAZOLE, 125mg/5ml, powder fr oral susp., 100ml, bot.
METRONIDAZOLE, 250 mg, tab.
METRONIDAZOLE, 5 mg/ml, 100 ml, plastic bt. for infusion
METRONIDAZOLE, 500 mg, tab.
SPECTINOMYCIN hydrochloride, eq. 2 g base, powder, vial
SPECTINOMYCIN hydrochloride, eq.2g base, powder,vial+SOLVENT
TINIDAZOLE, 500 mg, tab.

6.2.3. Antileprosy medicines

CLOFAZIMINE, 100 mg, soft caps.
CLOFAZIMINE, 50 mg, soft caps.
DAPSONE, 100 mg, tab.
DAPSONE, 50 mg, tab.
RIFAMPICIN (R), 150 mg, tab., blister
RIFAMPICIN (R), 300 mg, tab., blister

6.2.4. Antituberculosis medicines

AMIKACIN sulfate, eq. 250 mg/ml base, 2 ml, amp.
AMIKACIN sulfate, eq. 500 mg base, powder, vial
CAPREOMYCIN sulfate, eq. 1 g base, powder, vial
CLARITHROMYCIN, 500 mg, tab.
CLOFAZIMINE, 100 mg, soft caps.
CLOFAZIMINE, 50 mg, soft caps.
CYCLOSERINE, 250 mg, caps. blister
ETHAMBUTOL hydrochloride (E), eq. 100 mg base, tab. blister
ETHAMBUTOL hydrochloride (E), eq. 400 mg base, tab. blister
ETHIONAMIDE, 250 mg, tab.
ISONIAZID (H), 100 mg, breakable tab., blister
ISONIAZID (H), 300 mg, tab., blister
ISONIAZID (H), 50 mg/5ml, syrup, 500 ml, bottle.

LABEL

KANAMYCIN sulfate, eq. 1 g base, powder, vial
LEVOFLOXACIN hemihydrate, eq. 250 mg base, tab.
LEVOFLOXACIN hemihydrate, eq. 500 mg base, tab.
LINEZOLID, 600 mg, coated tab.
MOXIFLOXACIN hydrochloride, eq 400 mg base, tab.
PARA-AMINOSALICYLATE sodium, del.rel.gran 60%w/w, 100g jar
PARA-AMINOSALICYLATE sodium, del.rel.gran 60%w/w, 9.2g sach.
PARA-AMINOSALICYLIC acid (PAS), delayed rel.gran, 4 g, sach.
PROTHIONAMIDE, 250 mg, tab.
PYRAZINAMIDE (Z), 400 mg, tab., blister
R 150 mg / H 75 mg / E 275 mg, tab. blister
R 150 mg / H 75 mg / Z 400 mg / E 275 mg, tab. blister
R 150 mg / H 75 mg / Z 400 mg, tab. blister
R 150 mg / H 75 mg, tab. blister
R 300 mg / H 150 mg, tab. blister
R 60 mg / H 30 mg / Z 150 mg, dispers.tab. blister
R 60 mg / H 30 mg, disp. tab. blister
R 60 mg / H 60 mg, disp. tab. blister
RIFABUTIN, 150 mg, caps.
RIFAMPICIN (R), 150 mg, tab., blister
RIFAMPICIN (R), 300 mg, tab., blister
STREPTOMYCIN sulfate, eq. 1 g base, powder, vial

6.3. Antifungal medicines

AMPHOTERICIN B conventional, 50 mg, powder, vial
AMPHOTERICIN B liposomal complex, 50 mg,powder, vial
CLOTRIMAZOLE, 500 mg, vaginal tab. + applicator
FLUCONAZOLE, 100 mg, caps.
FLUCONAZOLE, 2 mg/ml, 100 ml, plastic pouch for infusion
FLUCONAZOLE, 200 mg, caps.
FLUCONAZOLE, 200 mg, tab.
FLUCONAZOLE, 50 mg, caps.
FLUCONAZOLE, 50 mg/5 ml, oral solution, bottle
FLUCYTOSINE, 500 mg, tab
GRISEOFULVIN, 125 mg, tab.
GRISEOFULVIN, 500 mg, tab.
ITRACONAZOLE, 100 mg, caps.
MICONAZOLE nitrate, 10 mg, muco-adhesive tab. (gumpatch)
NYSTATIN, 100,000 IU/ml, oral suspension

6.4. Antiviral medicines**6.4.1. Antiherpes medicines**

ACICLOVIR sodium, eq. 250 mg base, powder, vial
ACICLOVIR, 200 mg, tab.
ACICLOVIR, 800 mg, tab.

6.4.2. Antiretrovirals**6.4.2.1. Nucleoside / nucleotide reverse transcriptase inhibitors**

ABACAVIR sulfate (ABC), 300 mg, tab.
ABACAVIR sulfate (ABC), 60 mg, disp. tab.

LABEL

DIDANOSINE (ddI), 125 mg, enteric coated caps

DIDANOSINE (ddI), 250 mg, enteric coated caps

DIDANOSINE (ddI), 400 mg, enteric coated caps

LAMIVUDINE, (3TC), 150 mg, tab.

LAMIVUDINE, (3TC), 300 mg, tab.

LAMIVUDINE, (3TC), 50mg/5ml, oral solution, 100 ml, bot.

LAMIVUDINE, (3TC), 50mg/5ml, oral solution, 240 ml, bot.

ZIDOVUDINE, (AZT), 300 mg, tab.

ZIDOVUDINE, (AZT), 50mg/5ml, oral solution, 100ml bot.

6.4.2.2. Non-nucleoside reverse transcriptase inhibitors

EFAVIRENZ (EFV or EFZ), 100 mg, caps.

EFAVIRENZ (EFV or EFZ), 200 mg, break. tab.

EFAVIRENZ (EFV or EFZ), 200 mg, caps.

EFAVIRENZ (EFV or EFZ), 200 mg, tab.

EFAVIRENZ (EFV or EFZ), 600 mg, tab.

ETRAVIRINE (ETV), 100 mg, tab.

NEVIRAPINE (NVP), 200 mg, tab.

NEVIRAPINE (NVP), 50 mg, disp. tab.

6.4.2.3. Protease inhibitors

ATAZANAVIR sulfate (ATV), 200 mg, caps.

ATV 300 mg / r 100 mg, tab

DARUNAVIR ethanolate (DRV), 600 mg, tab.

LPV / r 80/20mg/ml, oral solution, 60 ml bot.

LPV / r 80/20mg/ml, oral solution, 160 ml bot.

LPV 100 mg / r 25 mg coated tab.

LPV 200 mg / r 50 mg tab.

RITONAVIR (r), 100 mg, heatstable tab.

RITONAVIR (r), 80mg/ml, oral solution, 90 ml bot.

6.4.2.5. Antiretroviral fixed-dose combinations

3TC 150 mg / AZT 300 mg / ABC 300 mg tab.

3TC 150 mg / AZT 300 mg / NVP 200 mg tab.

3TC 150 mg / d4T 30 mg / NVP 200 mg tab

3TC 150 mg / d4T 30 mg tab.

3TC 150mg/ AZT 300 mg x 2 + EFV 600 mg x 1 tab,coblister

3TC 150mg/ AZT 300 mg x 60 + EFV 600 mg x 30 tab, co-pack

3TC 30 mg / AZT 60 mg / ABC 60 mg tab.

3TC 30 mg / AZT 60 mg / NVP 50 mg tab.

3TC 30 mg / d4T 6 mg / NVP 50 mg disp.tab

3TC 30 mg / d4T 6 mg disp. tab.

3TC 60 mg / d4T 12 mg / NVP 100 mg disp.tab

3TC 60 mg / d4T 12 mg disp. tab.

ABC 60 mg / 3TC 30 mg, disp. tab.

ABC 600 mg / 3TC 300 mg, tab.

AZT 300 mg / 3TC 150 mg, tab.

AZT 60 mg / 3TC 30 mg, disp. tab.

TDF 300 mg / 3TC 300 mg / EFV 600 mg, tab.

TDF 300 mg / 3TC 300 mg, tab.

TDF 300 mg / FTC 200 mg / EFV 600 mg, tab

TDF 300 mg / FTC 200 mg, tab.

LABEL**6.4.2.4. Integrase inhibitors**

RALTEGRAVIR potassium (RAL), eq. 400 mg base, tab.

6.4.3. Other antivirals

GANCICLOVIR sodium, eq.500 mg base, powder, vial fr infusion

OSELTAMIVIR phosphate, eq. 75 mg base, caps.

RIBAVIRIN, 100 mg/ml, 12 ml, amp.

RIBAVIRIN, 200 mg, caps.

6.5. Antiprotozoal medicines**6.5.1. Antiamoebic and antiangiariosis medicines**

METRONIDAZOLE, 125mg/5ml, powder fr oral susp., 100ml, bot.

METRONIDAZOLE, 250 mg, tab.

METRONIDAZOLE, 5 mg/ml, 100 ml, plastic bt. for infusion

METRONIDAZOLE, 500 mg, tab.

TINIDAZOLE, 500 mg, tab.

6.5.2. Antileishmaniasis medicines

AMPHOTERICIN B conventional, 50 mg, powder, vial

AMPHOTERICIN B liposomal complex, 50 mg,powder, vial

MEGLUMINE ANTIMONIATE, pentaval. antimony 81 mg/ml, 5ml, amp

MILTEFOSINE, 10 mg, caps.

MILTEFOSINE, 50 mg, caps.

PAROMOMYCIN sulfate, eq. 375 mg/ml base, 2 ml, amp

PENTAMIDINE isetionate, 300 mg, powder, vial

SODIUM STIBOGLUCONATE, pentaval.antimony 100mg/ml 100ml vial

SODIUM STIBOGLUCONATE, pentaval.antimony 100mg/ml, 30ml vial

6.5.3. Antimalarial medicines**6.5.3.1. For curative treatment**

ARTEMETHER 20mg / LUMEFANTRINE 120mg, blister child 2x6 disp.t

ARTEMETHER 20mg / LUMEFANTRINE 120mg, blister inf 6 disp.tab

ARTEMETHER 20mg / LUMEFANTRINE 120mg, blister adults 24 tab.

ARTEMETHER 20mg / LUMEFANTRINE 120mg, blister youth 18 tab.

ARTEMETHER, 20 mg/ml, 1 ml, amp.

ARTEMETHER, 80 mg/ml, 1 ml, amp.

ARTESUNATE 100mg / AMODIAQUINE eq.270 mg base, adult, 6 tab.

ARTESUNATE 100mg / AMODIAQUINE eq.270mg base, 6-13 y., 3 tab

ARTESUNATE 12x50mg + SULFADOX/PYRIM 3x500/25mg, ad.coblister

ARTESUNATE 25mg / AMODIAQUINE eq.67.5mg base, 2-11 mo, 3 tab

ARTESUNATE 3x50mg + SULFADOX/PYRIM 500/25mg, 1-6 y coblister

ARTESUNATE 50mg / AMODIAQUINE eq.135mg base, 1-5years, 3 tab

ARTESUNATE 60 mg, powder,vial +NaHCO₃ 5% 1mlARTESUNATE 60 mg, powder,vial +NaHCO₃ 5% 1ml +NaCl 0.9% 5ml

ARTESUNATE 6x100mg + SULFADOX/PYRIM 3x500/25mg, ad.coblister

ARTESUNATE 6x50mg + SULFADOX/PYRIM 2x500/25mg, 7-13y coblist

ARTESUNATE, 200 mg rectal caps.

ARTESUNATE, 50 mg rectal caps.

CHLOROQUINE, 100 mg base, (161 mg phosphate), tab.

CHLOROQUINE, 150 mg base, (242 mg phosphate), tab.

CHLOROQUINE, 155 mg base, (250 mg phosphate), tab.

LABEL

DIHYDROARTEMISININ 20mg/ PIPERAQUINE 160mg, blister inf. 3 tab
DIHYDROARTEMISININ 40mg/ PIPERAQUINE 320mg, blister ad. 12 tab
DIHYDROARTEMISININ 40mg/ PIPERAQUINE 320mg, blister ad. 9 tab
DIHYDROARTEMISININ 40mg/ PIPERAQUINE 320mg, blister adult 6 tab
DIHYDROARTEMISININ 40mg/ PIPERAQUINE 320mg, blister child 3tab
DOXYCYCLINE hydrochloride, eq. 100 mg base, tab.
MEFLOQUINE hydrochloride, eq. 250 mg base, tab.
PRIMAQUINE diphosphate, eq. 15 mg base, tab.
QUININE dihydrochloride, 300 mg/ml, 2 ml, amp.
QUININE sulfate, 200 mg, tab.
QUININE sulfate, 300 mg, tab.
SULFAOXINE, 500 mg / PYRIMETHAMINE, 25 mg, tab.

6.5.3.2. For prophylaxis

ATOVAQUONE 250 mg / PROGUANIL hydrochloride 100 mg, tab.
ATOVAQUONE 62.5 mg / PROGUANIL hydrochloride 25 mg, tab.
DOXYCYCLINE hydrochloride, eq. 100 mg base, tab.
MEFLOQUINE hydrochloride, eq. 250 mg base, tab.

6.5.4. Antipneumocystosis and antitoxoplasmosis medicines

CLINDAMYCIN, 150mg/ml, 2 ml, amp.
CLINDAMYCIN, 300 mg, caps.
COTRIMOXAZOLE, 80mg/16mg/ml, 5 ml for infusion, vial
DAPSONE, 100 mg, tab.
DAPSONE, 50 mg, tab.
PENTAMIDINE isetionate, 300 mg, powder, vial
PRIMAQUINE diphosphate, eq. 15 mg base, tab.
PYRIMETHAMINE, 25 mg, tab.
SULFADIAZINE, 500 mg, tab.

6.5.5. Antitrypanosomal drugs**6.5.5.1. African trypanosomiasis**

EFLORNITHINE hydrochloride, eq. 200 mg/ml base, 100 ml, vial
MELARSOPROL, 36 mg/ml, 5 ml, amp.
PENTAMIDINE isetionate, 300 mg, powder, vial
SURAMIN sodium, 1 gr, powder, amp.

6.5.5.2. American trypanosomiasis

BENZNIDAZOLE, 100 mg, tab.
NIFURTIMOX, 120 mg, tab.

6.6. Insect repellents

D.E.E.T., anti-mosquito repellent lotion

6.7. Scabicides

IVERMECTIN (scabies + other indic.), 3 mg, tab.

Section 7: Antimigraine medicines**7.1. For treatment of acute attack**

ACETYLSALICYLIC acid (aspirin), 300 mg, tab.
ACETYLSALICYLIC acid (aspirin), 500 mg, tab.
PARACETAMOL (acetaminophen), 100 mg, tab.

LABEL

PARACETAMOL (acetaminophen), 500 mg, tab.

PARACETAMOL (acetaminophen), syrup, 120 mg/5ml, bot.

7.2. For prophylaxis**Section 8: Antineoplastic, immunosuppressive & medicines used in palliative care****8.2. Cytotoxic medicines**

BLEOMYCIN sulfate, eq. 15 mg base, powder, vial

DOXORUBICIN HCl, pegylated liposomal, 2 mg/ml, 10 ml vial

DOXORUBICIN HCl, pegylated liposomal, 2 mg/ml, 25 ml vial

VINCRISTINE sulfate, 1 mg/ml, 2 ml, vial

8.3. Hormones and antihormones

HYDROCORTISONE sodium succinate, eq.100mg base, powder, vial

PREDNISOLONE, 5 mg, tab.

8.4. Medicines used in palliative care

AMITRIPTYLINE hydrochloride, 25 mg, tab.

DEXAMETHASONE phosphate, 4 mg/ml, 1 ml, amp.

DIAZEPAM, 5 mg, tab.

DIAZEPAM, 5 mg/ml, 2 ml, amp.

FLUOXETINE, 20 mg, caps.

HYOSCINE BUTYLBROMIDE (scopolamine butylbromide), 20 mg/1ml,amp

IBUPROFEN, 100 mg/5 ml, syrup, 150 ml, bot.

IBUPROFEN, 200 mg, tab.

IBUPROFEN, 400 mg, tab.

LACTULOSE, oral solution, bot.

MORPHINE hydrochloride, 10 mg/ml, 1 ml, amp.

MORPHINE sulfate, 10 mg, immediate release breakable tab.

MORPHINE sulfate, 10 mg, sustained release caps.

MORPHINE sulfate, 10 mg, sustained release tab.

MORPHINE sulfate, 30 mg, sustained release caps.

MORPHINE sulfate, 30 mg, sustained release, tab.

ONDANSETRON hydrochloride, eq. 8 mg base, breakable tab.

Section 9: Antiparkinsonism medicines

BIPERIDEN hydrochloride, 2 mg, tab

LEVODOPA 250 mg / CARBIDOPA 25 mg, tab.

TRIHEXYPHENIDYL, 2 mg/ml, 5 ml, amp.

Section 10: Medicines affecting the blood**10.1. Antianaemia medicines**

FERROUS fumarate 185 mg (60mg ir.) / FOLIC acid 0.4 mg, tab

FERROUS fumarate, 140mg/5ml (eq iron 45 mg/5 ml) oral sol, bt

FERROUS sulfate (or fumarate), 200 mg (= 65 mg iron), tab

FERROUS sulfate 200 mg (65mg ir.) / FOLIC acid 0.4 mg, tab

LABEL

FOLIC acid, 5 mg, tab.

10.2. Medicines affecting coagulation

HEPARIN SODIUM, 5 000 IU/ml, 5 ml, vial
NADROPARIN calcium, 1900 IU / 0.2 ml, syringe
NADROPARIN calcium, 2850 IU / 0.3 ml, syringe
NADROPARIN calcium, 3800 IU / 0.4 ml, syringe
PHYTOMENADIONE (vitamin K1), 10 mg/ml, 1 ml, amp.
PHYTOMENADIONE (vitamin K1), 10 mg/ml, 2 mg/0.2 ml, amp.
PROTAMINE sulfate, 10 mg/ml, 5 ml, amp.
TRANEXAMIC ACID, 500 mg tab

10.3. Other medicines for haemoglobinopathies

Section 11: Blood products and plasma substitutes

11.1. Plasma substitutes

PLASMA SUBSTITUTE, gelatin, 500 ml, plast. btl.

Section 12: Cardiovascular medicines

12.1. Antianginal medicines

ATENOLOL, 50 mg, tab.
GLYCERYL TRINITRATE, 0.5 mg, sublingual tab.
ISOSORBIDE DINITRATE, 1 mg/ml, 10 ml, amp.
ISOSORBIDE DINITRATE, 5 mg, sublingual tab.
VERAPAMIL hydrochloride, 2.5 mg/ml, 2 ml, amp.
VERAPAMIL hydrochloride, 40 mg, tab.

12.2. Antiarrhythmic medicines

AMIODARONE hydrochloride, 50 mg/ml, 3 ml, amp.
ATENOLOL, 50 mg, tab.
DIGOXIN, 0.25 mg, tab.
DIGOXIN, 0.25 mg/ml, 2 ml, amp.
EPINEPHRINE (adrenaline) tartrate, eq.1 mg/ml base, 1ml, amp
VERAPAMIL hydrochloride, 2.5 mg/ml, 2 ml, amp.
VERAPAMIL hydrochloride, 40 mg, tab.

12.3. Antihypertensive medicines

ATENOLOL, 50 mg, tab.
ENALAPRIL maleate, 5 mg, tab.
HYDRALAZINE hydrochloride, 20 mg, powder, amp.
HYDRALAZINE, 25 mg, tab.
HYDROCHLOROTHIAZIDE, 50 mg, tab.
LABETALOL hydrochloride, 200 mg, breakable tab
LABETALOL, 5 mg/ml, 20 ml amp.
METHYLDOPA, 250 mg, tab.
NICARDIPINE hydrochloride, 1mg / ml, 10 ml, amp.

12.4. Medicines used in heart failure

DIGOXIN, 0.25 mg, tab.

LABEL

DIGOXIN, 0.25 mg/ml, 2 ml, amp.

DOPAMINE hydrochloride, 40 mg/ml, 5 ml, amp.

ENALAPRIL maleate, 5 mg, tab.

FUROSEMIDE, 10 mg/ml, 2 ml, amp.

FUROSEMIDE, 40 mg, tab.

HYDROCHLOROTHIAZIDE, 50 mg, tab.

Section 13: Dermatological medicines (topical)

ZINC OXIDE, 10%, ointment, 100 g, tube

13.1. Antifungal medicines

BENZOIC ACID 6% / SALICYLIC ACID 3%, ointment, 40 g, tube

MICONAZOL nitrate, 2%, cream, 30 g, tube

13.2. Anti-infective medicines

SODIUM BICARBONATE, 1 kg, for mouthwashes

SULFADIAZINE SILVER, 1%, cream, sterile, 50 g, tube

SULFADIAZINE SILVER, 1%, cream, sterile, 500 g, jar

13.3. Anti-inflammatory and antipruritic medicines

ANTIPRURITIC CREAM, after mosquito bites, tube

CALAMINE, 15%, lotion, 500 ml, bot.

HYDROCORTISONE acetate, 1%, ointment, 15 g, tube

13.5. Medicines affecting skin differentiation and proliferation

PODOPHYLLOTOXIN, 0.5%, solution, 3.5ml, + 30 applicator tips

SILVER NITRATE, pencil

13.6. Scabicides and pediculicides

BENZYL BENZOATE, 25%, lotion, 1 l, bot.

MALATHION, 500 mg/100 ml, lotion, bot.

PERMETHRIN, 0.5 %, powder, human body, 500 g, powdering bot

PERMETHRIN, 1 %, lotion, bot.

PERMETHRIN, 5%, cream, tube

Section 14: Diagnostic agents**14.1. Ophthalmic medicines**

FLUORESCIN, 0.5%, eye drops, ster, 0.4 ml, unidose, amp.

FLUORESCIN, 2 %, eye drops, sterile, 0.5ml, unidose, amp

TROPICAMIDE, 0.5%, eye drops, sterile, 0.4 ml, unidose, amp.

Section 15: Disinfectants and antiseptics**15.1. Antiseptics**

ALCOHOL-BASED HAND RUB, solution, 100 ml, bottle

ALCOHOL-BASED HAND RUB, solution, 500 ml, bottle

CHLORHEXIDINE digluconate 7.1%, solution, 100 ml dropper bot

CHLORHEXIDINE gluconate 5%, solution, 1 l, bot.

POLYVIDONE IODINE, 10%, solution, 200 ml, dropper bot.

LABEL

POLYVIDONE IODINE, surgical scrub, 4 %, 125 ml, bt.

POLYVIDONE IODINE, surgical scrub, 7.5 %, 500 ml, bt.

15.2. Disinfectants

CHLORINE, 1 g (NaDCC / dichloroisocyan. sodium 1.67 g), tab.

DETERGENT/DISINFECTANT for med. equip., 5l tin + dosing pump

DETERGENT/DISINFECTANT for surfaces, 20 ml, monodose sachet

DETERGENT/DISINFECTANT for surfaces, 5 l tin + dosing pump

Section 16: Diuretics

FUROSEMIDE, 10 mg/ml, 2 ml, amp.

FUROSEMIDE, 40 mg, tab.

HYDROCHLOROTHIAZIDE, 50 mg, tab.

SPIRONOLACTONE, 25 mg, tab.

Section 17: Gastrointestinal medicines

HYOSCINE BUTYLBROMIDE (scopolamine butylbromide), 20 mg/1ml,amp

HYOSCINE BUTYLBROMIDE (scopolamine butylbromide), 10 mg, tab

17.1. Antiulcer medicines

ALUMINIUM hydroxide 400mg / MAGNESIUM hydroxide 400mg, tab.

CIMETIDINE, 200 mg, effervescent tab.

OMEПRAZOLE sodium, eq. 40 mg base, powder, vial, fr infusion

OMEПRAZOLE, 20 mg, enteric caps.

17.2. Antiemetic medicines

DEXAMETHASONE phosphate, 4 mg/ml, 1 ml, amp.

METOCLOPRAMIDE hydrochloride anhydrous, 10 mg, tab.

METOCLOPRAMIDE hydrochloride, 5 mg/ml, 2 ml, amp.

ONDANSETRON hydrochloride, eq. 8 mg base, breakable tab.

PROMETHAZINE hydrochloride, eq. 25 mg base, tab.

PROMETHAZINE hydrochloride, eq. 25 mg/ml base, 2 ml, amp.

17.3. Anti-inflammatory medicines

ANTIHAEMORROID, ointment, 30g, tube

17.4. Laxatives

BISACODYL, 5 mg, tab.

LACTULOSE, oral solution, bot.

17.5. Medicines used in diarrhoea

17.5.1. Oral rehydration

ORAL REHYDRATION SALTS (ORS) low osmol., sachet 20.5 g/1l

RESOMAL, rehydration acute complic. malnut., sach. 42g/1l

RESOMAL, rehydration acute complic. malnut., sach. 84g/1l

17.5.2. Medicines for diarrhoea in children

ZINC sulfate, eq. to 20 mg zinc mineral, dispersible tab.

17.5.3. Antidiarrhoeal (symptomatic) medicines in adults

LOPERAMIDE hydrochloride, 2 mg, caps.

LABEL

LOPERAMIDE hydrochloride, 2 mg, tab.

Section 18: Hormones, other endocrine medicines and contraceptives

18.1. Adrenal hormones and synthetic substitutes

18.3. Contraceptives

18.3.1. Oral hormonal contraceptives

DESOGESTREL 0.075 mg, tab,
ETHINYLESTR. 0.03 mg / LEVONORGESTREL 0.15 mg, plaq. 28 tab.
LEVONORGESTREL, 0.03 mg, tab.
LEVONORGESTREL, 1.5 mg, tab.

18.3.2. Injectable hormonal contraceptives

MEDROXYPROGESTERONE acetate, 150 mg, 1 ml, vial

18.3.5. Implantable contraceptives

ETONOGESTREL implant 1 x 68 mg (Nexplanon) with applicator
LEVONORGESTREL implant 2 x 75 mg (Jadelle) + trocar, 10 sets

18.5. Insulins and other medicines used for diabetes

GLIBENCLAMIDE, 5 mg, tab.
INSULIN ISOPHANE (NPH), human, 100 UI/ml, 10 ml, vial
INSULIN RAPID, human, 100 IU/ml, 10 ml, vial
METFORMIN hydrochloride, 500 mg, tab.

18.8. Thyroid hormones and antithyroid medicines

LEVOHYDROXYTIROXINE sodium, 0.1 mg, tab.
--

Section 19: Immunologicals

19.1. Diagnostic agents

19.2. Sera and immunoglobulins

IMMUNOGLOBULIN, HUMAN, ANTIRABIES, 150 IU/ml, 10 ml, amp.
IMMUNOGLOBULIN, HUMAN, ANTITETANUS, 250 IU/ml, syr.
IMMUNOGLOBULIN, SNAKE ANTIVENOM, African countr., 10ml amp.

19.3. Vaccines

(vaccine BCG) SOLVENT, 1 dose, multidose vial
(vaccine measles) SOLVENT, 1 dose, multidose vial
(vaccine meningococcal A conj.) SOLVENT 1 dose, multidose v.
(vaccine yellow fever) SOLVENT, 1 dose, multidose vial
VACCINE BCG, 1 dose, multidose vial, 0.05 ml/dose
VACCINE CHOLERA, ORAL, monodose, 1.5 ml, vial
VACCINE DPT (diph/pert/teta), 1 dose, multidose vial
VACCINE DPT / HEPATITIS B / Hib, 1 dose, multidose vial
VACCINE DT (diphtheria/tetanus), 1 dose, multidose vial
VACCINE HEPATITIS A, 1 adult dose, monodosis, 1 ml, syringe
VACCINE HEPATITIS A, 1 adult dose, monodosis, 1 ml, vial

LABEL

VACCINE HEPATITIS B, 1 adult dose, monodosis, 1 ml, syringue
VACCINE HEPATITIS B, 1 adult dose, monodosis, 1 ml, vial
VACCINE HEPATITIS B, 1 adult dose, multidose vial
VACCINE HEPATITIS B, 1 child dose, multidose vial
VACCINE JAPANESE ENCEPHALITIS, monodosis, syringe, 0.5 ml
VACCINE MEASLES, 1 dose, multidose vial
VACCINE ORAL POLIOMYELITIS, 1 dose, multidose vial +dropper
VACCINE PNEUMOCOCCAL CONJUGATE PCV10, 2 doses, 1 ml, vial
VACCINE PNEUMOCOCCAL CONJUGATE PCV13, monod. 0,5 ml, vial
VACCINE RABIES, CCV, cell culture, monodosis, vial
VACCINE TT (tetanus), 1 dose, multidose vial
VACCINE TYPHOID, "Typhim Vi", 1 dose, multidose vial
VACCINE TYPHOID, "Typhim Vi", monodosis, 0.5 ml, syringe
VACCINE Td (tetanus/diphtheria booster) monod. 0.5 ml + syr.
VACCINE Td (tetanus/diphtheria booster)1 dose,multidose vial

Section 20: Muscle relaxants and cholinesterase inhibitors

NEOSTIGMINE methylsulfate, 2.5 mg/ml, 1 ml, amp.

SUXAMETHONIUM chloride, 50 mg/ml, 2 ml, amp.

VECURONIUM bromide, 4 mg, powder + solvent, vial

Section 21: Ophthalmological preparations

21.1. Anti-infective agents

ACICLOVIR, 3%, eye ointment, sterile, 4.5 g, tube

CHLORAMPHENICOL, 0.5%, eye drops, sterile, 10 ml, bot.

DEXAMETHASONE 5 mg / NEOMYCINE 17500 IU, eye drops, 5ml, bot

TETRACYCLINE hydrochloride, 1%, eye ointment, ster, 5g, tube

21.2. Anti-inflammatory agents

DEXAMETHASONE 5 mg / NEOMYCINE 17500 IU, eye drops, 5ml, bot

21.3. Local anaesthetics

OXYBUPROCAINE, 0.4 %, eye drops, ster, 0.5 ml, unidose, amp.

21.4. Miotics and antiglaucoma medicines

ACETAZOLAMIDE, 250 mg, tab.

PILOCARPINE nitrate, 2%, eye drops, sterile, 10 ml, bot.

PILOCARPINE nitrate, 2%, eye drops, sterile, 5 ml, bot.

21.5. Mydriatics

ATROPINE sulfate, 1%, eye drops, ster, 0.4 ml, unidose, amp.

Section 22: Oxytocics and antioxytocics

22.1. Oxytocics

DINOPROSTONE, 1 mg, vaginal gel, sterile

METHYLERGOMETRINE maleate, 0.2 mg/ml, 1 ml, amp.

MIFEPRISTONE, 200 mg, tab.

MISOPROSTOL, 200 µg, breakable tab.

LABEL

OXYTOCIN, 10 IU/ml, 1 ml, amp.

22.2. Antioxytocics

NIFEDIPINE, 10 mg, immediate release soft caps.

NIFEDIPINE, 10 mg, immediate release tab.

Section 24: MEDICINES FOR MENTAL AND BEHAVIOURAL DISORDERS**24.1. Medicines used in psychotic disorders**

CHLORPROMAZINE hydrochloride, eq. 25 mg base, tab.

CHLORPROMAZINE, 25 mg/ml, 2 ml, amp.

HALOPERIDOL, 2 mg/ml/20 drops, 15 ml, bot.

HALOPERIDOL, 5 mg, tab.

HALOPERIDOL, 5 mg/ml, 1 ml, amp.

RISPERIDONE, 1 mg, tab.

24.2. Medicines used in mood disorders**24.2.1. Medicines used in depressive disorders**

AMITRIPTYLINE hydrochloride, 25 mg, tab.

FLUOXETINE, 20 mg, caps.

PAROXETINE, 20 mg, breakable tab.

24.2.2. Medicines used in bipolar disorders

CARBAMAZEPINE, 200 mg, tab.

VALPROATE SODIUM, 200 mg, enteric coated tab.

VALPROATE SODIUM, 500 mg, enteric coated tab.

24.3. Medicines for anxiety disorders

DIAZEPAM, 5 mg, tab.

24.4. Medicines used for obsessive compulsive disorders and panic attacks

CLOMIPRAMINE hydrochloride, 25 mg, tab.

24.5. Medicines for disorders due to psychoact**Section 25: Medicines acting on the respiratory tract****25.1. Antiasthmatic and medicines for chronic obstructive pulmonary disease**

BECLOMETASONE dipropionate, 0.05mg/puff, aerosol (CFC free)

BECLOMETASONE dipropionate, 0.10mg/puff, aerosol (CFC free)

EPINEPHRINE (adrenaline) tartrate, eq.1 mg/ml base, 1ml, amp

SALBUTAMOL sulfate, eq. 0.5 mg/ml base, 1 ml, amp.

SALBUTAMOL sulfate, eq.0.1mg base/puff, 200 puffs, aerosol

SALBUTAMOL, solution for nebulizer, 2 mg/ml, 2.5ml monodosis

Section 26: Solutions correcting water, electrolyte and acid-base disturbances**26.1. Oral**

ORAL REHYDRATION SALTS (ORS) low osmol., sachet 20.5 g/1l

LABEL

POTASSIUM chloride, 600 mg, sustained release tab.

RESOMAL, rehydration acute complic. malnut., sach. 42g/1l

RESOMAL, rehydration acute complic. malnut., sach. 84g/2l

26.2. Parenteral

DEXTROSE (GLUCOSE) 10%, 500 ml, plastic pouch

DEXTROSE (GLUCOSE) 5%, 1 l, plastic pouch

DEXTROSE (GLUCOSE) 5%, 500 ml, plastic pouch

GLUCOSE HYPERTONIC, 10%, 50 ml, vial

GLUCOSE HYPERTONIC, 50%, 50 ml, vial

POTASSIUM chloride, 10%, 100 mg/ml, 10 ml, amp.

RINGER lactate, 1 l, plastic pouch

RINGER lactate, 500 ml, plastic pouch

SODIUM BICARBONATE, 8.4%, 1 mEq/ml, 20 ml, amp.

SODIUM chloride, 0.9%, 1 l, plastic pouch

SODIUM chloride, 0.9%, 100 ml, plastic pouch

SODIUM chloride, 0.9%, 250 ml, plastic pouch

SODIUM chloride, 0.9%, 5 ml, amp.

SODIUM chloride, 0.9%, 500 ml, plastic pouch

26.3. Miscellaneous

WATER FOR INJECTION, 100 ml, plastic pouch

WATER FOR INJECTION, 250 ml, plastic pouch

WATER for injection, 10 ml, plastic amp.

Section 27: Vitamins and minerals

ASCORBIC acid (vitamin C), 250 mg, tab.

ASCORBIC acid (vitamin C), 500 mg, tab.

CALCIUM CARBONATE, 1.25 g (= 500mg calcium), chewing tab.

CALCIUM FOLINATE, 15 mg, tab.

CALCIUM GLUCONATE, 100 mg/ml, 10 ml, amp.

COLECALCIFEROL (vit.D3) 10,000 IU/ml, sol., 10 ml, bot.

IODIZED OIL, 190 mg, caps.

MAGNESIUM oxide, 300 mg, tab.

MULTIPLE MICRONUTRIENTS SUPPLEMENTS, tab.

MULTIVITAMINS, tab.

NICOTINAMIDE (vitamin PP), 100 mg, tab.

PYRIDOXINE hydrochloride (vitamin B6), 10 mg, tab.

PYRIDOXINE hydrochloride (vitamin B6), 50 mg, tab.

RETINOL (vitamin A) stabil., 200,000 IU, soft gelat. caps.

THIAMINE (vitamin B1), 50 mg/ml, 2 ml, amp.

THIAMINE hydrochloride (vitamin B1), 50 mg, tab.

Section 28: Ear, nose and throat conditions children

CIPROFLOXACIN, 0.3%, ear drops, sterile, bot.

Section 29: Specific medicines for neonatal care

CAFFEINE CITRATE, 10mg/ml, eq to 5 mg caffeine base, 1ml amp