	Cameroon													
	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol consumption among adults											4.7			
aged ≥ 15 years (litres of pure														
alcohol per person per year)														
Antiretroviral therapy coverage among			1	45 [41-48]										
people with HIV infection eligible for														
ART according to 2010 guidelines (%)														
Antiretroviral therapy coverage among			1	1			41 [34-51]							
people with advanced HIV infection (%), WHO 2006 guidelines														
Cellular subscribers (per 100				60	52	44								
population)														
Children aged 6-59 months who					55.3							37.8		
received vitamin A supplementation (%)														
Children aged <5 years with ARI			1	1	29.9							40.6		
symptoms taken to a health facility (%)														
Children aged <5 years with ARI					44.7									
symptoms who took antibiotic treatment (%)														
Children aged <5 years with diarrhoea					22.1							24.2		
receiving ORT (%) Civil registration coverage of births (%)					61.4				_	70.1				
Civil registration coverage of births (%)					01.4					70.1				
Deaths due to HIV/AIDS (per 100 000 population)				159										
Gross national income per capita (PPP				2550	2470	2390	2360	2330	2250	2210	2090	2040	1940	1830
int. \$)														
Most recent census (year)											2005			
Prevalence of HIV among adults aged		4.8 [4.4-5.1]				5.1 [4.8-5.3]					5.3 [5.0-5.6]			
15 to 49 (%)				1	ļ				_	↓		ļ	1	
Projections for total (recorded +								7.90						
unrecorded) alcohol per capita (15+) consumption														
Total fertility rate (per woman)			4.8	4.86	4.94							İ		

Cholera - number of reported cases					22433.00									
Unmet need for family planning, among girls aged 15-19 (%)					25.7									
Contraceptive prevalence, among girls aged 15-19 (%)					16.1									
Antenatal care coverage - at least one visit, among girls aged 15-19 (%)					84.9									
Number of neonatal deaths (thousands)	21	21	21	21	21	22	22	22	22	22	22	22	22	22
Births attended by skilled health personnel, among girls aged 15-19 (%)					60.6									
Neonatal mortality rate (per 1000 live births)	25.7 [14.0- 44.8]	26.1 [14.9- 43.7]	26.5 [15.6- 42.9]	26.9 [16.5- 42.0]	27.5 [17.5- 41.8]	28.1 [18.7- 40.9]	28.5 [19.9- 39.3]	29.0 [21.0- 38.4]	29.6 [22.4- 37.4]	30.2 [23.6- 36.8]	30.7 [24.8- 36.4]	31.1 [25.9- 36.4]	31.7 [26.8- 36.5]	32.5 [27.7- 37.3]
Unmet need for family planning (%)					23.5									
Estimated percentage of pregnant women living with HIV who received antiretrovirals for preventing mother-to-child transmission		66 [59-72]												
Leprosy - number of reported cases		317	441	502	552	532	453	406	549	714	537			
Malaria - number of reported confirmed cases			26 651		15 212									
Malaria - number of reported deaths		4 398	4 349	3 209	3 808	4 536	4 943	7 673	1 811	930	836			
Meningitis - number of reported cases			1010	542.00	2548									
Total density per million population: Computed tomography units			0.63			0.71								
Contraceptive prevalence (%)					23.4									
Poliomyelitis - number of reported cases		5	8											
Total density per million population: Radiotherapy units			0.13			0.15								

Maternal mortality ratio (per 100 000 live births)	596 [440 - 881]								
Population median age (years)		18.3	18.18						
Population living in urban areas (%)		53							
Psychiatrists working in mental health sector (per 100,000)				0.03					