

---

**NIGERIA**



**ESSENTIAL  
MEDICINES  
LIST**

**6th Edition 2016**



# ESSENTIAL MEDICINES LIST

NIGERIA | 2016

PUBLISHED BY THE FEDERAL MINISTRY OF HEALTH ABUJA, NIGERIA  
IN COLLABORATION WITH WORLD HEALTH ORGANIZATION  
AND CLINTON HEALTH ACCESS INITIATIVE



© 2016 Federal Ministry of Health, Nigeria

All rights reserved. No part of this publication may be reproduced, stored in retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording and/or otherwise, without prior written permission of the Federal Ministry of Health, Nigeria.

ISBN: 978-978-958-741-4

For all enquiries or comments, write to the publishers:

The Honourable Minister,  
Federal Ministry of Health,  
Federal Secretariat Complex,  
Shehu Shagari Way,  
P.M.B.  
Garki, Abuja,  
Nigeria.

E-mail: [ndfedl@gmail.com](mailto:ndfedl@gmail.com)

Printed in Nigeria



## **FOREWORD**

It is with great pleasure that I write the foreword of this sixth edition of the National Essential Medicines List EML recalling that the first edition was published in 1989 in accordance with provisions of the then Decree 43 of 1989.

Essential Medicines, the List and the operational Programme have played an important role in the supply of medicines in the pharmaceutical sector of the Health care delivery system of Nigeria. The provision of medicines across the three levels of the health care system can only be guaranteed by appropriate selection of medicines required by the population as dictated by the prevalent morbidity profile. The policy of this government is to ensure that essential medicines are available at all times to its people all over the country as it expands the primary care system to ensure access to healthcare.

I have been reliably informed of the intense deliberations based on evidence, state of the art and painstaking effort of the Expert Committee on Essential Medicines to address the various issues that accompany the revision of such List ensuring that only the appropriate medicines are selected during the exercise. The Committee has addressed Medicines for use in the Public Health Programmes as well as in other areas that have gained increasing attention in the health care system such as cancers, diseases of the elderly, endemic and emerging diseases. It is gratifying that due attention has been paid to children and women with consideration of medicines advised by the UN Commission on Life Saving Commodities (UNCoLSC). I have also noted the commitment of the Committee towards inclusiveness, accommodating medicines for all levels of the healthcare system which would ensure full compliance in the use of the EML in the health sector. In effect, with a good stock management and an efficient referral system, problems regarding the supply of medicines and its availability are unlikely in our healthcare facilities.

I urge all the health care professionals to comply with the provision of the EML; prescribe, dispense and administer medicines rationally. I will like to assure doctors that the EML is a dynamic list and there is a statutory provision to make available medicines not listed but required in exceptional circumstances for treatment of patients.

I have also been informed of the superficial penetration of the EML concept amongst healthcare professionals and I intend through various organs of the Ministry of Health to further sensitize health personnel raising their awareness on the Essential Medicine Concept and List. Furthermore, the Ministry will ensure a wide and efficient distribution of the EML as well as an appropriate and effective monitoring and evaluation of its impact in the healthcare system. It is also pertinent to mention that the Expert Committee has also developed the second edition of the National Standard Treatment Guidelines to further improve the standard of care and in conformity with the paradigm shift in the development of the EML.

Lastly, I commend the Chairman, Members of the EML Committee, Personnel in the Ministry and other operators in the Public Health Programmes for their commitment in producing this edition of the EML. I also appreciate with thanks the continued support of the Nigerian Country Office of the World Health Organization, Clinton Health Access Initiative and Micronutrient International as well as other partners who have provided the much needed support in the production of this document.

Prof. Isaac F. Adewole, *FAS, FSPSP, FRCOG, DSc. (Hons.)*  
Honourable Minister of Health  
Federal Ministry of Health  
Nigeria.  
June, 2016



## PREFACE


This is the sixth edition of the National Essential Medicines List coming six years after the last revision in 2010. The process adopted in this revision has largely followed the 2001 revised procedure for updating WHO's Model List of Essential Medicines. Essentially the procedure for production of this list followed the initial revision of the Standard Treatment Guidelines and extensive consultation with all stakeholders including the Public Health programmes. It is intended that prudent use of the medicines in the list will foster rational, safe and cost-effectiveness in the provision of health care.

In order to ensure more inclusiveness, comprehensiveness and use by all levels of the healthcare system, notice has been taken of a broadened scope of medicines for treatment of diseases at higher levels of care. In effect, the number of medicinal products and vaccines has increased but the restrictions in the use of medicines in the complementary section to specialists and/or programmes remain to ensure appropriate use at each level. It is the intention to make the list relevant to all health care providers and by observing the barriers set for each level the rational use of these medicines will be guaranteed. Another factor accounting for the relative increase and complexities is a more comprehensive inclusiveness of medicines used in the public health programmes, emerging diseases, rheumatology as well as in oncology. This is to satisfy the growing need for medicines in these areas which were not comprehensively addressed in the past and it is recommended that medicines in the complementary (restricted) section should be used prudently by specialists after appropriate evaluation of the patients.

The Committee made intense effort in the choice of appropriate medicines when the need arose using standard procedure however it accepts any lapses or errors and will be happy to get a feedback to rectify such issues. It should also be noted that the List is a dynamic one and does not require a new revision to accommodate pressing changes.

Healthcare Providers at all levels are advised to limit their choice of medicines to the list so as to realize the objectives set for its use. A statutory provision exists for use of medicines outside the list and should be sought to ensure that no patient is deprived of standard and expected care.

The Committee appreciates with gratitude the opportunity granted them to serve in this capacity and thank the Honourable Minister for his support. The contribution of the WHO, CHAI and in-house work by the directors, public health programme managers and other staff is duly acknowledged.



Professor Ambrose O. Isah

MBBS, FMCP, FWACP, FRCP (Edin.), MD (UK)  
Chairman, National Formulary and Essential Drugs Review Committee



## **ACKNOWLEDGMENT**

The sixth edition of the Essential Medicine List is a product of the support, recommendations and contributions of the following:

### **MEMBERS NDF/EML REVIEW COMMITTEE**

1. PROF. A.O. ISAH – CHAIRMAN- UBTH, BENIN
2. PROF. J.O. OHAJU-OBODO – MEMBER – DELSUTH
3. PROF. E.O. OBIDIKE – MEMBER – UNTH, ENUGU
4. PHARM. (MRS.) G.M.O. CHUKWUMAH – MEMBER- DIRECTOR, FDS - FMOH
5. DR. O. AKORIA – MEMBER – UBTH, BENIN
6. DR. O.R. OBIAKO – MEMBER – ABUTH SHIKA, ZARIA
7. PHARM. (MRS.) M. ADEJUMO – MEMBER- DPS SMOH LAGOS
8. PHARM. (MRS.) HAUWA KULU – MEMBER – DPS FCT
9. DR. K. J. OKORO – MEMBER – NMA REP/FTH ABAKALIKI
10. PHARM. STEPHEN JASINI – MEMBER- DPS SMOH MAIDUGURI
11. PHARM. UREH C. PETERS – MEMBER – DPS SMOH PORT HARCOURT
12. PHARM. UZUEGBU M.C – MEMBER- DPS SMOH UMUAHIA
13. PHARM. H. WAKILI – MEMBER – SMOH LAFIA
14. PHARM. U.G. OKAFOR – MEMBER – PCN REP. LAGOS
15. Dr. D. OQUA – MEMBER – PSN REP. ABUJA
16. PHARM. ADENIKA P.K – MEMBER – PMG-MAN REP. LAGOS
17. PHARM. ALI IBRAHIM – MEMBER – NAFDAC ABUJA
18. DR. P. OSINUBI – MEMBER – DIRECTOR, HOSPITAL SERVICES - FMOH
19. DR. B. OKOEGUALE – MEMBER- DIRECTOR, PUBLIC HEALTH – FMOH
20. HRH (DR.) I.I. OKOLIGWE – MEMBER – HOLY ROSARY HOSPITAL OWERRI
21. PHARM. ISAH MOHD GUSAU – MEMBER – SMOH GUSAU
22. PHARM. (MRS.) A.O. AKINBISEHIN – SECRETARY – DIRECTOR, PHARM. SERVICES/NDP -FMOH

### **EDITORIAL COMMITTEE**

1. PROF RAY I. OZOLUA – UNIVERSITY OF BENIN, BENIN CITY
2. PROF SIMEON ISEZUO – USMAN DAN FODIO UNIVERSITY, SOKOTO
3. DR STEPHEN AYINBUOMWAN – UNIVERSITY OF BENIN, BENIN CITY
4. DR JOSEPH OVOSI – KADUNA STATE UNIVERSITY, KADUNA

## **IN ATTENDANCE**

### **LIST OF CONTRIBUTORS FROM FEDERAL MINISTRY OF HEALTH (FMOH)**

1. DR. P. OSINUBI – DIRECTOR, HOSPITAL SERVICES DEPARTMENT
2. DR. B. OKOGUALE – DIRECTOR, PUBLIC HEALTH DEPARTMENT
3. PHARM. (MRS) A.O. AKINBISEHIN – DIRECTOR, PHARM. SERVICES DIVISION – FDS
4. PHARM. T. TITUS – DEPUTY DIRECTOR, DRUG & VACCINE DEVELOPMENT
5. PHARM. (MRS) COMFORT KUNAKOGAR – CHIEF REGULATORY OFFICER – NAFDAC ABUJA

## **DESK OFFICERS**

1. PHARM. B.O. OKOLOGO – DEPUTY DIRECTOR, PHARM. SERVICES DIVISION – FDS
2. PHARM Y. BULAMA – CHIEF PHARMACIST, PHARM. SERVICES DIVISION – FDS

## **WORLD HEALTH ORGANIZATION**

1. DR RUI GAMA VAZ
2. DR A. MBEWE
3. DR S. FEREDE

## **CLINTON HEALTH ACCESS INITIATIVE**

1. DR W. OWENS
2. DR A. ABDULWAHAB
3. DR E. OKENA



**Pharm. Mrs. Gloria Modupe Omatie Chukwumah**

Director, Food and Drugs Service Department

Federal Ministry of Health.

June 2016.

**TABLE OF CONTENTS**

FORWARD .....	iv
PREFACE .....	vi
NATIONAL DRUG FORMULARY AND ESSENTIAL DRUGS LIST REVIEW COMMITTEE .....	iii
<b>1. ANAESTHETICS .....</b>	<b>1</b>
1.1 General anaesthetics and oxygen .....	1
1.2 Local anaesthetics .....	1
1.3 Premedication medicines and anaesthetic adjuvants .....	1
1.4 Skeletal muscle relaxants and cholinesterase inhibitors .....	1
<b>2. ANALGESICS, ANTIPYRETICS AND NON -STEROIDAL ANTI-INFLAMMATORY MEDICINES .....</b>	<b>1</b>
2.1 Narcotic analgesics.....	1
2.2 Narcotic antagonist /medicines for treatment of opioid dependence*** .....	2
2.3 Non-narcotic analgesics and antipyretics .....	2
2.4 Non-steroidal anti-inflammatory medicines and medicines used for gout/rheumatoid medicines ....	2
<b>3. ANTICONVULSANTS (ANTI-EPILEPTICS).....</b>	<b>2</b>
<b>4. ANTIDOTES .....</b>	<b>2</b>
4.1 Non-specific (general) antidote.....	2
4.2 Specific antidotes.....	2
<b>5. ANTI-INFECTIVE MEDICINES .....</b>	<b>3</b>
5.1 Amoebicide .....	3
5.2 Anthelmintics .....	3
5.2.1 Intestinal antihelmintics.....	3
5.2.2 Antifilarials .....	3
5.2.3 Antischistosomal and other antitrematode medicines .....	3
5.3 Antibacterial medicines .....	3
5.4 Antifilarial medicines .....	4
5.5 Antiflagellate medicines .....	4
5.6 Antileprosy medicines .....	4
5.7 Antimalarial medicines .....	4
5.7.1 Treatment .....	4
5.7.2 Prophylaxis .....	5
5.8 Antischistosomal medicines.....	5

5.9	Antitrypanosomal and antileishmaniasis Medicines .....	5
5.10	Antituberculosis medicines .....	5
5.11	Antiviral medicines .....	5
5.11.1	Antiretroviral (ARV) medicines .....	5
5.12	Systemic antifungal medicines.....	6
6.	ANTIMIGRAINE MEDICINES.....	6
7.	ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE MEDICINES .....	6
8.	ANTISEPTICS AND DISINFECTANTS .....	7
9.	BLOOD PRODUCTS AND PLASMA SUBSTITUTE .....	8
9.1	Plasma fraction for specific use .....	8
9.2	Plasma substitutes.....	8
10.	CARDIOVASCULAR MEDICINES .....	8
10.1	Anti-anginal medicines .....	8
10.2.	Anti-arrhythmic medicines.....	8
10.3	Antihypertensive medicines .....	8
10.4	Medicines used in heart failure .....	8
11.	DENTAL MEDICINES .....	9
11.1	Anti-inflammatory dental medicines .....	9
11.2.	Local anaesthetic .....	9
11.3	Mouthwashes .....	9
12.	DERMATOLOGICAL MEDICINES .....	9
12.1	Anti-acne medicines.....	9
12.2	Antifungal medicines.....	9
12.3	Anti-infective medicines .....	9
12.4	Anti-inflammatory and antipruritic medicines .....	9
12.5	Astringent medicines.....	10
12.6	Keratolytic and keratoplastic medicines.....	10
12.7	Psoriasis and vitiligo medicines (See Restricted List) .....	10
12.8	Scabicides and pediculicides.....	10
13.	DIALYSIS SOLUTION .....	10
14.	DIURETICS .....	10
15.	MEDICINES ACTING ON RESPIRATORY TRACT .....	10
15.1	Antiasthmatics and medicines for chronic obstructive pulmonary disease .....	10
15.2	Antitussive.....	10

16.	MEDICINES AFFECTING THE BLOOD .....	11
16.1	Anti-anaemia medicines.....	11
16.2	Anticoagulants and antiplatelets .....	11
16.3	Antifibrinolytic and haemostatic drug .....	11
16.4	Fibrinolytics .....	11
17.	MEDICINES FOR PARKINSONISM AND OTHER NEUROLOGICAL DISORDERS .....	11
17.1	Antiparkinsonism medicines .....	11
17.2	Medicines for myasthenia gravis.....	11
18.	MEDICINES USED IN ANAPHYLAXIS .....	11
18.1	Anti-anaphylactics .....	11
18.2	Antihistamines.....	11
19.	EAR, NOSE AND THROAT MEDICINES .....	12
19.1	Ear medicines .....	12
19.1.2	Anti-inflammatory medicines .....	12
19.1.3	Combined anti-infective and anti-inflammatory medicines .....	12
19.1.4	Removal of ear wax.....	12
19.2.1	Anti-allergic and nasal decongestants .....	12
20.	GASTRO-INTESTINAL MEDICINES .....	12
20.1	Antacid medicines .....	12
20.2	Anti-emetic medicines .....	12
20.3	Anti-haemorrhoidal medicines .....	13
20.4	Antispasmodic medicines and smooth muscle relaxants .....	13
20.5	Laxatives .....	13
20.6	Medicines used in diarrhoea .....	13
20.6.1	Oral rehydration therapy .....	13
20.6.2	Medicines for diarrhoea in children.....	13
20.6.3	Medicines for diarrhoea in adults.....	13
20.7	Helicobacter pylori eradication .....	13
20.7.1	Acid suppressants .....	13
20.7.2	Anti-infectives .....	14
21.	ENDOCRINE MEDICINES .....	14
21.1	Adrenal hormones and synthetic substitutes .....	14

21.2	Antidiabetic medicines .....	14
21.2.1	Insulins (human) .....	14
21.2.2	Oral antidiabetic medicines .....	14
21.3	Contraceptives .....	14
21.3.1	Implantable contraceptives .....	14
21.3.2	Injectable hormonal contraceptives .....	14
21.3.3	Intrauterine devices .....	14
21.3.4	Oral hormonal contraceptives .....	14
21.3.5	Emergency Contraceptives .....	14
21.4	Androgens (See Restricted List).....	14
21.5	Estrogens.....	14
21.7.1	Antithyroid medicines.....	15
21.7.2	Thyroid hormone.....	15
22.	IMMUNOLOGICALS.....	15
22.1	Sera and immunoglobulins .....	15
22.2.1	Vaccines for specific immunization .....	15
22.2.2	Vaccines for universal immunization .....	15
23.	IN VIVO DIAGNOSTIC AGENTS .....	16
23.1	Endocrine disorders (See Restricted List) .....	16
23.2	Gastric function (See Restricted List) .....	16
23.3	Myasthenia gravis (See Restricted List) .....	16
23.4	Ophthalmic medicines.....	16
23.5	Radiocontrast media .....	16
23.5.1	Alimentary tract.....	16
24.	OPHTHALMOLOGICAL MEDICINES .....	16
24.1	Anti-infective medicines .....	16
24.2	Anti-inflammatory and anti-allergic medicines .....	16
24.3	Local anaesthetics .....	16
24.4	Miotics and antiglaucoma medicines .....	16
24.4.1	Systemic medicines .....	16
24.4.2	Topical medicines .....	16
24.5	Mydriatic medicines .....	16

24.6 Diagnostic eye medicines .....	17
24.7 Miscellaneous eye preparation .....	17
25. OXYTOCICS AND TOCOLYTICS .....	17
26. PREPARATIONS FOR CORRECTING WATER ELECTROLYTE AND ACID -BASE DISTURBANCES.....	17
26.1 Oral preparations .....	17
26.2 Parenteral preparations .....	17
26.3 Miscellaneous .....	17
27. PSYCHOTHERAPEUTIC MEDICINES.....	17
27.1 Antidotes to antipsychotic medicines.....	17
27.2 Medicines used in generalized anxiety .....	17
27.3 Medicines used in mood disorders .....	18
27.3.1 Medicines used in depressive disorders.....	18
27.3.2 Medicines used in bipolar disorders .....	18
27.4 Medicines used for obsessive compulsive disorders and panic attacks .....	18
27.5 Medicines used in psychotic disorders .....	18
27.6 Medicines used in substance dependence programmes (See Restricted List).....	18
28. VITAMINS AND MINERALS .....	18
28.1 Vitamins .....	18
28.2 Minerals.....	18
29.0 FOR MANAGEMENT OF INCOMPLETE ABORTION AND MISCARRIAGE (See Restricted List).....	18
30.0 URINARY AND ERECTILE DYSFUNCTION (See Restricted List) .....	18
THE PRIMARY HEALTH CARE LIST: (HEALTH CENTRES) .....	19
THE PRIMARY HEALTH CARE LIST: (PRIMARY HEALTH CLINICS).....	23
THE PRIMARY HEALTH CARE LIST: (HEALTH POSTS) .....	26
LIST OF PRODUCTS TO BE STOCKED AND SOLD BY PATENT MEDICINE VENDOR.....	27
APPENDIX 1: APPROVED DOSES FOR VITAMINS .....	29
APPENDIX 2: RESTRICTED MEDICINES LIST.....	30
INDEX .....	33



<b>1. ANAESTHETICS</b>	
<b>1.1 General anaesthetics and oxygen</b>	
Halothane	<b>Inhalation:</b> Liquid, 250-mL bottle
Isoflurane	<b>Inhalation:</b> Liquid, 250-mL bottle
Ketamine	<b>Injection:</b> (hydrochloride), 10 mg Halothane mL in 20-mL vial, 50 mg/mL in 10-mL vial, 100 mg/mL in 5-mL vial
Propofol	<b>Injection:</b> (emulsion), 10 mg/ mL in 20 mL ampoule
Nitrous oxide	<b>Inhalation:</b> Medicinal gas
Oxygen	<b>Inhalation:</b> Medicinal gas
<b>1.2 Local anaesthetics</b>	
Bupivacaine	<b>Injection:</b> (hydrochloride), 0.25%, 0.5% With epinephrine (adrenaline) 1:200,000 in 10-mL ampoule. <b>Hyperbaric formulation:</b> (hydrochloride), 0.5% in 4-mL ampoule to be mixed with 7.5% glucose solution
Lidocaine	<b>Cream or ointment:</b> 2 - 5% <b>Dental cartridges:</b> 2% + epinephrine (adrenaline) 1:80,000 <b>Injection:</b> (hydrochloride) 1%, 2%, vial <b>Gel or solution:</b> 2 - 4% <b>Injection:</b> 1%, 2% + epinephrine (adrenaline) 1:200,000, vial <b>Spray (aerosol):</b> 10%
<b>1.3 Premedication medicines and anaesthetic adjuvants</b>	
Atropine	<b>Injection:</b> (sulfate), 500 micrograms mg, 1 mg in 1-mL ampoule
Diazepam	<b>Injection:</b> 5 mg/mL in 2-mL ampoule
Midazolam	<b>Injection:</b> (hydrochloride), 1 mg/ mL in 1-mL, 2-mL and 5-mL ampoule; 2 mg/mL in 2-mL and 5-mL ampoule. <b>Oral Liquid:</b> 2.5 mg/mL
Morphine	<b>Injection:</b> (sulfate or hydrochloride), 10 mg, 15 mg in 1-mL ampoule <b>Injection:</b> (preservative-free), 0.5 mg/mL, 1 mg/mL in 10-mL vials
Promethazine	<b>Oral liquid:</b> for children (hydrochloride), 5 mg/5 mL
<b>1.4 Skeletal muscle relaxants and cholinesterase inhibitors</b>	
Atracurium	<b>Injection:</b> 10 mg/mL
Neostigmine	<b>Injection:</b> (methylsulfate), 2.5 mg/mL in 1 mL ampoule
Pancuronium	<b>Injection:</b> (bromide), 2 mg / mL
Suxamethonium	<b>Injection:</b> (chloride), 50 mg/mL in 2-mL ampoule <b>Injection:</b> powder (chloride), vial

\*\* Marked for deletion

<b>2. ANALGESICS, ANTIPYRETICS AND NON-STERIODAL ANTI-INFLAMMATORY MEDICINES</b>	
<b>2.1 Narcotic analgesics</b>	
Dihydrocodeine**	<b>Injection:</b> 50 mg/mL in 1-mL ampoule <b>Tablet:</b> (tartrate), 30 mg
Fentanyl	<b>Injection:</b> (citrate), 25 micrograms/mL; 50 micrograms/mL in 1-mL, 2-mL and 10-mL ampoules <b>Injection:</b> (citrate, preservative-free), 50 micrograms/mL in 1-mL, 2-mL and 10-mL ampoules

Morphine	<b>Injection:</b> (sulfate or hydrochloride), 10 mg, 15 mg in 1-mL ampoule <b>Tablet:</b> 10 mg, modified release, 30, 60 mg
Pentazocine	<b>Injection:</b> (lactate), 30 mg in 1-mL ampoule
Pethidine	<b>Injection:</b> (hydrochloride), 50 mg/mL in 1-mL and 2-mL ampoule
Tramadol	<b>Capsule:</b> (hydrochloride), 50 mg, 100 mg, <b>Injection:</b> (hydrochloride), 50 mg/mL in 1-mL and 2-mL ampoule, 100 mg/2 mL in 2-mL ampoule

**2.2 Narcotic antagonist /medicines for treatment of opioid dependence\*\*\***

Naloxone	<b>Injection:</b> (hydrochloride) 0.4 mg in 1-mL ampoule
----------	--

**2.3 Non-narcotic analgesics and antipyretics**

Acetylsalicylic acid	<b>Capsule/Tablet:</b> 300 mg
Paracetamol	<b>Injection:</b> 150 mg/mL <b>Oral liquid:</b> 125 mg/5 mL <b>Suppository:</b> 100 mg <b>Tablet:</b> 125 mg, 500 mg

**2.4 Non-steroidal anti-inflammatory medicines and medicines used for gout/rheumatoid medicines**

Allopurinol	<b>Tablet:</b> 100 mg
Diclofenac	<b>Gel:</b> 1% <b>Injection:</b> 25 mg/mL ampoule <b>Tablet:</b> 25 mg, 100 mg
Ibuprofen	<b>Capsule/tablet:</b> 200 mg and 400 mg
Ketoprofen	<b>Gel:</b> 2.5%
Naproxen	<b>Tablet:</b> 250 mg

\*\* Marked for deletion

\*\*\* See 27.6 of Restricted List

**3. ANTICONVULSANTS (ANTI-EPILEPTICS)**

Carbamazepine	<b>Tablet:</b> 100 mg, 200 mg
Clonazepam	<b>Injection:</b> 1 mg/mL ampoule for dilution <b>Oral liquid:</b> 500 micrograms/5 mL <b>Tablet:</b> 500 micrograms
Diazepam	<b>Injection:</b> 5 mg/mL in 2-mL ampoule
Ethosuximide	<b>Capsule/tablet:</b> 250 mg <b>Oral liquid:</b> 250 mg/5 mL
Magnesium sulphate	<b>Injection:</b> 50% in 2-mL ampoule; 20% as 5 or 10-mL ampoule
Phenobarbital	<b>Oral liquid:</b> 15 mg/5 mL <b>Tablet:</b> 15 mg, 30 mg, 60 mg
Phenytoin sodium	<b>Capsule/tablet:</b> 25 mg, 50 mg, 100 mg
Pregabalin	<b>Capsules:</b> 25 mg, 50 mg, 75mg, 150 mg, 300 mg
Sodium valproate	<b>Oral liquid:</b> 200 mg/5 mL <b>Tablet:</b> (enteric-coated), 100 mg, 200 mg, 500 mg

**4. ANTIDOTES**

<b>4.1 Non-specific (general) antidote</b>	
Charcoal, activated	<b>Tablet:</b> 1 g <b>Powder/granules:</b> 5 g sachet
<b>4.2 Specific antidotes</b>	
Atropine	<b>Injection:</b> (sulfate), 1 mg in 1-mL ampoule
Desferoxamine	<b>Injection:</b> (mesylate), 500 mg, vial

Dimercaprol	<b>Injection:</b> 50 mg/mL in 2-mL ampoule
Flumazenil	<b>Injection:</b> 100 micrograms/mL in 5-mL ampoule
Methionine	<b>Tablet:</b> 250 mg
Methylthioninium chloride (methylene blue)	<b>Injection:</b> 10 mg/mL in 10-mL ampoule
Naloxone	<b>Injection:</b> (sulfate), 1 mg in 1-mL ampoule <b>Injection:</b> (hydrochloride), 0.4 mg in 1-mL ampoule
N-Acetylcysteine	<b>Injection:</b> 200 mg/mL in 10-mL ampoule <b>Oral liquid:</b> 10%, 20%
Phytomenadione (vitamin K <sub>1</sub> )	<b>Injection:</b> 10 mg / mL in 1-mL ampoule
Potassium ferric Hexacyanoferrate (II) (Prussian blue)	Powder for oral administration
Protamine sulfate	<b>Injection:</b> 10 mg / mL in 5-mL ampoule
Sodium calcium edetate	<b>Injection:</b> 200 mg / mL in 5-mL ampoule
Sodium nitrite	<b>Injection:</b> 30 mg / mL in 10-mL vial
Sodium thiosulfate	<b>Injection:</b> 500 mg / mL

<b>5. ANTI-INFECTIVE MEDICINES</b>	
<b>5.1 Amoebicide</b>	
Metronidazole	<b>Oral liquid:</b> 200 mg/5 mL <b>Tablet:</b> 200 mg, 400 mg
Tinidazole	<b>Tablet:</b> 500 mg
<b>5.2 Anthelmintics</b>	
<b>5.2.1 Intestinal antihelmintics</b>	
Albendazole	<b>Oral liquid:</b> 100 mg/5 mL <b>Tablet:</b> 200 mg
Mebendazole	<b>Oral liquid:</b> 100 mg/5 mL <b>Tablet:</b> 100 mg, 500 mg
Praziquantel	<b>Tablet:</b> 600 mg
<b>5.2.2 Antifilarials</b>	
Ivermectin	<b>Tablet:</b> 3 mg, 6 mg
<b>5.2.3 Antischistosomal and other antitrematode medicines</b>	
Praziquantel	<b>Tablet:</b> 600 mg
<b>5.3 Antibacterial medicines</b>	
Amoxicillin	<b>Capsule:</b> (trihydrate), 250 mg; 500 mg <b>Dispersible tablet:</b> 125 mg and 250 mg <b>Injection:</b> (sodium salt), 250 mg, 500 mg, vial <b>Powder for oral liquid:</b> (trihydrate), 125 mg/5 mL
Amoxicillin + clavulanic acid	<b>Capsule/tablet:</b> amoxicillin (trihydrate), 250 mg + clavulanic acid (potassium salt), 125 mg <b>Injection powder:</b> amoxicillin (trihydrate), 500 mg + clavulanic acid (potassium salt), 100 mg, vial; amoxicillin (trihydrate) 1 g + clavulanic acid 200 mg, vial. <b>Powder for oral liquid:</b> amoxicillin (trihydrate), 125 mg + clavulanic acid (potassium salt) 31.25 mg
Ampicillin + cloxacillin**	<b>Capsule:</b> 250 mg of each <b>Injection powder:</b> (sodium salt), 250 mg of each, vial <b>Neonatal drops:</b> ampicillin 60 mg + cloxacillin 30 mg/ 0.6 mL <b>Neonatal injection:</b> ampicillin 50 mg + cloxacillin 25 mg, vial <b>Powder for oral liquid:</b> 125 mg of each/ 5mL

Azithromycin	<b>Capsule:</b> 250 mg, 500 mg <b>Oral liquid:</b> 200 mg/5 mL
Benzathine benzylpenicillin	<b>Injection powder:</b> equivalent to 720 mg (1.2 million units) 1.44 g (2.4 million units) of benzylpenicillin, vial
Benzylpenicillin	<b>Injection powder:</b> (sodium or potassium salt), 600 mg (1 million units), 3.0 g (5million units), vial
Ceftriaxone	<b>Injection powder:</b> 250 mg, 500 mg, 1 g, vial
Cefuroxime	<b>Oral liquid:</b> (axetil), 125 mg / 5 mL <b>Injection:</b> (sodium salt), 250 mg, 750 mg, vial <b>Tablet:</b> (axetil), 125 mg, 250 mg, 500 mg
Ciprofloxacin*	<b>Injection:</b> (lactate) 2 mg / mL in 50-mL,100-mL bottle <b>Tablet:</b> (hydrochloride), 250 mg, 500 mg
Clarithromycin	<b>Suspension:</b> 250 mg/5 mL <b>Tablet:</b> 250 mg, 500 mg
Clindamycin	<b>Capsule:</b> (hydrochloride), 150 mg <b>Injection:</b> (phosphate), 150 mg/mL
Cloxacillin	<b>Capsule:</b> 250 mg <b>Injection powder:</b> 250 mg, 500 mg , vial <b>Powder for oral liquid:</b> 125 mg/5 mL
Co-trimoxazole	<b>Oral liquid:</b> sulfamethoxazole 200 mg + trimethoprim 40 mg/5 mL <b>Tablet:</b> sulfamethoxazole 400 mg+ trimethoprim 80 mg
Doxycycline	<b>Capsule:</b> (hydrochloride), 100 mg
Erythromycin	<b>Capsule/tablet, enteric/film-coated:</b> (stearate or ethylsuccinate), 250 mg, 500 mg <b>Injection powder:</b> (lactobionate), 500 mg , vial <b>Oral liquid:</b> (stearate or ethylsuccinate),125 mg/5 mL
Flucloxacillin	<b>Capsule:</b> 250 mg, 500 mg <b>Powder for oral liquid:</b> 125 mg/5 mL
Gentamicin	<b>Injection:</b> (Sulphate), 40mg/ml in 2ml ampoule
Levofloxacin*	<b>Injection:</b> 5 mg/mL in 100-mL bottle <b>Tablet:</b> 250 mg, 500 mg, 750 mg
Metronidazole	<b>Injection:</b> 500 mg in 100-mL bottle
Nitrofurantoin	<b>Tablet:</b> 50 mg, 100 mg
Phenoxymethylpenicillin	<b>Tablet:</b> (potassium salt), 250 mg
Tetracycline	<b>Capsule:</b> tablet, (hydrochloride), 250 mg <b>Injection powder:</b> 100 mg, 250 mg, vial Eye ointment
Vancomycin	<b>Capsule:</b> 250 mg, 500 mg <b>Injection powder:</b> (hydrochloride), 1 g, 5 g, 10 g vials

**5.4 Antifilarial medicines**

Diethylcarbamazine**	<b>Tablet:</b> 50 mg
Ivermectin	<b>Tablet:</b> 3 mg

**5.5 Antiflagellate medicines**

Metronidazole	<b>Oral liquid:</b> 200 mg /5 mL <b>Tablet:</b> 200 mg
Tinidazole	<b>Tablet:</b> 500 mg

**5.6 Antileprosy medicines**

Clofazimine	<b>Tablet:</b> 50 mg, 100 mg
Dapsone	<b>Tablet:</b> 50 mg, 100 mg
Rifampicin	<b>Capsule/tablet:</b> 150 mg, 300 mg

**5.7 Antimalarial medicines**

<b>5.7.1 Treatment</b>	
Artemether	<b>Injection:</b> 80 mg /mL in 1-mL ampoule

Artesunate	<b>Injection:</b> 60 mg / mL( powder for injection) in vial plus 1 mL of 5% sodium bicarbonate as solvent
Artesunate + amodiaquine	<b>Oral liquid:</b> 15 mg + 90 mg in 5 mL <b>Tablet:</b> 25 mg + 67.5 mg, 50 mg+ 135 mg, 100 mg + 270 mg
Artemether + lumefantrine	<b>Tablet:</b> 20 mg + 120 mg
Proguanil	<b>Tablet:</b> (hydrochloride), 100 mg
Pyrimethamine + sulfadoxine	<b>Tablet:</b> 25 mg + 500 mg
Quinine	<b>Injection:</b> (dihydrochloride), 300 mg/mL in 2-mL ampoule

**5.7.2 Prophylaxis**

Atovaquone +proguanil	<b>Tablet:</b> 20 mg + 120 mg
Hydroxychloroquine **	<b>Tablet:</b> 200 mg
Proguanil	<b>Tablet:</b> (hydrochloride), 100 mg
Mefloquine	<b>Tablet:</b> (hydrochloride), 250 mg
Pyrimethamine + sulfadoxine	<b>Tablet:</b> 25 mg + 500 mg

**5.8 Antischistosomal medicines**

Praziquantel	<b>Tablet:</b> 600 mg
--------------	-----------------------

**5.9 Antitrypanosomal and antileishmaniasis Medicines**

Eflornithine	<b>Injection:</b> (hydrochloride), 200 mg/ml in 100-ml bottle
Meglumine antimonate	<b>Injection:</b> 30%, equivalent to 8.5%antimony in 5mL ampoule
Melarsoprol	<b>Injection:</b> 3.6% solution, in 5-mL ampoule
Nifurtimox	<b>Tablet:</b> 30 mg, 120 mg, 250 mg
Pentamidine	<b>Injection powder:</b> (isetionate), 300 mg, vial
Sodium stibogluconate	<b>Injection:</b> containing 10% antimony
Suramin	<b>Injection:</b> 1 g, vial

**5.10 Antituberculosis medicines**

Ethambutol	<b>Tablet:</b> (hydrochloride), 100 – 500 mg
Isoniazid	<b>Tablet:</b> 100 – 300 mg
Pyrazinamide	<b>Tablet:</b> 400 mg
Rifabutin	<b>Capsule:</b> 150 mg
Rifampicin	<b>Capsule/tablet:</b> 150 mg, 300 mg
Rifampicin + Isoniazid	<b>Tablet:</b> rifampicin 150 mg + isoniazid 100 mg; Rifampicin 300mg + isoniazid 150 mg

**5.11 Antiviral medicines**

Aцикловир	<b>Injection powder:</b> (sodium salt), 250 mg, vial <b>Oral liquid:</b> 200 mg/5 mL <b>Tablet:</b> 200 mg, 400 mg
Idoxuridine	<b>Cream:</b> 5% <b>Solution:</b> 5% in dimethylsulphoxide (for external application)

**5.11.1 Antiretroviral (ARV) medicines**

<b>5.11.1.1 Non-nucleoside reverse transcriptase inhibitors</b>	
Nevirapine (NVP)	<b>Oral liquid:</b> 50 mg/mL <b>Tablet:</b> 200 mg
Efavirenz (EFV or EFZ)	<b>Capsule:</b> 50 mg, 100 mg, 200 mg <b>Oral liquid:</b> 150 mg/5 mL <b>Tablet:</b> 600 mg

**5.11.1.2 Nucleoside/nucleotide reverse transcriptase inhibitors**

Abacavir (ABC)	<b>Oral liquid:</b> (sulfate), 100 mg/5 mL <b>Tablet:</b> (sulfate), 300 mg
----------------	--

Didanosine (ddl)	<b>Buffered powder for oral liquid:</b> 100 mg, 167 mg, 250 mg packets <b>Capsule:</b> (unbuffered enteric-coated), 125 mg, 200 mg, 250 mg, 400 mg <b>Tablet:</b> (buffered chewable, dispersible), 25 mg, 50 mg, 100 mg, 150 mg, 200 mg
Lamivudine (3TC)	<b>Solution:</b> 5 mg/mL <b>Tablet:</b> 150 mg
Zidovudine (ZDV)	<b>Capsule:</b> 100 mg, 250 mg <b>Oral liquid:</b> 50 mg/mL

**5.11.1.3 Protease inhibitors**

Indinavir (IDV)	<b>Capsule:</b> (sulfate), 200 mg, 400 mg
Lopinavir + ritonavir (LPV/r)	<b>Capsule:</b> 133.3 mg + 33.3 mg <b>Oral liquid:</b> 400 mg + 100 mg / 5 mL <b>Tablet:</b> (heat stable) 100 mg + 25 mg; 200 mg + 50 mg

**5.11.1.4 Fixed-dose combinations**

Lamivudine + nevirapine + stavudine	<b>Tablet:</b> 150 mg + 200 mg + 30 mg <b>Tablet:</b> (dispersible), 30 mg + 50 mg + 6 mg, 60 mg + 100 mg + 12 mg
Lamivudine + nevirapine + zidovudine	<b>Tablet:</b> 30 mg + 50 mg + 60 mg, 150 mg + 200 mg + 300 mg
Lamivudine + zidovudine	<b>Tablet:</b> 30 mg + 60 mg, 150 mg + 300 mg

**5.12 Systemic antifungal medicines**

Amphotericin B	<b>Injection powder:</b> (deoxycholate), 50-mg vial
Fluconazole	<b>Capsule:</b> 50 mg, 150 mg <b>Injection:</b> 2 mg/mL in 0.9% sodium chloride
Miconazole	<b>Cream:</b> (nitrate), 2% <b>Lotion:</b> (nitrate), 2% <b>Pessary:</b> (nitrate), 200 mg, 400 mg <b>Powder:</b> (nitrate), 2% <b>Tablet:</b> 250 mg
Nystatin	<b>Lozenges:</b> 100,000 units/mL <b>Oral liquid:</b> 100,000 units/mL <b>Pessary:</b> 100,000 units <b>Tablet:</b> 500,000 units

\* Not recommended for children and growing adolescents

\*\* Marked for deletion

**6. ANTIMIGRAINE MEDICINES**

Ergotamine	<b>Tablet:</b> (tartrate), 2 mg
Propranolol*	<b>Tablet:</b> (hydrochloride), 40 mg, 80 mg
Sumatriptan	<b>Tablet:</b> 50 mg, 100 mg

\* For prophylaxis

**7. ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE MEDICINES**

Actinomycin-D	<b>Injection powder:</b> 0.5 mg in vial
Asparaginase	<b>Injection powder:</b> 10 000 IU in vial
Azathioprine	<b>Injection powder:</b> (sodium salt), 50 mg, vial <b>Tablet:</b> 50 mg
Bleomycin	<b>Injection powder:</b> (sulfate), 15,000 units, vial
Busulfan (busulphan)	<b>Tablet:</b> 2 mg
Carboplatin	<b>Injection:</b> 10 mg/mL in 5-mL vial
Chlorambucil	<b>Tablet:</b> 2 mg, 5 mg
Ciclosporin (cyclosporin)	<b>Oral liquid:</b> 100 mg/mL <b>Injection:</b> 50 mg/mL ampoule
Cisplatin	<b>Injection powder:</b> 10 mg, 50 mg, vial

Cyclophosphamide	<b>Injection powder:</b> 100 mg, 500 mg, 1 g, vial <b>Tablet:</b> 25 mg, 50 mg
Cytarabine	<b>Injection powder:</b> 100 mg, vial
Dacabazine (DTIC)	<b>Injection powder:</b> (citrate) 100 mg, 200 mg, 500 mg, vial
Daunorubicin	<b>Injection powder:</b> (hydrochloride) 50 mg, vial
Dexamethasone	<b>Injection:</b> (sodium phosphate), 4 mg/mL ampoule <b>Tablet:</b> 500 micrograms, 4 mg
Doxorubicin	<b>Injection powder:</b> (hydrochloride), 10 mg, 50 mg vial
Epirubicin	<b>Injection:</b> (hydrochloride), 2 mg/mL in 5-mL vial <b>Injection powder:</b> (hydrochloride) 50 mg powder in vial
Etoposide(VP-16)	<b>Capsule:</b> 100 mg <b>Injection:</b> 100 mg / 5 mL vial
Erythropoietin	<b>Injection:</b> 4000 IU / 0.4 mL, 6000 IU, 10 000 IU, in 1-mL vials
Fludarabine	<b>Injection powder:</b> (phosphate), 50 mg vial <b>Tablet:</b> (phosphate), 10 mg
Fluorouracil	<b>Injection:</b> (sodium salt), 50 mg/mL in 5-mL vial
Hydroxyurea	<b>Capsule:</b> 100 mg, 250 mg, 500 mg
Ifosfamide	<b>Injection powder:</b> 1 g, 2 g vial
Imatinib	<b>Tablet:</b> (mesylate) 100 mg, 400 mg
Melphalan	<b>Tablet:</b> 2 mg <b>Injection:</b> (hydrochloride), 50 mg vial
6-Mercaptopurine	<b>Tablet:</b> 50 mg
Mesna	<b>Tablet:</b> 400 mg, 600 mg <b>Injection:</b> 100 mg/mL in 10-mL ampoule
Methotrexate	<b>Injection powder:</b> (sodium salt), 50 mg, vial <b>Tablet:</b> (sodium salt), 2.5 mg
Mitoxantrone	<b>Concentrate for intravenous infusion:</b> 2 mg/mL in 10-mL vial
Ondansetron	<b>Injection:</b> 2 mg/mL in 4-mL ampoule <b>Tablet:</b> 8 mg
Paclitaxel	<b>Injection:</b> 100 mg/16.67 mL vial
Prednisolone	<b>Injection:</b> (sodium phosphate or sodium succinate), 20 mg / mL, 25 mg/mL, vial <b>Tablet:</b> 5 mg
Procarbazine	<b>Capsule:</b> (hydrochloride), 50 mg
Stilboestrol	<b>Tablet:</b> 1 mg, 5 mg, 25 mg
Tamoxifen	<b>Tablet:</b> (citrate), 10 mg, 20 mg
6-thioguanine	<b>Tablet:</b> 40 mg
Vinblastine	<b>Injection:</b> 1 mg/ mL in 10 mL vial
Vincristine	<b>Injection powder:</b> (sulfate), 1 mg, 2 mg, 5 mg vial

## 8. ANTISEPTICS AND DISINFECTANTS

Benzoin	Compound tincture of benzoin
Cetrimide + chlorhexidine	<b>Solution:</b> cetrimide 15% + chlorhexidine (gluconate)1.5%, for dilution
Chlorhexidine	<b>Gel:</b> 4% in 25g (umbilical cord care) <b>Solution:</b> (gluconate), 5% for dilution
Dichloroxylenol + chlorophenol	Soap, solution
Formaldehyde	<b>Solution:</b> 1.5 – 1M%
Glutaraldehyde	<b>Solution:</b> 2% (in buffered base)
Iodine	<b>Weak solution of iodine:</b> 1%
Methylated spirit	<b>Solution</b>
Potassium permanganate	<b>Solution:</b> 0.1%
Povidone iodine	<b>Solution:</b> 10%
Sodium hypochlorite	<b>Solution:</b> different preparations with available chlorine from 1 - 10%
Trichlorophenol	Cream, liquid, ointment, mixture of halogenated phenols and salicylic acid

Eusol	<b>Solution:</b> chlorinated lime 1.25% plus boric acid 1.25%, freshly prepared
-------	---

## 9. BLOOD PRODUCTS AND PLASMA SUBSTITUTE

### 9.1 Plasma fraction for specific use

Human albumin	<b>Injection:</b> 20% solution
---------------	--------------------------------

### 9.2 Plasma substitutes

Dextran 70	<b>Intravenous infusion:</b> 6% in sodium chloride <b>Intravenous infusion:</b> 7.5%, 500mL
Polygeline	<b>Injection:</b> 3.5% solution, 500 mL

## 10. CARDIOVASCULAR MEDICINES

### 10.1 Anti-anginal medicines

Atenolol	<b>Injection:</b> 500 micrograms/mL, ampoule <b>Tablet:</b> 25 mg, 50 mg, 100 mg
Diltiazem	<b>Tablet:</b> (hydrochloride), 60 mg, 90 mg, 120 mg, 180 mg
Glyceryl trinitrate	<b>Tablet:</b> sublingual, 500 micrograms
Isosorbide dinitrate	<b>Tablet:</b> sublingual, 5 mg <b>Tablet:</b> oral 10 mg

### 10.2. Anti-arrhythmic medicines

Amiodarone	<b>Tablet:</b> (hydrochloride), 100 mg, 200 mg
Diltiazem	<b>Injection:</b> (hydrochloride), 100 mg/mL in 10 mL- ampoule <b>Tablet:</b> (hydrochloride), 60 mg, 90 mg, 120 mg, 180 mg
Lidocaine	<b>Injection:</b> (hydrochloride), 20 mg/mL in 5 mL- ampoule
Procainamide	<b>Tablet:</b> (hydrochloride), 250 mg
Propranolol	<b>Injection:</b> (hydrochloride), 1 mg/mL, ampoule <b>Tablet:</b> (hydrochloride), 10 mg, 40 mg
Verapamil	<b>Tablet:</b> 40 mg, 80 mg, 120 mg

### 10.3 Antihypertensive medicines

Amiloride + hydrochlorothiazide	<b>Tablet:</b> 2.5 mg + 25 mg
Amlodipine	<b>Tablet:</b> (besylate), 5 mg, 10 mg
Atenolol	<b>Tablet:</b> 25 mg, 50 mg, 100 mg
Bendrofluazide	<b>Tablet:</b> 2.5 mg, 5 mg
Captopril	<b>Tablet:</b> 12.5 mg, 25 mg, 50 mg
Hydralazine	<b>Injection powder:</b> (hydrochloride), 20 mg, Ampoule
Labetalol	<b>Injection powder:</b> 5 mg/mL in 20 mL-ampoule <b>Tablet:</b> (hydrochloride), 100 mg, 200 mg
Lisinopril	<b>Tablet:</b> 5 mg, 10 mg
Losartan	<b>Tablet:</b> 25 mg, 50 mg
Methyldopa	<b>Tablet:</b> 250 mg, 500 mg
Nifedipine	<b>Tablet:</b> (slow release), 20 mg
Nimodipine	<b>Tablet:</b> 30 mg
Propranolol	<b>Tablet:</b> (hydrochloride), 40 mg, 80 mg
Reserpine + dihydroergocristine + clopamidine	<b>Tablet:</b> 100 micrograms + 500 micrograms + 5 mg
Valsartan	<b>Tablet:</b> 40 mg, 80 mg, 160 mg

### 10.4 Medicines used in heart failure

Captopril	<b>Tablet:</b> 12.5 mg, 25 mg
Digoxin	<b>Injection:</b> 100 micrograms/mL in 1-mL, ampoule 250 <b>Oral liquid:</b> 50 micrograms/mL <b>Tablet:</b> 62.5 micrograms, 125 micrograms, 250

Furosemide	micrograms/mL in 2-mL ampoule <b>Injection:</b> 10 mg/2 mL in 2-mL ampoule <b>Tablet:</b> 40 mg
Metoprolol	<b>Tablet:</b> 25 mg ( Metoprolol succinate 23.75 mg equiv. to Metoprolol tartrate 25 mg; extended release tablet), 50 mg (Metoprolol succinate 47.5 mg equiv.to metoprolol tartrate 50mg extended release tablet)

<b>11. DENTAL MEDICINES</b>	
<b>11.1 Anti-inflammatory dental medicines</b>	
Triamcinolone	<b>Paste:</b> (acetonide), 0.1%
<b>11.2 Local anaesthetic</b>	
Lidocaine	<b>Cream:</b> 5% <b>Injection:</b> anhydrous lidocaine (hydrochloride), 2% with epinephrine (adrenaline) 1 in 80,000 in dental cartridge <b>Spray:</b> 0.2%
<b>11.3 Mouthwashes</b>	
Hexetidine	<b>Solution:</b> 0.1%
Nystatin	<b>Solution:</b> 100,000 units/mL
Zinc chloride + zinc sulfate	<b>Compound mouthwash:</b> containing zinc chloride 1% + zinc sulfate 2%

<b>12. DERMATOLOGICAL MEDICINES</b>	
<b>12.1 Anti-acne medicines</b>	
Benzoyl peroxide	<b>Cream:</b> 2.5%, 5%, 10% <b>Gel:</b> 2.5%, 5%, 10%
<b>12.2 Antifungal medicines</b>	
Benzoic acid + salicylic acid	<b>Cream/ointment:</b> containing benzoic acid, 6% and salicylic acid, 3%
Clotrimazole	<b>Cream/ointment:</b> 1% <b>Dusting powder:</b> 1% <b>Pessaries:</b> 100 mg, 200 mg
Miconazole	<b>Cream:</b> (nitrate), 2% <b>Dusting powder:</b> (nitrate), 2% <b>Oral gel:</b> (nitrate), 2 - 2.5% <b>Lotion/tincture:</b> 2%
Miconazole + hydrocortisone	<b>Cream:</b> miconazole, 2%, hydrocortisone, 1% <b>Vaginal ovule:</b> 200 mg, 400 mg
Nystatin	<b>Cream/ointment:</b> 100,000 units <b>Oral suspension:</b> 100,000 units
<b>12.3 Anti-infective medicines</b>	
Gentamicin	<b>Cream:</b> (sulfate), 0.3%
Gentian violet (Methylrosanilinium chloride)**	<b>Aqueous solution:</b> 0.5% chloride)
Silver sulfadiazine	<b>Cream:</b> 1%
<b>12.4 Anti-inflammatory and antipruritic medicines</b>	
Betamethasone	<b>Cream/ointment:</b> (valerate), 0.1%
Calamine lotion	<b>Lotion</b>
Hydrocortisone	<b>Cream/ointment:</b> (acetate), 1%
Hydrocortisone + Neomycin	<b>Cream/ointment:</b> hydrocortisone 0.5 - 1% + neomycin 0.25 - 0.5%

Methyl salicylate	Ointment/liniment: 4 - 20%
<b>12.5 Astringent medicines</b>	
Aluminium diacetate	Solution: 13% for dilution
Calamine + zinc oxide	Lotion, plaster
<b>12.6 Keratolytic and keratoplastic medicines</b>	
Coal tar	Solution: 1 - 10%
Dithranol	Ointment: 0.1 - 2%
Podophyllum resin	Solution: (topical), 10 - 20%
Salicylic acid	Ointment: 2 - 5%
Urea	Cream/ointment: 10%
<b>12.7 Psoriasis and vitiligo medicines (See Restricted List)</b>	
<b>12.8 Scabicides and pediculicides</b>	
Benzyl benzoate	Emulsion: 25%
Permethrin	Lotion: 1%

\*\* Marked for deletion

<b>13. DIALYSIS SOLUTION</b>	
Interperitoneal dialysis solution	Parenteral solution: (of appropriate composition)

<b>14. DIURETICS</b>	
Amiloride + hydrochlorothiazide	Tablet: 2.5 mg + 25 mg; 5 mg + 50 mg
Furosemide (frusemide)	Tablet: 40 mg Injection: 10 mg/mL in 2-mL ampoule
Hydrochlorothiazide	Tablet: 25 mg, 50 mg
Spironolactone	Tablet: 25 mg, 50 mg

<b>15. MEDICINES ACTING ON RESPIRATORY TRACT</b>	
<b>15.1 Antiasthmatics and medicines for chronic obstructive pulmonary disease</b>	
Aminophylline	Injection: 25 mg/mL
Becломethasone Dipropionate	Inhalation: (aerosol), 50 micrograms per dose, 250 micrograms per dose
Epinephrine (adrenaline)	Injection: (hydrochloride or hydrogen tartrate), 1 mg in 1-mL ampoule
Ipratropium bromide	Inhalation: (aerosol), 20 micrograms per metered inhalation
Salbutamol*	Inhalation: (aerosol), 100 micrograms (sulfate) per dose Injection: (sulfate), 50 micrograms / mL in 5-mL ampoule Metered dose inhaler: (aerosol), 100 micrograms (sulfate) per dose Oral liquid: 2 mg/5 mL Respirator solution for use in nebulizers: (sulfate), 5 mg/mL Tablet: (sulfate), 2 mg, 4 mg
Salmeterol	Inhalation: (as the hydroxynaphthoic acid salt ) 25 mcg per dose (actuation) in pressurize metered-dose inhaler (Each canister provides 120 actuations)
<b>15.2 Antitussive</b>	
Dextromethorphan hydrobromide	Oral liquid: 15 mg/5 mL

\* Oral salbutamol treatment should only be considered when inhaled asthma therapy is not feasible

<b>16. MEDICINES AFFECTING THE BLOOD</b>	
<b>16.1 Anti-anaemia medicines</b>	
Hydroxocobalamin	<b>Injection:</b> 1 mg/mL, ampoule
Ferri ammonium citrate	<b>Mixture:</b> 400 mg/5 mL
Ferrous sulphate	<b>Tablet:</b> 200 mg equivalent to 60 mg iron
Ferrous gluconate	<b>Tablet:</b> 300 mg equivalent to 35 mg iron
Folic acid	<b>Tablet:</b> 5 mg
Erythropoietin alpha	<b>Injection:</b> 2000, 4000, 6000, 10000 IU
Erythropoietin beta	<b>Injection:</b> 500 – 3M, MMF
<b>16.2 Anticoagulants and antiplatelets</b>	
Acetylsalicylic acid	<b>Tablet:</b> 75 mg
Clopidogrel	<b>Tablet:</b> (besilate or hydrochloride), 75 mg
Enoxaparin sodium	<b>Injection:</b> 100 mg/mL
Heparin sodium	<b>Injection:</b> 1000 units/mL and 25,000 units/mL ampoule
Warfarin sodium	<b>Tablet:</b> 1 mg, 5 mg
<b>16.3 Antifibrinolytic and haemostatic drug</b>	
Aminocaproic acid (with or without lipid thromboplastin)	<b>Injection:</b> Aminocaproic acid 100 mg + lipid thromboplastin 2 mg per mL, 10-mL ampoule <b>Tablet:</b> 500 mg
<b>16.4 Fibrinolysis</b>	
Alteplase	<b>Powder for injection:</b> 2 mg (1.16 million units)/vial
Streptokinase	<b>Powder for injection:</b> 1.5 million units/vial

<b>17. MEDICINES FOR PARKINSONISM AND OTHER NEUROLOGICAL DISORDERS</b>	
<b>17.1 Antiparkinsonism medicines</b>	
Benzhexol	<b>Tablet:</b> (hydrochloride), 2 mg, 5 mg
Biperiden	<b>Injection:</b> (lactate), 5 mg/mL in 1-mL ampoule <b>Tablet:</b> (hydrochloride), 2 mg
Levodopa + carbidopa	<b>Tablet:</b> 100 mg + 10 mg <b>Tablet:</b> 250 mg + 25 mg
<b>17.2 Medicines for myasthenia gravis</b>	
Neostigmine	<b>Tablet:</b> (bromide), 15 mg
Pyridostigmine	<b>Tablet:</b> (bromide), 60 mg

<b>18. MEDICINES USED IN ANAPHYLAXIS</b>	
<b>18.1 Anti-anaphylactics</b>	
Dexamethasone	<b>Injection:</b> (sodium phosphate), 4 mg in 1-mL ampoule
Epinephrine (adrenaline)	<b>Injection:</b> (acid tartrate or hydrochloride), 1 mg/mL in 1-mL, ampoule
Hydrocortisone	<b>Injection powder:</b> (sodium succinate) 100 mg, vial
<b>18.2 Antihistamines</b>	
Chlorphenamine	<b>Injection:</b> (maleate), 10 mg in 1-mL ampoule <b>Oral liquid:</b> 2 mg/ 5 mL

Loratadine	<b>Tablet:</b> (maleate), 4 mg <b>Tablet:</b> 10 mg
Promethazine	<b>Injection:</b> (hydrochloride), 25 mg/mL in 1- mL and 2-mL ampoule <b>Oral liquid:</b> (hydrochloride), 5 mg/5 mL <b>Tablet:</b> (hydrochloride), 10 mg, 25 mg

**19. EAR, NOSE AND THROAT MEDICINES****19.1 Ear medicines****19.1.1 Anti-infective medicines**

Chloramphenicol	<b>Ear drops:</b> 5%
Gentamicin	<b>Ear drops:</b> (sulfate), 0.3%

**19.1.2 Anti-inflammatory medicines**

Betamethasone	<b>Ear drops:</b> (sodium phosphate), 0.1%
---------------	--

**19.1.3 Combined anti-infective and anti-inflammatory medicines**

Flumetasone + clioquinol	<b>Ear drops:</b> flumetasone pivalate 0.02% + clioquinol 1%
Hydrocortisone + neomycin	<b>Ear drops:</b> hydrocortisone (acetate), 1.5%+ neomycin (sulfate), 0.5%

**19.1.4 Removal of ear wax**

Glycerol + sodium bicarbonate	<b>Ear drops:</b> glycerol 30 mL + sodium bicarbonate 5 g in 100 mL solution
-------------------------------	--

**19.2 Nose medicines****19.2.1 Anti-allergic and nasal decongestants****19.2.1.1 Cauterization of nose**

Silver nitrate	<b>Solution:</b> 0.5% in water, freshly prepared. <b>Sticks/crystals</b>
----------------	---

**19.2.1.2 Systemic**

Pseudoephedrine hydrochloride	<b>Oral liquid:</b> 30 mg/5 mL <b>Tablet:</b> 60 mg
-------------------------------	--

**19.2.1.3 Topical**

Becломethasone	<b>Nasal spray:</b> aerosol (dipropionate), 500 micrograms/metered spray
Ephedrine	<b>Nasal drops:</b> (hydrochloride), 0.5%

**20. GASTRO-INTESTINAL MEDICINES****20.1 Antacid medicines**

Aluminium hydroxide	<b>Mixture:</b> B.P <b>Tablet:</b> 500 mg
Aluminium hydroxide + magnesium trisilicate	<b>Mixture:</b> B.P. <b>Tablet:</b> aluminium hydroxide 120 mg + Magnesium trisilicate 250 mg
Magnesium trisilicate	<b>Mixture:</b> 250 mg/5 mL <b>Tablet:</b> 500 mg

**20.2 Anti-emetic medicines**

Metoclopramide	<b>Injection:</b> (hydrochloride), 5 mg/mL in 2mL-ampoule <b>Oral liquid:</b> (hydrochloride), 5 mg/5 mL <b>Tablet:</b> (hydrochloride),10 mg
----------------	---

Prochlorperazine	<b>Injection:</b> (mesylate), 12.5 mg/mL in 1-mL and 2-mL ampoules <b>Oral liquid:</b> (mesylate), 5 mg /5 mL <b>Tablet:</b> (maleate), 5 mg, 25 mg
Promethazine	<b>Injection:</b> (hydrochloride), 25 mg/mL in 1mL and 2-mL ampoules <b>Oral liquid:</b> (hydrochloride), 5 mg/5 mL <b>Tablet:</b> (hydrochloride), 10 mg, 25 mg or (theoclolate), 25 mg
<b>20.3 Anti-haemorrhoidal medicines</b>	
Preparations containing: Hydrocortisone acetate with or without lidocaine hydrochloride +astringent(s)	Rectal suppository or ointment
<b>20.4 Antispasmodic medicines and smooth muscle relaxants</b>	
Hyoscine N-butylbromide	<b>Injection:</b> 20 mg/mL in 1-mL ampoule <b>Oral liquid:</b> (hydrochloride), 5 mg/5 mL <b>Tablet:</b> 10 mg
<b>20.5 Laxatives</b>	
Bisacodyl	<b>Suppositories:</b> 5 mg, 10 mg <b>Tablet:</b> 5 mg
Lactulose	<b>Syrup:</b> 68% w/v
Liquid paraffin	<b>Emulsion:</b> oral, as faecal softener
Senna	<b>Tablet:</b> total sennosides = 7.5 mg
<b>20.6 Medicines used in diarrhoea</b>	
<b>20.6.1 Oral rehydration therapy</b>	
Oral rehydration salts	<b>Low Osmolarity Oral Rehydration Salts, co-packed with zinc sulphate tablets:</b> 20.5 g ORS (sodium chloride 2.6 g, potassium chloride 1.5 g, sodium citrate 2.9 g, dextrose 13.5 g)+ 20 mg dispersible zinc sulfate  <b>Powder, composition/litre of solution:</b> glucose anhydrous 13.5 g, potassium chloride 1.5 g, sodium citrate dihydrate 2.9 g, sodium chloride 2.6 g (the sodium citrate dihydrate may be replaced by sodium bicarbonate 2.5 g, in the absence of the former)
<b>20.6.2 Medicines for diarrhoea in children</b>	
Zinc Sulphate (Should be used as an adjunct to oral rehydration salts in acute diarrhoea)	<b>Oral liquid:</b> in 10 mg per unit dosage form <b>Tablet:</b> in 10 mg per unit dosage form
<b>20.6.3 Medicines for diarrhoea in adults</b>	
Diphenoxylate	<b>Tablet:</b> diphenoxylate hydrochloride, 2.5 mg + atropine sulfate, 25 micrograms
Loperamide	<b>Capsule:</b> 2 mg <b>Tablet:</b> 2 mg
<b>20.7 Helicobacter pylori eradication</b>	
<b>20.7.1 Acid suppressants</b>	
Cimetidine	<b>Injection:</b> 100 mg/mL in 2-mL ampoule <b>Tablet:</b> 200 mg, 400 mg
Omeprazole	<b>Injection powder:</b> (sodium salt), 40 mg,vial <b>Tablet:</b> 10 mg, 20 mg
Ranitidine	<b>Injection:</b> 25 mg/mL in 2-mL ampoule <b>Tablet:</b> (hydrochloride), 150 mg, 300 mg

**20.7.2 Anti-infectives**

Amoxicillin	<b>Capsule:</b> (trihydrate), 250 mg, 500 mg
Clarithromycin	<b>Tablet:</b> 250 mg, 500 mg

**21. ENDOCRINE MEDICINES****21.1 Adrenal hormones and synthetic substitutes**

Dexamethasone	<b>Injection:</b> 2 mg/mL, 4 mg/mL in 2-mL, ampoule <b>Tablet:</b> 0.5 mg, 4 mg
Hydrocortisone	<b>Injection powder:</b> (sodium succinate), 100 mg, vial
Prednisolone	<b>Tablet:</b> 1 mg, 5 mg

**21.2 Antidiabetic medicines****21.2.1 Insulins (human)**

Biphasic isophane insulin	<b>Injection:</b> 30% soluble, 70% isophane, 100 units/mL
Insulin, soluble	<b>Injection:</b> (short-acting), 100 units/mL in 10-mL vial
Insulin glargine	<b>Injection:</b> 100 units/mL in 10-mL vial

**21.2.2 Oral antidiabetic medicines**

Glibenclamide	<b>Table:</b> 5 mg
Gliclazide	<b>Tablet:</b> 80 mg
Glimepyride	<b>Tablet:</b> 1 mg, 2 mg, 3 mg, 4 mg
Metformin	<b>Tablet:</b> (hydrochloride), 500 mg
Vidagliptin*	<b>Tablet:</b> 50 mg

**21.3 Contraceptives****21.3.1 Implantable contraceptives**

Etonogestrel releasing implant	<b>Single rod:</b> containing etonogestrel 68 mg per rod
Levonorgestrel-releasing implant	Two-rod implant, each containing 75 mg of levonorgestrel (150 mg total)

**21.3.2 Injectable hormonal contraceptives**

Levonorgestrel	<b>Implant:</b> (subdermal) 36 mg
Medroxyprogesterone acetate	<b>Injection:</b> depot, 150 mg/mL in 3-mL, vial
Norethisterone enantate	<b>Injection:</b> 200 mg/mL in 1-mL, ampoule

**21.3.3 Intrauterine devices**

Copper	Various copper-containing devices
Lippe's loop	Various sizes, A, B, C and D with insertion Tubes

**21.3.4 Oral hormonal contraceptives**

Ethinylestradiol + levonorgestrel	<b>Tablet:</b> 30 micrograms + 150 micrograms
Ethinylestradiol + levonorgestrel + Ferrous fumarate	<b>Tablet:</b> 30 micrograms + 50 – 15Mmicrograms H 75 mg
Ethinylestradiol H norethisterone	<b>Tablet:</b> 35 micrograms + 1 mg norethisterone
Norethisterone	<b>Tablet:</b> 35 micrograms

**21.3.5 Emergency Contraceptives**

Levonorgestrel	<b>Tablet:</b> 0.75 mg
----------------	------------------------

**21.4 Androgens (See Restricted List)**

<b>21.5 Estrogens</b>	
Ethinylestradiol	<b>Tablet:</b> 10 micrograms, 50 micrograms

<b>21.6 Medicines acting on pituitary-ovarian axis</b>	
Bromocriptine	Capsule/tablet: (mesylate), 1 mg, 2.5 mg
Clomiphene	Tablet: (citrate), 50 mg
<b>21.7 Thyroid hormones and antithyroid medicines</b>	
<b>21.7.1 Antithyroid medicines</b>	
Carbimazole	Tablet: 5 mg
Iodine + potassium iodide (Lugol's solution)	Oral liquid: containing: iodine 5% and potassium iodide 10% in purified water
Propylthiouracil	Tablet: 50 mg
<b>21.7.2 Thyroid hormone</b>	
Levothyroxine	Tablet: (sodium salt), 50 micrograms, 100 micrograms
Liothyronine	Tablet: (sodium salt), 20 micrograms
<b>21.8 Antidiuretic hormone (See Restricted List)</b>	
<b>21.9 Other hormone inhibitor</b>	
Octreotide	Injection: 50 micrograms/mL in 1-mL ampoule, 100 micrograms/mL in 1-mL ampoule, 200 micrograms/mL in 1-mL ampoule

<b>22. IMMUNOLOGICALS</b>	
<b>22.1 Sera and immunoglobulins</b>	
Anti-D immunoglobulin (human)	Injection: 250 micrograms / mL, vial
Anti-gas gangrene	Injection: 10,000 units, 30,000 units, vial
Antiscorpion serum	Injection: 1-mL ampoule
Antisnake-bite serum	Injection: polyvalent, 10-mL, 20-mL ampoule
Antitetanus immunoglobulin (Human)	Injection: 1,500 units 10,000 units,ampoule; 50,000 units, vial
Gas-gangrene antitoxin	Injection: 4,000 units, 10,000 units, vial
Normal immunoglobulin	Injection: 16%
Rabies immunoglobulin	Injection: 150 units /mL, vial
<b>22.2 Vaccines*</b>	
<b>22.2.1 Vaccines for specific immunization</b>	
Cholera vaccine	Injection: 1.5-mL, 5- mL, 10-mL and 50-mL, ampoule or vial
Hepatitis B vaccine	Liquid for injection: 10-dose vial
Meningococcal vaccine	Injection powder: 1,10 and 50-dosevials
Rabies vaccine (inactivated)	Injection: 1-mL ampoule
Tetanus vaccine (Tetanus toxoid)	Injection: 0.5 mL-dose ampoule
Typhoid vaccine (Vi antigen)	Injection: 0.5 mL/syringe, 10 mL/vial, 25 mL/vial
Typhoid vaccine (TAB)	Injection: 1.5-mL , vial
Yellow fever vaccine	Injection powder: 1-dose, 5-dose and 10-dose vials
<b>22.2.2 Vaccines for universal immunization</b>	
BCG vaccine	Injection powder: 20-dose vial injection: 10-dose vial
Hepatitis B vaccine	Injection powder: 10-dose vial
Measles vaccine	Injection powder: 10-dose vial
Pentavalent vaccine	Injection: Conjugate vaccine for diphtheria, tetanus, whooping cough, hepatitis B, haemophilus influenza type B
Poliomyelitis vaccines (Live-attenuated)	Oral liquid
Tetanus vaccine	Powder for injection: 10-dose vial

\*All vaccines should comply with the World Health Organization's requirements for biological substances

**23. IN VIVO DIAGNOSTIC AGENTS****23.1 Endocrine disorders (See Restricted List)****23.2 Gastric function (See Restricted List)****23.3 Myasthenia gravis (See Restricted List)****23.4 Ophthalmic medicines**

Fluorescein	<b>Eye drops:</b> (sodium salt), 1%
-------------	-------------------------------------

**23.5 Radiocontrast media****23.5.1 Alimentary tract**

Barium sulfate	<b>Aqueous liquid</b>
----------------	-----------------------

**24. OPHTHALMOLOGICAL MEDICINES****24.1 Anti-infective medicines**

Aciclovir	<b>Eye ointment:</b> 3.0%
Chloramphenicol	<b>Eye drops:</b> 0.5%
	<b>Eye ointment:</b> 1.0%
Gentamicin	<b>Eye drops:</b> (sulfate) 0.3%
	<b>Eye ointment:</b> (sulfate) 0.3%
Idoxuridine	<b>Eye drops:</b> 0.1%
	<b>Eye ointment:</b> 0.5%
Miconazole	<b>Eye drops:</b> 1%
	<b>Injection:</b> 10 mg/mL
Oxytetracycline + polymyxin B	<b>Eye ointment:</b> oxytetracycline hydrochloride, 5 mg + polymyxin B (sulfate) 10,000 units

**24.2 Anti-inflammatory and anti-allergic medicines**

Antazoline	<b>Eye drops:</b> (antazoline sulphate + 0.5%, xylometazoline hydrochloride 0.05%)
Prednisolone	<b>Eye drops:</b> 1% (acetate), 5% (sodium phosphate)

**24.3 Local anaesthetics**

Tetracaine* (amethocaine)	<b>Eye drops:</b> (hydrochloride), 0.5%
---------------------------	---

**24.4 Miotics and antiglaucoma medicines****24.4.1 Systemic medicines**

Acetazolamide	<b>Tablet:</b> 250 mg <b>Injection:</b> (sodium salt), 500 mg vial
---------------	---

**24.4.2 Topical medicines**

Pilocarpine	<b>Eye drops:</b> (hydrochloride), 1%, 2%, 3%, 4%
Timolol	<b>Eye drops:</b> (maleate), 0.25%, 0.5%

**24.5 Mydriatic medicines**

Atropine	<b>Eye drops:</b> (sulfate), 0.5%, 1.0%
Homatropine	<b>Eye drops:</b> (hydrobromide), 1%, 2%
Phenylephrine	<b>Eye drops:</b> (hydrochloride), 0.25%, 0.5%, 2.5%, 10%
Tropicamide	<b>Eye drops:</b> 0.5%, 1%

<b>24.6 Diagnostic eye medicines</b>	
Fluorescein sodium	<b>Eye drops:</b> (sodium salt), 1%, 2%
<b>24.7 Miscellaneous eye preparation</b>	
Methylcellulose	<b>Eye drops:</b> 1%, 2%

\*Not for use in preterm neonates

<b>25. OXYTOCICS AND TOCOLYTICS</b>	
Ergometrine	<b>Injection:</b> (maleate), 0.5 mg/mL <b>Tablet:</b> (maleate), 500 micrograms
Misoprostol	<b>Tablet:</b> 200 micrograms
Oxytocin	<b>Injection:</b> 5 units, 10 units / mL in ampoules
Salbutamol	<b>Injection:</b> (sulfate), 500 micrograms/mL, 1 mg/mL <b>Oral liquid:</b> (sulfate), 2 mg/5 mL <b>Tablet:</b> (sulfate), 2 mg, 4 mg

<b>26. PREPARATIONS FOR CORRECTING WATER ELECTROLYTE AND ACID -BASE DISTURBANCES</b>	
<b>26.1 Oral preparations</b>	
Oral Rehydration Salts	See 20.6.1
Potassium chloride	<b>Oral liquid:</b> 5%, 10%, 20% <b>Tablet:</b> slow release, 600 mg
<b>26.2 Parenteral preparations</b>	
Darrow's solution	<b>Injection:</b> B.P., half strength, full strength
Glucose	<b>Injection:</b> 5%, 10%, 50%
Glucose + sodium chloride	<b>Injection:</b> 4.3% + 0.18%, 5.0% + 0.9%
Mannitol	<b>Injection:</b> 10%, 20%
Potassium chloride	<b>Injection:</b> 15% (equivalent to K <sup>+</sup> 2mmol/mL and Cl <sup>-</sup> 2 mmol/mL)
Ringer's solution	<b>Injection:</b> B.P.
Sodium chloride	<b>Injection:</b> 0.9% isotonic (Na <sup>+</sup> 154 mmol/L, Cl <sup>-</sup> 154 mmol/L) <b>Injection:</b> 0.45% isotonic (Na <sup>+</sup> 77 mmol/L, Cl <sup>-</sup> 77 mmol/L)
Sodium hydrogen carbonate (Sodium bicarbonate)	<b>Injection:</b> 8.4% in 10-mL ampoule (Na <sup>+</sup> 1000 mmol/L, HCO <sub>3</sub> <sup>-</sup> 1000 mmol/L)
Sodium lactate	<b>Injection:</b> Na <sup>+</sup> 131 mmol/L, K <sup>+</sup> 5 mmol/L, Ca <sup>2+</sup> 2 mmol/L, HCO <sub>3</sub> <sup>-</sup> as lactate 29 mmol/L, Cl <sup>-</sup> 111 mmol/L
<b>26.3 Miscellaneous</b>	
Water for injection	<b>Injection:</b> 2 mL, 5 mL, 10 mL, 20 mL, 50-mL ampoule or , vial

<b>27. PSYCHOTHERAPEUTIC MEDICINES</b>	
<b>27.1 Antidotes to antipsychotic medicines</b>	
Benzhexol (trihexyphenidyl)	<b>Tablet:</b> (hydrochloride), 2 mg, 5 mg
Biperiden	<b>Injection:</b> (lactate), 5 mg/mL in 1-mL ampoule <b>Tablet:</b> (hydrochloride), 2 mg
<b>27.2 Medicines used in generalized anxiety</b>	
Diazepam	<b>Tablet:</b> (scored), 2 mg, 5 mg

<b>27.3 Medicines used in mood disorders</b>	
<b>27.3.1 Medicines used in depressive disorders</b>	
Amitriptyline	<b>Tablet:</b> (hydrochloride), 25 mg
Fluoxetine	<b>Solid oral dosage forms:</b> (hydrochloride), 20 mg
<b>27.3.2 Medicines used in bipolar disorders</b>	
Carbamazepine	<b>Tablet:</b> (scored), 100 mg, 200 mg
Valproic acid (sodium valproate)	<b>Tablet:</b> (enteric-coated), 200mg, 500mg
<b>27.4 Medicines used for obsessive compulsive disorders and panic attacks</b>	
Clomipramine	<b>Capsule:</b> (hydrochloride), 10 mg, 25 mg
<b>27.5 Medicines used in psychotic disorders</b>	
Chlorpromazine	<b>Injection:</b> (hydrochloride), 25 mg/mL in 2-mL ampoule <b>Oral liquid:</b> (hydrochloride) 25 mg/5 mL <b>Tablet:</b> (hydrochloride), 100 mg
Fluphenazine	<b>Injection:</b> (decanoate), 25 mg in 1-mL ampoule
Haloperidol	<b>Injection:</b> (decanoate), 5 mg in 1-mL ampoule <b>Tablet:</b> 2 mg, 5 mg
Risperidone	<b>Tablet:</b> 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg
<b>27.6 Medicines used in substance dependence programmes (See Restricted List)</b>	
Buprenorphine**	
Methadone**	
Naltrexone**	

\*\* For use only within an established support programme

<b>28. VITAMINS AND MINERALS</b>	
<b>28.1 Vitamins</b>	
Ascorbic acid (vitamin C)	<b>Oral liquid:</b> 100 mg/5 mL <b>Tablet:</b> 100 mg
Cyanocobalamin (vitamin B <sub>12</sub> )	50 micrograms
Ergocalciferol	<b>Capsule:</b> tablet, 10,000 units, 50,000 units <b>Oral liquid:</b> 250 micrograms/mL
Folic acid	<b>Tablet:</b> , 400 microgram, 5 mg
Hydroxycobalamin	<b>Injection:</b> 0.25 mg/mL, 1 mg/mL, ampoule
Pyridoxine (vitamin B <sub>6</sub> )	<b>Tablet:</b> (hydrochloride), 10 mg, 20 mg, 50 mg
Retinol (vitamin A)	<b>Capsule/tablet:</b> 5,000 units; 25,000 units; 50,000 units; 100,000 units; 200,000 units
Riboflavin (vitamin B <sub>2</sub> )	<b>Tablet:</b> 5 mg
Thiamine (Vitamin B <sub>1</sub> )	<b>Tablet:</b> (hydrochloride), 25 mg, 50 mg
Vitamin B Complex*	<b>Oral liquid and Injection</b>
<b>28.2 Minerals</b>	
Calcium salt	<b>Tablet:</b> (gluconate), 600 mg <b>Injection:</b> (gluconate), 10%
Sodium fluoride	<b>Tablet:</b> 2.2 mg equivalent to 1 mg of fluoride ion

\*Various safe combinations are acceptable (see Appendix 1 for the approved strengths of various Vitamins

<b>29.0 FOR MANAGEMENT OF INCOMPLETE ABORTION AND MISCARRIAGE (See Restricted List)</b>
<b>30.0 URINARY AND ERECTILE DYSFUNCTION (See Restricted List)</b>

**THE PRIMARY HEALTH CARE LIST  
(HEALTH CENTRES)**

**ANAESTHETICS (LOCAL)**

Lidocaine	Topical, injection
-----------	--------------------

**ANALGESICS**

Acetylsalicylic Acid*	Tablet
Ibuprofen	Tablet, capsule
Paracetamol	Oral liquid, tablet, suppository

\*Not for children, use with caution in adults

**ANTI-ALLERGICS**

Chlorphenamine	Oral liquid, tablet
Epinephrine (Adrenaline)	Injection
Promethazine	Tablet, oral liquid

**ANTICONVULSANTS**

Diazepam**	Injection
Paraldehyde**	Injection
Phenobarital	Tablet

\*\*Use with extra caution

**ANTIDOTES**

Atropine	Injection
Charcoal (activated)	Powder

**ANTIHYPERTENSIVE MEDICINES**

Amlodipine	Tablet
Amiloride	Tablet
Hydrochlorothiazide	Tablet

**ANTI-INFECTIVE MEDICINES**

<i>Antibacterial medicines</i>	
Amoxicillin	Capsule, dry powder for suspension, dispersible tablets
Benzathine Penicillin	Injection
Benzyl penicillin	Injection
Co-trimoxazole	Tablet, oral liquid
Erythromycin	Tablet, suspension
Gentamicin	Injection
Nitrofurantoin	Tablet
Phenoxymethylpenicillin	Tablet
Tetracycline*	Capsule
<i>Antileprosy</i>	
Clofazimine	Capsule
Dapsone	Tablet
Rifampicin	Capsule or tablet
<i>Amoebicide</i>	
Metronidazole	Tablet
<i>Antihelminthics</i>	

Albendazole	Oral liquid, tablet
Praziquantel	Tablet
Pyrantel	Oral liquid, tablet
<b>Antifilarial</b>	
Diethylcarbamazine	Tablet
Ivermectin	Tablet
<b>Antimalarials</b>	
Artemether + lumefantrine	Oral liquid, tablet
Artesunate	Injection, suppositories
Artesunate + amodiaquine	Tablet
Clindamycin***	Capsule
Quinine**	Injection
Pyrimethamine + sulfadoxine	Tablet, Oral liquid
<b>Anti-tuberculosis medicines</b>	
Ethambutol	Tablet
Isoniazid	Tablet
Pyrazinamide	Tablet
Rifabutin	Capsule, tablet
Rifampicin	Capsule, tablet

\* Not recommended for children and pregnant women

\*\* Intramuscular, for pre-referral treatment only

\*\*\* Use only with Quinine in first trimester of pregnancy

<b>ANTISEPTICS AND DISINFECTANTS</b>	
Benzoin	Compound tincture
Chlorhexidine	Gel:4% in 25g (umbilical cord care) Solution: (gluconate), 5% for dilution
Iodine	Solution
Methylated spirit	Solution
Sodium hypochlorite	Solution
<b>CARDIOVASCULAR MEDICINES</b>	
Nifedipine	Tablet
Hydrochlorothiazide/amiloride	Tablet

<b>DERMATOLOGICAL MEDICINES</b>	
Benzoic acid + salicylic acid (Whitfield's)	Ointment
Benzoyl peroxide	Cream/gel
Benzyl benzoate	Emulsion
Calamine	Lotion
Gentamicin	Ointment
Methyl salicylate	Ointment
Neomycin + Bacitracin	Ointment, powder
Nystatin	Ointment, cream
Zinc oxide	Ointment

<b>MEDICINES AFFECTING THE BLOOD</b>	
Ferrous salts	Oral liquid, tablet
Folic acid	Tablet

<b>DIAGNOSTIC AGENT</b>	
Rapid Diagnostic Tests	Various kits for malaria
Tuberculin	Injection, PPD

<b>DRESSINGS AND MEDICAL DEVICES</b>	
Absorbent gauze bandages	
Cotton wool (absorbent)	
Disposable gloves	
Disposable syringes	2 mL with needles (19, 21 Gauge) 5 mL with needles (19, 21 Gauge)
<b>EAR, NOSE AND THROAT MEDICINES</b>	
Chloramphenicol	Ear drops
<b>GASTRO-INTESTINAL MEDICINES</b>	
Hydrocortisone + lidocaine	Suppository
Hyoscine N-butylbromide	Tablet
Magnesium trisilicate	Compound tablet, oral liquid
Oral Rehydration Salts	Low Osmolarity Oral Rehydration Salts, co-packed with Zn
Senna	Tablet
Zinc	Oral liquid, tablet
<b>HORMONES AND SYNTHETIC SUBSTITUTES</b>	
Barrier methods	Condoms with or without spermicide
Oral contraceptives	Tablet
<b>IMMUNOLOGICALS</b>	
Anti-snake bite serum	Injection
Anti-tetanus immunoglobulin (human)	Injection
BCG vaccine	Injection
Diphtheria + pertussis + tetanus vaccine	Injection
Measles vaccine	Injection
Poliomyelitis vaccine	Oral liquid
Rabies immunoglobulin	Injection
Tetanus vaccine	Injection
<b>OPHTHALMOLOGICAL MEDICINES</b>	
Chloramphenicol	Eye drops, ointment
Chlortetracycline	Eye ointment
<b>OXYTOCIC</b>	
Ergometrine	Tablet, injection
Misoprostol	Tablet, vaginal tablet
Oxytoxin	Injection
<b>PSYCHOTHERAPEUTIC MEDICINES</b>	
Chlorpromazine	Injection
<b>RESPIRATORY MEDICINES</b>	
Beclomethasone	Inhaler
Salbutamol	Tablet, inhaler
<b>VITAMINS AND MINERALS</b>	

Ascorbic acid (Vitamin C)	Tablet
Calcium gluconate	Injection
Calcium lactate	Tablet
Folic acid	Tablet
Vitamin A	Capsule

**MISCELLANEOUS**

Water for injection	Injection
Spatulas	

**THE PRIMARY HEALTH CARE LIST  
(PRIMARY HEALTH CLINICS)**

**ANAESTHETICS (LOCAL)**

Lidocaine	Topical, injection
-----------	--------------------

**ANALGESICS**

Acetylsalicylic Acid*	Tablet
Ibuprofen	Tablet
Paracetamol	Oral liquid, tablet

\*Not for children, use with caution in adults

**ANTI-ALLERGICS**

Chlorphenamine	Oral liquid, tablet
Epinephrine (Adrenaline)	Injection
Promethazine	Tablet, oral liquid

**ANTICONVULSANTS**

Diazepam**	Injection
Paraldehyde**	Injection
Phenobarbital	Tablet

\*\*Use with extra caution

**ANTIDOTES**

Atropine	Injection
Charcoal (activated)	Powder

**ANTIHYPERTENSIVE MEDICINES**

Amlodipine	Tablet
Amiloride	Tablet
Hydrochlorothiazide	Tablet

**ANTI-INFECTIVE MEDICINES**

<b><i>Antibacterial medicines</i></b>	
Amoxicillin	Dispersible tablets
Co-trimoxazole	Tablet, oral liquid (For people with penicillin sensitivity)
<b><i>Amoebicide</i></b>	
Metronidazole	Tablet
<b><i>Antihelminthics</i></b>	
Mebendazole	Oral liquid, tablet
<b><i>Antimalarials</i></b>	
Artemether + lumefantrine	Oral liquid, tablet
Artesunate	Suppositories
Artesunate + amodiaquine	Tablet
Pyrimethamine + sulfadoxine	Tablet, Oral liquid

**ANTISEPTICS AND DISINFECTANTS**

Benzoin	Compound tincture
Chlorhexidine	Gel:4% in 25g (umbilical cord care) <b>Solution:</b> (gluconate), 5% for dilution
Iodine	Solution

Methylated spirit	Solution
Sodium hypochlorite	Solution

<b>DERMATOLOGICAL MEDICINES</b>	
Benzoic acid + salicylic acid (Whitfield's)	Ointment
Benzoyl peroxide	Cream/gel
Benzyl benzoate	Emulsion
Calamine	Lotion
Gentamicin	Ointment
Methyl salicylate	Ointment
Zinc oxide	Ointment

<b>MEDICINES AFFECTING THE BLOOD</b>	
Ferrous salts	Oral liquid, tablet
Folic acid	Tablet

<b>DIAGNOSTIC AGENT</b>	
Rapid Diagnostic Tests	Various kits for malaria

<b>DRESSINGS AND MEDICAL DEVICES</b>	
Absorbent gauze bandages	
Cotton wool (absorbent)	
Disposable gloves	
Disposable syringes	2 mL with needles (19, 21 Gauge) 5 mL with needles (19, 21 Gauge)
Clinical Thermometer	
<b>EAR, NOSE AND THROAT MEDICINES</b>	
Chloramphenicol	Ear drops

<b>GASTRO-INTESTINAL MEDICINES</b>	
Hyoscine N-butylbromide	Tablet
Magnesium trisilicate	Compound tablet, oral liquid
Oral rehydration salts	Low Osmolarity Oral Rehydration Salts, co-packed with Zn
Senna	Tablet
Zinc	Oral liquid, tablet

<b>HORMONES AND SYNTHETIC SUBSTITUTES</b>	
Barrier methods	Condoms with or without spermicide

<b>IMMUNOLOGICALS</b>	
Tetanus vaccine	Injection

<b>OPHTHALMOLOGICAL MEDICINES</b>	
Chloramphenicol	Eye drops, ointment
Chlortetracycline	Eye ointment

<b>OXYTOCIC</b>	
Ergometrine	Tablet, injection
Misoprostol	Tablet, Vaginal tablet
Oxytoxin	Injection

**RESPIRATORY MEDICINES**

Bclomethasone	Inhaler
Salbutamol	Tablet, inhaler

**VITAMINS AND MINERALS**

Ascorbic acid (Vitamin C)	Tablet
Calcium salts	Tablet
Folic acid	Tablet
Vitamin A	Capsule

**MISCELLANEOUS**

Water for injection	Injection
Spatulas	

**THE PRIMARY HEALTH CARE LIST  
(HEALTH POSTS)**

Absorbent gauze	Dressing
Amoxicillin	Dispersible tablets
Artemether + lumefantrine	Oral liquid, tablet
Artesunate + amodiaquine	Tablet
Benzyl benzoate	Emulsion
Calamine lotion	Lotion
Chlorhexidine	<b>Gel:4% in 25g (umbilical cord care)</b> <b>Solution:</b> (gluconate), 5% for dilution
Clinical Thermometer	
Condoms	Barrier methods
Cotton wool / crepe bandages	Dressing
Ferrous salts	Tablet
Folic acid	Tablet
Methyl salicylate	Ointment
Methylated spirit	Solution
Paracetamol	Oral liquid
Oral Rehydration Salts	Low Osmolarity Oral Rehydration Salts,co-packed with Zn
Plastic aprons	
Povidone iodine	Tincture
Rapid Diagnostic Test	Various kits for malaria
Salicylic acid + Benzoic acid (Whitfield's)	Ointment
Surgical Blades	
Zinc	Oral liquid, tablet
Zinc oxide plaster	Dressing

\* Not for children

**LIST OF PRODUCTS TO BE STOCKED AND SOLD BY PATENT MEDICINE VENDOR**

<b>ANALGESICS AND ANTIPIRETICS</b>	
Acetylsalicylic acid (aspirin)	<b>Capsule/tablet:</b> 300 mg
Ibuprofen	<b>Capsule/tablet:</b> 200 mg, 400 mg
Paracetamol	<b>Oral liquid:</b> 125 mg/5 mL <b>Tablets:</b> 125 mg, 500 mg
<b>ANTIHelmintHICS</b>	
Levamisole	<b>Oral liquid:</b> 40 mg/5 mL <b>Tablet:</b> 40 mg
Mebendazole	<b>Oral liquid:</b> 100 mg/5 mL <b>Tablet:</b> 100 mg
<b>ANTACID MEDICINES</b>	
Aluminium hydroxide	<b>Oral liquid, tablet</b>
Magnesium trisilicate	<b>Oral liquid:</b> 100 mL, 200 mL <b>Compound tablet</b>
<b>ANTI-ANAEMIA MEDICINES</b>	
Ferric ammonium citrate	<b>Oral liquid:</b> 400 mg/5 mL
Ferrous salts	<b>Capsule/tablet</b>
Folic acid	<b>Tablet:</b> 5 mg
<b>ANTI-DIARRHOEAL MEDICINES</b>	
Low osmolarity oral rehydration salts	<b>Low Osmolarity Oral Rehydration Salts, co-packed with zinc sulphate tablets:</b> 20.5 g ORS (sodium chloride 2.6 g, potassium chloride 1.5 g, sodium citrate 2.9 g, dextrose 13.5 g)+ 20 mg dispersible zinc sulfate
Zinc (sulphate) + Low Osmolarity Oral Rehydration Salts	<b>Low Osmolarity Oral Rehydration Salts, co-packed with zinc sulphate tablets:</b> 20.5 g ORS (sodium chloride 2.6 g, potassium chloride 1.5 g, sodium citrate 2.9 g, dextrose 13.5 g)+ 20 mg dispersible zinc sulfate
<b>ANTIMALARIALS</b>	
Artesunate + amodiaquine	<b>Oral liquid:</b> 15 mg + 90 mg in 5 mL <b>Tablet:</b> 25 mg + 67.5 mg, 50 mg+ 135 mg, 100 mg + 270 mg
Artemether + lumefantrine	<b>Tablet:</b> 20 mg + 120 mg
Sulphadoxine + pyrimethamine	500 mg + 25 mg tablet/syrup (per 5ml)
<b>ANTI-EFFECTIVE MEDICINES</b>	
Amoxicillin*	Dispersible tablet: 125mg and 250mg
<b>ANTISEPTIC AND DISINFECTANT SOLUTIONS</b>	
Benzoin	Compound tincture
Cetrimide + chlorhexidine	<b>Solution:</b> 15% + 1.5%
Chlorhexidine gluconate	<b>Solution:</b> 5% for dilution
Chorhexidine	<b>Gel:</b> 4% in 25g (umbilical cord care) <b>Solution:</b> (gluconate), 5% for dilution
Chloroxylenol	<b>Solution:</b> 5% (for dilution)
Dichloroxylenol + chlorophenol	Soap, solution
Methylated spirit	50 mL, 100 mL
Povidone iodine	<b>Solution:</b> 30 mL, 60 mL
Sodium hypochlorite	10%, 250 mL, 500 mL
<b>COLD RELIEF</b>	
Chlorphenamine maleate	<b>Tablet:</b> 4 mg (10s) <b>Syrup:</b> 2 mg per mL
Diphenhydramine preparations	
<b>CONTRACEPTIVES</b>	
Condoms	
Foaming tablets	
<b>DERMATOLOGICALS</b>	
<i><b>Anti-infective Medicines</b></i>	
Gentian violet	<b>Tincture:</b> 1%
Silver sulphadiazine	<b>Cream:</b> 1%
<i><b>Antipruritic and astringent Medicines</b></i>	

Calamine	Lotion
Calamine + zinc oxide	Lotion, plaster
<b>Fungicides</b>	
Benzoic acid plus salicylic acid (Whitfield's)	<b>Ointment:</b> (6% + 3%) ration 2:1
Clotrimazole	Cream, dusting powder, ointment, 1%
Selenium sulfide	Shampoo: 2.5%
<b>Keratolytic and keratoplastic medicines</b>	
Coal tar	Solution/ointment USP
Salicylic acid	<b>Ointment:</b> 2.5%, <b>Solution:</b> 12% in flexible collodion
<b>Scabicides and pediculicides</b>	
Benzyl benzoate	<b>Emulsion:</b> 25%
Monosulfiram	<b>Solution/ soap:</b> 25%
<b>DRESSINGS AND MEDICAL DEVICES</b>	
Absorbent gauze	
Cotton/crepe bandages	
Cotton wool	
Elastic plaster dressings	
Dusting powder	Zinc, starch and talc dusting powder with or without menthol
Clinical Thermometer	
<b>MOUTHWASH</b>	
Hexetidine solution	0.1%
<b>NON-SPECIFIC (GENERAL) ANTIDOTES</b>	
Charcoal, activated	<b>Powder/granules:</b> 5 g, sachet <b>Tablet:</b> 1 g
<b>RUEFACIENTS AND INHALERS</b>	
Methyl salicylate compound preparations	Balm, cream, embrocation, liniment, rubs, ointment, oil and inhaler
<b>PURGATIVE MEDICINES</b>	
Magnesium hydroxide	<b>Oral liquid:</b> 8% hydrated magnesium oxide
Magnesium sulphate	<b>Granules:</b> sachets, 5 g <b>Oral liquid:</b> 4 g in 10 mL
Senna	Granules, tablets
<b>THROAT ANTISEPTIC PREPARATIONS</b>	
Dequalinium hydrochloride	<b>Lozenges:</b> 250 mg
Domiphen bromide	<b>Lozenges:</b> 1.5 mg
Hexetidine	Mouthwash/gargle, 0.1%
Menthol + ascorbic acid + hydrous citric acid	<b>Lozenges:</b> (0.09% + 2.9412% + 0.8332% respectively)
Menthol + eucalyptus oil + camphor + thymol	<b>Lozenges:</b> (0.207% + 0.069% + 0.0007% + 0.0007% respectively)

<b>VITAMINS, MINERALS AND NUTRITIONALS</b>	
Ascorbic acid (Vitamin C)	<b>Oral liquid:</b> 100 mg in 5 mL <b>Tablets:</b> 100 mg
Calcium salts	<b>Tablets:</b> (gluconate), 600 mg <b>Tablets:</b> (lactate), 300 mg
Cod liver oil	<b>Capsules, oral liquid</b>
Folic acid	<b>Tablet:</b> 5 mg
Glucose	Powder for oral use
Multivitamins	Capsule, drop, oral liquid, tablet
Vitamin B complex	Oral liquid, tablet
<b>DIAGNOSTIC AGENT</b>	
Rapid Diagnostic Tests	Various kits for malaria

**APPENDIX 1: APPROVED DOSES FOR VITAMINS**

Vitamin	Age Group/Physiological State	Daily Dosage
Biotin	Adults	100 - 300 mg
Folic acid	Children	40 - 200 micrograms
	Adults	200 - 5000 micrograms
Nicotinamide	Adults	15 - 30 mg (prophylaxis)
	Deficiency:	
	Adults	50 - 250 mg (therapeutic)
Pantothenic acid	Children	0.5 - 3.5 mg
	Adults	1 - 7 mg
Vitamin A	Children	1,500 - 5,000 units
	Adults	5,000 - 10,000 units
	Pregnancy	5,000 - 6,000 units
	Lactation	5,000 - 10,000 units
	Deficiency	25,000 - 50,000 units
Vitamin B <sub>1</sub> (thiamine)	Children	0.3 - 1 mg
	Adult	1 - 1.3 mg
	Deficiency:	
	Children	5 - 50 mg
	Adults	200 - 300 mg
Vitamin B <sub>2</sub> (riboflavin)	Children	1 - 1.8 mg
	Adults	0.3 - 1 mg
	Deficiency:	
	Adults	5 - 30 mg
Vitamins	Age Group/Physiological State	Daily Dosage
Vitamin B <sub>6</sub> (pyridoxine hydrochloride)	Children	0.3 - 0.6 mg
	Adults	1 - 2 mg
	Deficiency:	
	Children	20 - 50 mg
	Adults	50 - 400 mg
Vitamin B <sub>12</sub> (cyanocobalamin)	Children	0.3 - 2 micrograms
	Adults	2 - 3 micrograms
	Deficiency:	
	Adults	50 - 1,000 micrograms
Vitamin C (ascorbic acid)	Children	50 - 200 mg
	Adults	250 - 1,000 mg
Vitamin D (cholecalciferol)	Children	2.5 - 5 micrograms
	Adults	25 - 50 micrograms
Vitamin E	Children	3 - 15 mg
	Adults	50 - 200 mg
	Deficiency:	
	Children	1000 - 2000 mg

\* Formulations containing various specified amounts of vitamins are accepted provided the formulations satisfy the vitamin requirements of the age and the physiological state of the intended user.

## APPENDIX 2: RESTRICTED MEDICINES LIST

<b>2.4 Non-steroidal anti-inflammatory, gout and rheumatoid medicines</b>	
Etanercept	<b>Injection:</b> 25 mg, 50 mg prefilled syringes
Leflunomide	<b>Tablets:</b> 10 mg, 20 mg, 100 mg
Rituximab	<b>Injection:</b> 10 mg/mL in 10-mL vials
Sulfasalazine	<b>Tablet:</b> 500 mg
Sulfinpyrazone	<b>Capsules/tablets:</b> 100 mg, 200 mg
<b>5.1 Amoebicide</b>	
Diloxanide	<b>Tablet:</b> (furoate), 500 mg
<b>5.2.2 Antifilarials</b>	
Diethylcarbamazine	<b>Tablet:</b> (citrate) 50 mg
<b>5.2.3 Antischistosomal and other antitrematode medicines</b>	
Eflornithine	<b>Injection:</b> (hydrochloride), 200 mg/mL in 100-mL bottle
Nifurtimox	<b>Tablet:</b> 30 mg, 120 mg, 250 mg
<b>5.3 Antibacterial Medicine</b>	
Chloramphenicol	<b>Capsule:</b> 250 mg <b>Injection powder:</b> (sodium succinate), 1 g <b>Oral liquid:</b> (palmitate), 150 mg /5 mL
Ofloxacin	<b>Capsule/tablet:</b> 200 mg <b>Injection:</b> 100 mg in 50 mL, 200 mg in 100 mL
<b>5.7 Antimalarial medicine</b>	
<b>5.7.1 Prophylaxis</b>	
Atovaquone/Proguanil combination	<b>Tablet:</b> 250 mg atovaquone plus 100 mg proguanil (hydrochloride) for adult; 62 mg atovaquone plus 25 mg proguanil for children
Hydroxychloroquine	<b>Tablet:</b> 200 mg
Mefloquine	<b>Tablet:</b> (hydrochloride), 250 mg
Proguanil	<b>Tablet:</b> (hydrochloride), 100 mg
<b>5.7.2 Treatment</b>	
Chloroquine	<b>Tablet:</b> (sulfate or phosphate) 200 mg base
<b>5.9 Anti-tuberculosis medicines (Programme Medicines)*</b>	
Kanamycin (Km)	
Amikacin (Am)	
Capreomycin (Cm)	
Streptomycin (S)	
Levofloxacin (Lfx)	
Moxifloxacin (Mfx)	
Gatifloxacin Gfx	
Ethionamide (Eto)	
Prothionamide (Pto)	
Cycloserine (Cs)	
Terizidone (Trd)	
P-aminosalicylic acid (PAS)	
Clofazamine (Cfz)	
Linezolid (Lzd)	
Thiacetazone (Th)	
Imipenem/Cilastatin (Ipm/Cln)	
Bedaquiline (Bdq)	
Delamanid (Dlm);	
<b>7. ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE MEDICINES</b>	
Bicalutamide	<b>Tablet:</b> 50 mg
Buserelin	<b>Injection:</b> (acetate), 1 mg/mL in 5.5 mL vial <b>Nasal spray:</b> (acetate),150 micrograms / metered spray
Degarelix	<b>Injection powder:</b> (acetate), 80 mg, 120 mg vials
Docetaxel	<b>Injection:</b> 10 mg/mL <b>Injection powder:</b> 20 mg, 80 mg
Flutamide	<b>Tablet:</b> 250 mg
Goserelin	<b>Injection:</b> (acetate), 3.6 mg in prefilled syringe

Leuprorelin	<b>Injection:</b> (acetate), 1 mg/0.2 mL
Mechlorethamine	<b>Injection powder:</b> 10 mg vial
Zoledronic acid	<b>Injection:</b> 5 mg/100 mL
<b>10.4 Medicines used in heart failure</b>	
Carvedilol	<b>Tablet:</b> 12.5 mg, 25 mg
<b>5.10 Antiviral medicines</b>	
Pegylated Interferon alfa-2b	<b>Injection powder:</b> 3,000,000 to 9,000,000 units
Ribavirin	<b>Capsule/tablet:</b> 200 mg, 400 mg <b>Oral liquid:</b> 200 mg/5 mL
<b>5.11 Systemic antifungal medicines</b>	
Terbinafine	<b>Tablet:</b> (hydrochloride), 250 mg
<b>10.4 Medicines used in heart failure</b>	
Dobutamine	<b>Injection:</b> (hydrochloride), 5 mg/mL in 50-mL vial
Dopamine	<b>Injection:</b> (hydrochloride), 40 mg/mL in 5-mL vial
<b>11.2 Local anaesthetics</b>	
Prilocaine	<b>Injection:</b> 3% with felypressin 0.03 units / mL
<b>12.4 Anti-inflammatory and antipruritic Medicines</b>	
Clobetasol	<b>Cream, ointment:</b> (propionate), 0.05%
Doxepin	<b>Capsule:</b> (hydrochloride), 10 mg, 25 mg, 50 mg, 75 mg
Fluocinolone	<b>Cream, ointment:</b> (acetonide), 0.025%
Ketotifen	<b>Tablet:</b> 1 mg
<b>12.1 Anti-acne medicines</b>	
Tretinoin	<b>Cream:</b> 0.025%, 0.05%
<b>12.7 Psoriasis and vitiligo medicines</b>	
8-Methylpsoralen	<b>Capsule:</b> 10 mg <b>Lotion:</b> 10 mg/mL
Tacrolimus	<b>Capsule:</b> 0.5 mg, 1 mg, 3 mg, 5 mg
Tazarotene	<b>Cream/gel:</b> 0.05%, 0.1%
<b>12.8 Scabicides and pediculicides</b>	
Crotamiton	
<b>12.9 Sunscreen agents</b>	
Aminobenzoic acid	<b>Cream:</b> 5% <b>Lotion:</b> 5% <b>Paste:</b> 5%
Titanium dioxide	<b>Cream:</b> 20 - 25% <b>Paste:</b> 20 - 25%
<b>16.1 Anti-anaemia Medicines</b>	
Iron dextran	<b>Injection:</b> equivalent to 50 mg iron / mL, in 2-mL ampoule
<b>18.2 Antihistamines</b>	
Cinnarizine	<b>Tablet:</b> 15 mg
<b>20.2 Anti-emetic medicines</b>	
Cyclizine	<b>Tablet:</b> 25 mg
<b>21.1 Adrenal hormones and synthetic substitutes</b>	
Fludrocortisone	<b>Tablet:</b> 0.1 mg
Methylprednisolone	<b>Injection:</b> (acetate), 40 mg / mL in 1-mL, 2-mL
<b>21.4 Androgens</b>	
Mesterolone	<b>Tablet:</b> 25 mg
Testosterone	<b>Injection:</b> (enantate) 200 mg in 1-mL ampoule
<b>21.5 Estrogens</b>	
Diethylstilboestrol	<b>Tablet:</b> 0.5 mg, 1 mg, 5 mg, 25 mg
<b>21.5 Medicines acting on pituitary-ovarian axis</b>	
Chorionic gonadotropin	<b>Injection powder:</b> 500 units, 1000 units, ampoule
Danazol	<b>Capsules:</b> 100 mg, 200 mg
Epimestrol	<b>Tablet:</b> 5 mg
Follicle-stimulating hormone (FSH) + luteinizing hormone (LH)	<b>Injection powder:</b> 75 units + 75 units
<b>21.7.2 Thyroid hormone</b>	
Triiodothyronine	<b>Tablet:</b> 5 micrograms, 10 micrograms, 25 micrograms
<b>21.8 Antidiuretic hormones</b>	

Desmopressin	<b>Injection:</b> 4 micrograms / mL <b>Intranasal solution:</b> 100 micrograms / mL <b>Nasal spray:</b> 10 micrograms/metered spray
Octreotide	<b>Injection:</b> (acetate), 50 micrograms/mL, 100 micrograms/mL in 1-mL ampoules
Vasopressin	<b>Injection:</b> 20 units / mL in 1-mL ampoule
<b>21.9 Other hormone inhibitor</b>	
Aminoglutethimide	<b>Tablet:</b> 250 mg
Mifepristone	<b>Tablet:</b> 300 mg
<b>23.1 Diagnostic agents for endocrine disorders</b>	
Luteinizing hormone-releasing hormone (LH-RH)	<b>Injection:</b> 0.1 mg / mL in 1- mL ampoule
Metyrapone	<b>Capsule/tablet:</b> 250 mg
Thyrotropin releasing hormone (TRH)	<b>Injection:</b> 0.2 mg / mL and 5-mL vials/
Triamcinolone	<b>Injection:</b> (acetone), 10 mg / mL, 40 mg
<b>23.2 Diagnostic agents for gastric function</b>	
Histamine phosphate	<b>Injection:</b> 1 mg / mL, ampoule
Pengastrin	<b>Injection:</b> 0.25 mg / mL, ampoule
Tetracosactide	<b>Injection:</b> (acetate) 1 mg / mL
<b>23.3 Diagnostic agent for myasthenia gravis</b>	
Edrophonium	<b>Injection:</b> (chloride), 10 mg / mL
<b>24.1 Anti-infective medicines</b>	
Ofloxacin	<b>Tablet:</b> 200 mg, 400 mg
<b>24.2 Anti-inflammatory and anti-allergic medicines</b>	
Ketotifen	<b>Eye drops:</b> 0.035%
Olopatadine	<b>Eye drops:</b> 0.1%, 0.2%
<b>24.4.2 Topical antiglaucoma medicines</b>	
Dipivefrin	<b>Eye drops:</b> 0.1%
<b>27.3.2 Medicines used in bipolar disorders</b>	
Lithium carbonate	<b>Capsule, tablet:</b> 300 mg
Pimozone	<b>Tablet:</b> 4 mg, 10 mg
<b>27.6 Medicines used in substance dependence programmes</b>	
Buprenorphine	<b>Tablet:</b> 150 micrograms, 300 micrograms, 400 micrograms, 600 micrograms
Hydromorphone	<b>Tablet:</b> (hydrochloride), 2 mg, 4 mg
Methadone	<b>Injection:</b> 10 mg/mL in 1-mL ampoule <b>Tablet:</b> (hydrochloride), 5 mg
Naltrexone	<b>Tablet:</b> 50 mg
Oxycodone	<b>Injection:</b> (hydrochloride), 10 mg/mL in 1-mL ampoule <b>Tablet:</b> (hydrochloride), 5 mg, 7.5 mg <b>Tablet:</b> (extended release), 10 mg, 20 mg, 40 mg
<b>29.0 FOR MANAGEMENT OF INCOMPLETE ABORTION AND MISCARRIAGE</b>	
Misoprostol	<b>Tablet:</b> 200 micrograms <b>Pessary:</b> 25 micrograms
<b>30.0 URINARY AND ERECTILE DYSFUNCTION</b>	
Alfuzosin	<b>Tablet:</b> 10 mg
Bethanechol	<b>Tablet:</b> 10 mg, 25 mg
Finasteride	<b>Tablet:</b> 5 mg
Sildenafil	<b>Tablet:</b> 25 mg, 50 mg, 100 mg

\* Doses and combinations of medicines used by programmes often vary

## INDEX

- Abacavir (ABC, 5)  
Absorbent gauze, 26, 28, 26, 28  
Absorbent gauze bandages, 21, 24  
Acetazolamide, 16  
Acetylsalicylic acid, 2, 11, 27  
Acetylsalicylic Acid\*, 19, 23  
Aciclovir, 5, 16  
Actinomycin-D, 6  
Albendazole, 3, 20  
Alfuzosin, 32  
Allopurinol, 2  
Alteplase, 11  
Aluminium diacetate, 10  
Aluminium hydroxide, 12, 27  
Amikacin (Am), 30  
Amiloride, 9, 11, 21, 25  
Amiloride + hydrochlorothiazide, 8, 10  
Aminobenzoic acid, 31  
Aminocaproic acid (with or without lipid thromboplastin), 11  
Aminoglutethimide, 32  
Aminophylline, 10  
Amiodarone, 8  
Amitriptyline, 18  
Amlodipine, 8, 19, 23  
*Amoebicide*, 3, 23, 30  
Amoxicillin, 3, 14, 19, 23, 26, 27  
Amphotericin B, 6  
Ampicillin + cloxacillin, 3  
Antazoline, 16  
Anti-D immunoglobulin (human), 15  
Anti-gas gangrene, 15  
Antiscorpion serum, 15  
Anti-snake bite serum, 21  
Antisnake-bite serum, 15  
Anti-tetanus immunoglobulin (human, 21  
Antitetanus immunoglobulin (Human), 15  
Artemether, 5, 23, 26, 27, 29  
Artesunate, 5, 20, 23, 27  
Artesunate + amodiaquine, 5, 20, 23, 26  
Ascorbic acid (vitamin C), 22  
Ascorbic acid (Vitamin C), 25, 28, 29  
Asparaginase, 6  
Atenolol, 8  
Atovaquone +proguanil, 5  
Atracurium, 1  
Atropine, 1, 2, 16, 23  
Azathioprine, 6  
Azithromycin, 4  
Bacitracin, 20  
Barium sulfate, 16  
Barrier methods, 21, 24  
BCG vaccine, 15, 21  
Beclomethasone, 10, 12, 25

Bclomethasone Dipropionate, 10	Calcium salts, 25, 28
Bedaquiline (Bdq), 30	Capreomycin (Cm), 30
Bendrofluazide, 8	Captopril, 8
Benzathine benzylpenicillin, 4	Carbamazepine, 2, 18
Benzathine Penicillin, 19	Carbimazole, 16
Benzhexol, 11, 17	Carboplatin, 6
Benzoic acid + salicylic acid, 9, 20, 24	Carvedilol, 31
Benzoin, 7, 20, 27	Ceftriaxone, 4
Benzoyl peroxide, 9, 20, 24	Cefuroxime, 4
Benzyl benzoate, 10, 20, 24, 26	Cetrimide + chlorhexidine, 7, 27
Benzyl penicillin, 19	Charcoal (activated, 19, 23
Benzylpenicillin, 4	Charcoal, activated, 2, 28
Betamethasone, 9, 12	Chlorambucil, 6
Bethanecol, 32	Chloramphenicol, 12, 16, 21, 24, 30
Bicalutamide, 30	Chlorhexidine, 7, 20, 23, 26, 27
Biperiden, 11, 17	Chloroxylenol, 27
Biphasic isophane insulin, 14	Chlorphenamine, 11, 19, 23, 27
Bisacodyl, 13	Chlorpromazine, 18, 21
Bleomycin, 6	Chlortetracycline, 21, 24
Bromocriptine, 15	Cholera vaccine, 15
Bupivacaine, 1	Chorhexidine, 27
Buprenorphine, 18, 32	Chorionic gonadotropin, 31
Buserelin, 30	Ciclosporin (cyclosporin, 6
Calamine, 9, 20, 24, 26, 28	Cimetidine, 13
Calamine + zinc oxide, 10, 28	Cinnarizine, 31
Calamine lotion, 9, 26	Ciprofloxacin, 4
Calcium gluconate, 22	Cisplatin, 6
Calcium salt, 18	Clarithromycin, 4, 14

Clindamycin, 4, 20	Darrow's solution, 17
Clinical Thermometer 24, 26	Daunorubicin, 7
Clobetasol, 31	Degarelix, 30
Clofazimine, 4, 19, 30	Dequalinium hydrochloride, 28
Clomiphene, 15	Desferoxamine, 2
Clomipramine, 18	Desmopressin, 32
Clonazepam, 2	Dexamethasone, 7, 11, 14
Clotrimazole, 9, 28	Dextran 70, 8
Cloxacillin, 4	Dextromethorphan hydrobromide, 10
Coal tar, 10, 28	Diazepam, 1, 2, 17, 19, 23
Cod liver oil, 28	Dichloroxylenol + chlorophenol, 7, 27
Condoms, 26, 27	Diclofenac, 2
Copper, 14	Didanosine (ddI), 6
Co-trimoxazole, 4, 23	Diethylcarbamazine, 20
Cotton wool, 21, 24, 28, 30	Diethylcarbamazine, 30
Cotton wool (absorbent), 21, 24	Diethylcarbamazine*, 4
Cotton wool / crepe bandages, 26	Digoxin, 8
Cotton/crepe bandages, 28	Dihydrocodeine, 1
Crotamiton, 31	Diloxanide, 30
Cyanocobalamin (vitamin B <sub>12</sub> ), 18	Diltiazem, 8
Cyclizine, 31	Dimercaprol, 3
Cyclophosphamide, 7	Diphenhydramine preparations, 27
Cycloserine (Cs), 30	Diphenoxylate, 13
Cytarabine, 7	Diphtheria + pertussis + tetanus vaccine, 21
Dacabazine (DTIC), 7	Dipivefrin, 32
Danazol, 31	Disposable gloves, 21, 24
Dapsone, 4, 19	Disposable syringes, 21, 24
Dobutamine , 31	Dithranol, 10

Docetaxel, 30	Ethionamide (Eto), 30
Domiphen bromide, 28	Ethosuximide, 2
Dopamine, 31	Etonogestrel releasing implant, 14
Doxepin, 31	Etoposide(VP-16), 7
Doxorubicin, 7	Eusol, 8
Doxycycline, 4	Fentanyl, 1
Dusting powder, 28	Ferric ammonium citrate, 11, 27
Edrophonium, 32	Ferrous fumarate, 14
Efavirenz (EFV or EFZ, 5	Ferrous gluconate, 11
Eflornithine, 5, 30	Ferrous salts, 20, 24, 26, 27
Elastic plaster dressings, 28	Ferrous sulphate, 11
Enoxaparin sodium, 11	Finasteride, 32
Ephedrine, 12	Flucloxacillin, 4
Epimestrol, 31	Fluconazole, 6
Epinephrine (adrenaline, 10, 11	Fludarabine, 7
Epinephrine (Adrenaline, 19, 23	Fludrocortisone, 31
Epirubicin, 7	Flumazenil, 3
Ergocalciferol, 18	Flumetasone + clioquinol, 12
Ergometrine, 17, 21, 24	Fluocinolone, 31
Ergotamine, 6	Fluorescein, 16, 17
Erythromycin, 4, 19	Fluorouracil, 7
Erythropoietin, 7, 11	Fluoxetine, 18
Etanercept, 30	Fluphenazine, 18
Ethambutol, 5, 20	Flutamide, 30
Ethinylestradiol, 14	Foaming tablets, 27
Ethinylestradiol + levonorgestrel, 14	Folic acid, 11, 18, 20, 22, 24, 25, 26, 28, 29, 32
Ethinylestradiol + norethisterone, 14	Follicle-stimulating hormone (FSH) + luteinizing hormone (LH), 31
	Formaldehyde, 7

- Furosemide, 9, 10  
Gas-gangrene antitoxin, 15  
Gatifloxacin Gfx, 30  
Gentamicin, 4, 9, 12, 16, 19, 20, 24  
Gentian violet, 9, 27  
Gentian violet (Methylrosanilinium chloride), 9  
Glibenclamide, 14  
Gliclazide, 15  
Glimepiride, 14  
Glucose, 17, 28  
Glucose + sodium chloride, 17  
Glutaraldehyde, 7  
Glycerol + sodium bicarbonate, 12  
Glyceryl trinitrate, 8  
Goserelin, 30  
Haloperidol, 18  
Halothane, 1  
Heparin sodium, 11  
Hepatitis B vaccine, 15  
Hexetidine, 9, 28  
Histamine phosphate, 32  
Homatropine, 16  
Human albumin, 8  
Hydralazine, 8  
Hydrochlorothiazide, 10, 19, 23  
Hydrochlorothiazide/amiloride, 20  
Hydrocortisone, 9, 11, 14, 21  
Hydrocortisone acetate with or without, 13  
Hydromorphone, 32  
Hydroxocobalamine, 11  
Hydroxychloroquine, 5, 30  
Hydroxycobalamin, 18  
Hydroxyurea, 7  
Hyoscine N-butylbromide  
Ibuprofen, 2, 19, 23, 27  
Idoxuridine, 5, 16  
Ifosfamide, 7  
Imipenem/Cilastatin (IpM/Cln), 30  
Indinavir (IDV), 6  
Insulin glargine, 14  
Insulin, soluble, 14  
Interperitoneal dialysis solution, 10  
Iodine, 7, 14, 20, 23  
Iodine + potassium iodide, 14  
Ipratropium bromide, 10  
Iron dextran, 31  
Isoflurane, 1  
Isoniazid, 5, 20  
Isosorbide dinitrate, 8  
Ivermectin, 3, 4, 20  
Kanamycin (Km), 30  
Ketamine, 1  
Ketoprofen, 2  
Ketotifen, 31, 32  
Labetalol, 8  
Lactulose, 13

Lamivudine (3TC, 6	Magnesium hydroxide, 28
Lamivudine + nevirapine + stavudine, 6	Magnesium sulphate, 2, 28
Lamivudine + nevirapine+ zidovudine, 6	magnesium trisilicate, 12
Lamivudine + zidovudine, 6	Magnesium trisilicate, 12, 21, 24, 27
Leflunomide, 30	Mannitol, 17
Leuprorelin, 31	Measles vaccine, 15, 21
Levamisole, 27	Mebendazole, 3, 23, 27
Levodopa + carbidopa, 12	Mechlorethamine, 31
Levofloxacin (Lfx), 30	Medroxyprogesterone acetate, 14
Levofloxacin*, 4	Mefloquine, 5, 30
Levonorgestrel, 14	Meglumine antimonate, 5
Levonorgestrel-releasing implant, 14	Melarsoprol, 5
Levothyroxine, 15	Melphalan, 7
Lidocaine, 1, 8, 9, 19, 23	Meningococcal vaccine, 15
Linezolid (Lzd), 30	Menthol + ascorbic acid + hydrous citric acid, 28
Liothyronine, 15	Menthol + eucalyptus oil + camphor + thymol, 28
Lippe's loop, 14	6-Mercaptopurine, 7
Liquid paraffin, 13	Mesna, 7
Lisinopril, 8	Mesterolone, 31
Lithium carbonate, 32	Metformin, 14
Loperamide, 13	Methadone, 18, 32
Lopinavir + ritonavir(LPV/r, 6	Methionine, 3
Loratadine, 12	Methotrexate, 7
Losartan, 8	Methyl salicylate, 10, 20, 24, 26, 28
Low osmolarity oral rehydration salts, 27	Methylated spirit, 7, 20, 24, 26, 27
Low osmolarity oral rehydration salts, 26	Methylcellulose, 17
lumefantrine, 5, 20, 23, 26, 27	Methyldopa, 8
Luteinizing hormone-releasing hormone (LH-RH), 32	

Methylprednisolone, 31	Nitrous oxide, 1
8-Methyldesoxycorticosterone, 31	Norethisterone, 14
Metoclopramide, 12	Norethisterone enantate, 14
Metoprolol, 9	Normal immunoglobulin, 15
Metronidazole, 3, 4, 19, 23	Nystatin, 6, 9, 20
Metyrapone, 32	Octreotide, 15, 32
Miconazole, 6, 9, 16	Ofloxacin, 30, 32
Midazolam, 1	Olopatadine, 32
Mifepristone, 32	Omeprazole, 13
Misoprostol, 17, 21, 24, 32	Ondansetron, 7
Mitoxantrone, 7	Oral contraceptives, 21
Monosulfiram, 28	Oral rehydration salts, 13
Morphine, 1, 2	Oral Rehydration Salts, 13, 17, 21, 24, 26, 27
Moxifloxacin (Mfx), 30	Oxycodone, 32
Multivitamins, 28	Oxygen, 1
N-Acetylcysteine, 3	Oxytetracycline + polymyxin B, 16
Naloxone, 2, 3	Oxytocin, 17
Naltrexone, 18, 32	Oxytoxin, 21, 24
Naltrexone*, 18	Paclitaxel, 7
Naproxen, 2	P-aminosalicylic acid (PAS), 30
Neomycin, 9, 20	Pantothenic acid, 29
Neostigmine, 1, 11	Paracetamol, 2, 19, 23, 26, 27
Nevirapine (NVP), 6	Paraldehyde, 19, 23
Nicotinamide, 29	Pegylated Interferonalpha-2b, 31
Nifedipine, 8, 20	Pengrastrin, 32
Nifortimox, 5, 30	Pentamidine, 5
Nimodipine, 8	Pentavalent vaccine, 15
Nitrofurantoin, 4, 19	Pentazocine, 2

Permethrin, 10	Propranolol, 6, 8
Pethidine, 2	Propranolol*, 6
Phenobarbital, 2, 19, 23	Propylthiouracil, 15
Phenoxycephalothin, 4, 19	Protamine sulfate, 3
Phenylephrine, 16	Prothionamide (Pto), 30
Phenytoin sodium, 2	Pseudoephedrine hydrochloride, 12
Phytomenadione (vitamin K <sub>1</sub> ), 3	Pyrantel, 20
Pilocarpine, 16	Pyrazinamide, 5, 20
Pimozide, 32	Pyridostigmine, 11
Plastic aprons, 26	Pyridoxine (vitamin B <sub>6</sub> ), 18
Podophyllum resin, 10	Pyrimethamine, 5, 20, 23, 27
Poliomyelitis vaccine, 21	Pyrimethamine + sulfadoxine, 5, 20, 23
Poliomyelitis vaccines (Live attenuated, 15	Quinine, 5, 20
Polygeline, 8	Rabies immunoglobulin, 15, 21
Potassium chloride, 17	Rabies vaccine (inactivated, 15
Potassium ferric Hexacyanoferrate (II) (Prussian blue), 3	Ranitidine, 13
Potassium permanganate, 7	Rapid Diagnostic Tests, 20, 24
Povidone iodine, 7, 26, 27	Reserpine + dihydroergocristine + clopamide, 8
Praziquantel, 3, 5, 22	Retinol (vitamin A), 18
Prednisolone, 7, 14, 16	Ribavirin, 31
Pregabalin, 2	Riboflavine (vitamin B <sub>2</sub> ), 18
Prilocaine, 31	Rifabutin, 5, 20
Procainamide, 8	Rifampicin, 5, 20
Procarbazine, 7	Ringer's solution, 17
Prochlorperazine, 13	Risperidone, 18
Proguanil, 5, 30	Rituximab, 30
Promethazine, 1, 12, 13, 19, 22	Salbutamol, 10, 17, 21, 25
Propofol, 1	Salbutamol*, 10

Salicylic acid, 9, 26, 28	Surgical Blades, 26
Salmeterol, 10	Suxamethonium, 1
Selenium sulfide, 28	Tacrolimus, 31
Senna, 13, 21, 24, 28	Tamoxifen, 7
Sildenafil, 32	Tazarotene, 31
Silver nitrate, 12	Terbinafine, 31
Silver sulfadiazine, 9	Terizidone (Trd), 30
Silver sulphadiazine, 27	Testosterone, 31
Sodium calcium edetate, 3	Tetanus vaccine , 15, 21, 24
Sodium chloride, 17	Tetanus vaccine (Tetanus toxoid , 15
Sodium fluoride, 18	Tetracaine* (amethocaine , 16
Sodium hydrogen carbonate, 17	Tetracosactide, 32
Sodium hypochlorite, 7, 20, 24, 27	Tetracycline , 4, 19
Sodium lactate, 17	Thiacetazone (Th), 30
Sodium nitrite, 3	Thiamine (Vitamin B <sub>1</sub> ), 18
Sodium stibogluconate, 5	6-thioguanine, 7
Sodium thiosulfate, 3	Thyrotropin releasing hormone (TRH, 32
Sodium valproate, 2	Timolol, 16
Spatulas, 22, 25	Tinidazole, 3, 4
Spironolactone, 10	Titanium dioxide, 31
Stilboestrol, 7, 31	Tramadol, 2
Streptokinase, 11	Tretinoin, 31
Streptomycin (S), 30	Triamcinolone, 9, 32
Sulfasalazine, 30	Trichlorophenol, 7
Sulfinpyrazone, 30	Triiodothyronine, 31
Sulphadoxine + pyrimethamine, 27	Tropicamide, 16
Sumatriptan, 6	Tuberculin, 20
Suramin, 5	Typhoid vaccine (TAB), 15

Typhoid vaccine (Vi antigen), 15	Vitamin B <sub>2</sub> (riboflavin, 29
Urea, 10	Vitamin B <sub>6</sub> , 29
Valproic acid (sodium valproate), 18	Vitamin C (ascorbic acid, 29
Valsartan, 8	Vitamin D (cholecalciferol, 29
Vancomycin, 4	Vitamin E, 29
Vasopressin, 32	Warfarin sodium, 11
Verapamil, 8	Water for injection, 17, 22, 25
Vidagliptin, 14	Yellow fever vaccine, 15
Vinblastine, 7	Zidovudine (ZDV), 6
Vincristine, 7	Zinc, 9, 13, 20, 21, 24, 26, 27
Vitamin A, 22, 25, 29	Zinc chloride + zinc sulfate, 9
Vitamin B complex, 28	Zinc oxide, 20, 24, 26
Vitamin B Complex*, 18	Zinc Sulphate, 13
Vitamin B <sub>1</sub> (thiamine), 29	Zolendronic acid, 31
Vitamin B <sub>12</sub> (cyanocobalamin, 29	