INAIDS | AIDSinfo

Country factsheets UNITED REPUBLIC OF TANZANIA | 2015

HIV and AIDS Estimates

Adults and children living with HIV	1 400 000 [1 200 000 - 1 600 000]
Adults aged 15 and over living with HIV	1 300 000 [1 200 000 - 1 500 000]
Women aged 15 and over living with HIV	780 000 [700 000 - 870 000]
Men aged 15 and over living with HIV	520 000 [460 000 - 580 000]
Children aged 0 to 14 living with HIV	91 000 [77 000 - 110 000]
Adult aged 15 to 49 HIV prevalence rate	4.7 [4.2 - 5.3]
HIV Prevalence among young men (15-24)	1.0 [0.8 - 1.5]
HIV Prevalence among young women (15-24)	1.6 [1.4 - 2.0]
Adults and children newly infected with HIV	54 000 [47 000 - 68 000]
Adults aged 15 and over newly infected with HIV	48 000 [41 000 - 56 000]
Women aged 15 and over newly infected with HIV	27 000 [24 000 - 32 000]
Men aged 15 and over newly infected with HIV	20 000 [17 000 - 24 000]
Children aged 0 to 14 newly infected with HIV	6500 [5600 - 13 000]
Adult aged 15 to 49 HIV Incidence rate	0.21 [0.18 - 0.25]
Adult and child deaths due to AIDS	36 000 [30 000 - 44 000]
Deaths due to AIDS among adults aged 15 and over	31 000 [25 000 - 36 000]
Deaths due to AIDS among women aged 15 and over	11 000 [9200 - 13 000]
Deaths due to AIDS among men aged 15 and over	19 000 [16 000 - 23 000]
Deaths due to AIDS among children aged 0 to 14	5100 [5000 - 8800]
Orphans due to AIDS aged 0 to 17	790 000 [720 000 - 910 000]

Prevention

UNAIDS | AIDSinfo

Country factsheets UNITED REPUBLIC OF TANZANIA | 2015

Percentage of young people aged 15–24 who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission	43.4	Source: 2012 AIS
Percentage of young women and men aged 15-24 who have had sexual intercourse before the age of 15	10.7	Source: 2011-12 AIS
Percentage of women and men aged 15–49 who have had sexual intercourse with more than one partner in the past 12 months	12.3	Source: 2012 AIS
Number of male circumcisions performed	435 302	

Sex workers

Percentage of sex workers reporting the use of a condom with their most recent client	70
Percentage of sex workers who received an HIV test in the past 12 months and know their results	43.1
Percentage of sex workers who are living with HIV	28

Men who have sex with men

Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	13.9
Percentage of men who have sex with men who received an HIV test in the past 12 months and know their results	62.8
Percentage of men who have sex with men risk who are living with HIV	17.6

People who inject drugs

UNAIDS | AIDSinfo

Country factsheets UNITED REPUBLIC OF TANZANIA | 2015

Number of needles and syringes distributed per person who injects drugs per year by needle and syringe programmes	13.8	Source: National programme data, 2015
Percentage of people who inject drugs reporting the use of a condom the last time they had sexual intercourse	29.4	
Percentage of people who inject drugs reporting the use of sterile injecting equipment the last time they injected	84.2	
Percentage of people who inject drugs who received an HIV test in the past 12 months and know their results	21.9	
Percentage of people who inject drugs who are living with HIV	15.5	

Elimination of mother-to-child transmission (MTCT)

Coverage of pregnant women who receive ARV for prevention of MTCT (%)	86 [77 - >95]
Pregnant women who received ARV for prevention of MTCT	74 190
Pregnant women needing ARV for prevention of MTCT	86 000 [84 000 - 110 000]
Infections averted due to PMTCT	17 000 [15 000 - 21 000]
Percentage of infants born to HIV-positive women receiving a virological test for HIV within 2 months of birth	42

Treatment

Coverage of people receiving antiretroviral therapy (ART) (%)	53 [48 - 61]
Coverage of adults (15+) receiving ART	53 [47 - 60]
Coverage of children (0-14) receiving ART	56 [47 - 65]
Number of people receiving antiretroviral therapy (ART)	740 078
Adults (15+) receiving ART	688 604
Children (0-14) receiving ART	51 474

UNAIDS | AIDSinfo

Country factsheets UNITED REPUBLIC OF TANZANIA | 2015

Percentage of people with HIV known to be on treatment 12 months after initiation of antiretroviral therapy	67
Percentage of adults with HIV known to be on treatment 12 months after initiation of antiretroviral therapy	67
Percentage of children with HIV known to be on treatment 12 months after initiation of antiretroviral therapy	74
Number of deaths averted due to antiretroviral therapy	70 000 [60 000 - 87 000]

Gender

Proportion of ever-married or partnered women aged 15-49 who experienced physical or sexual violence from a male intimate partner in the past 12 months	35.3	Source: 2010 DHS
--	------	------------------

Stigma and Discrimination

Percentage of women and men aged 15–49	26.8	Source: 2010 DHS
who report discriminatory attitudes towards		
people living with HIV		

Laws

HIV restrictions on entry, stay, or residence	No restriction
---	----------------