


LIST OF MEDICINES FOR DRUG SHOP (LMDS)

FOURTH EDITION



**ETHIOPIAN FOOD, MEDICINE AND HEALTH CARE
ADMINISTRATION AND CONTROL AUTHORITY**

**ADDIS ABABA
November 2012**

Contents

| | |
|---|----|
| Aknowledgment | 5 |
| Forward | 6 |
| GI.000 GASTROINTESTINAL MEDICINES | 7 |
| GI.100 Antacids | 7 |
| GI.200 Antiulcer Agents | 8 |
| GI.300 Antispasmodics/Spasmolytic Analgesics | 8 |
| GI.400 Antiemetics | 9 |
| GI.500 Cathartics and Laxatives | 9 |
| GI.600 Medicines Used in Diarrhea | 10 |
| GI.700 Antiflatulents | 10 |
| GI.800 Antihaemorrhoidal Agents | 10 |
| CV.000 CARDIOVASCULAR MEDICINES | 11 |
| CV.100 Medicines used for Congestive Cardiac Failure | 11 |
| CV.200 Antihypertensives | 11 |
| CV.400 Diuretics | 12 |
| CV.500 Medicines Used in Vascular Shock | 12 |
| RE.000 RESPIRATORY MEDICINES | 13 |
| RE.100 Antitussives/Expectorants/Mucolytics | 13 |
| RE.200 Bronchodilators/Antiasthmatics | 13 |
| NS.000 CENTRAL NERVOUS SYSTEM MEDICINES | 14 |
| NS.100 Analgesics / Antipyretics and/or Antihistamine Combination | 14 |
| NS.200 Antimigraine Headache Medicines | 15 |
| NS.300 Hypnotics and Anxiolytics | 15 |
| NS.400 Antidepressants | 16 |
| NS.500 Anticonvulsants | 16 |
| NS.600 Antipsychotic Medicines | 17 |
| NS.700 Antiparkinson Agent | 17 |
| AA.000 MEDICINES USED IN ANAESTHESIA | 17 |
| AA.100 Local Anesthetics | 17 |
| MS.000 MEDICINES USED IN MUSCULOSKELETAL AND JOINT DISEASES | 18 |
| MS.100 Antirheumatics | 18 |
| MS.200 Medicines Used for Gout | 19 |
| MS.300 Skeletal Muscle Relaxants | 19 |
| AI.000 ANTI-INFECTIVES | 20 |
| AI.100 Antibacterials | 20 |
| AI.101 Penicillins | 20 |
| AI.102 Other Antibacterials | 21 |
| AI.200 Antifungals | 22 |
| AI.300 ANTIVIRALS | 23 |
| AI.400 Antiprotozoals | 23 |
| AI.401 Antimalarials | 23 |
| AI.402 Amoebicides | 24 |
| AI.403 Antigiardial Agents | 24 |
| AI.404 Antileishmania Medicines | 24 |
| AI.406 Medicines for Toxoplasmosis | 25 |

| | |
|---|----|
| AI.500 Anthelmintics..... | 25 |
| AI.501 Filaricides | 25 |
| AI.502 Schistosomicides..... | 25 |
| AI.503 Other Anthelmintics..... | 25 |
| ED.000 MEDICINES USED IN ENDOCRINE DISORDERS AND CONTRACEPTIVES | 26 |
| ED.100 Corticosteroidal Preparations | 26 |
| ED.200 Insulin and Oral Antidiabetic Agents | 26 |
| ED.300 Contraceptives | 27 |
| ED.301 Combined Oral Contraceptives | 27 |
| ED.303 Contraceptive Devices, and Barriers | 28 |
| OG.000 OBSTETRIC AND GYNAECOLOGICAL MEDICATIONS..... | 28 |
| BL.000 BLOOD PRODUCTS AND MEDICINES AFFECTING THE BLOOD..... | 29 |
| BL.100 Hemostatic Agents..... | 29 |
| BL.200 Antiplatelets..... | 29 |
| BL.300 Antianemic Agents | 29 |
| BL.400 Blood Substitutes and Plasma Expanders..... | 29 |
| WE.000 MEDICINES FOR CORRECTING WATER, ELECTROLYTE AND ACID- BASE DISTURBANCES | 30 |
| WE.100 Oral | 30 |
| WE.200 Parenteral | 30 |
| WE.300 Enteral Nutrition | 31 |
| VT.000 VITAMINS..... | 31 |
| VT.100 Vitamins, Single | 31 |
| VT.200 Vitamins, Combinations | 32 |
| VT.201 Vitamin B Complex Preparations* | 32 |
| VT.202 Multivitamin Preparations* | 32 |
| VT.203 Multivitamin with Minerals and/or Extracts* | 32 |
| AL.000 ANTIHISTAMINES AND ANTIALLERGICS | 33 |
| AL.100 Antihistamines..... | 33 |
| AL.200 Medicines Used in Allergic Emergencies | 33 |
| OP.000 OPHTHALMIC AGENTS | 34 |
| OP.100 Anti-infective, Ophthalmic | 34 |
| OP.101 Antibacterials..... | 34 |
| OP.102 Antiviral..... | 34 |
| OP.200 Anti-inflammatory/Anti-allergic Medicines..... | 34 |
| OP.202 Anti-histamines..... | 35 |
| OP.300 Anti-infective/Anti-inflammatory Combinations | 35 |
| OP.400 Anesthetics, Local..... | 35 |
| OP.500 Diagnostics and Miscellaneous Agents | 35 |
| ENT.000 EAR, NOSE AND THROAT PREPARATIONS..... | 36 |
| ENT.100 Nasal and Oropharyngeal Preparations..... | 36 |
| ENT.200 Otic Agents..... | 37 |
| DE.000 DERMATOLOGICAL AGENTS | 38 |
| DE.100 Anti-infectives, Topical..... | 38 |
| DE.200 Anti-inflammatories, Topical | 39 |

| | |
|--|----|
| DE. 300 Anti-infective/Anti-inflammatory Combinations | 40 |
| DE.400 Keratolytics /Caustics and Antiacne Agents | 40 |
| DE. 500 Medicines for Psoriasis and Eczema | 41 |
| DE. 600 Antiprurities..... | 41 |
| DE.700 Skin Disinfecting Agents..... | 41 |
| AD.000 ANTIDOTES AND OTHER SUBSTANCES USED IN POISONING..... | 42 |
| IM.000 IMMUNOLOGICAL PREPARATIONS | 43 |
| MI.000 MISCELLANEOUS | 43 |

Aknowledgement

The Food, Medicine and Healthcare Administration and Control Authority of Ethiopia (EFMHACA) would like to extend its gratitude to the World Health Organization (WHO) for its technical assistance, meeting all financial expenses associated with consultative workshops and printing of the List of Medicines for Drug Shop. The Authority would like to give special acknowledgement to the National Drug Advisory Committee and all participants of the consultative workshops for their invaluable contributions in scrutinizing and finalizing this list. Last but not least, the Authority would also like to thank Management Sciences for Health/Strengthening Pharmaceutical Systems (MSH/SPS) for its technical support in revising this list.

Forward

Pharmacotherapy has always been an integral part of health care system and will remain so in the future. This relies on the availability of safe, effective and affordable medicines with the required quality, in reasonable amount. Moreover, on the rational prescribing, dispensing and use of such medicines. Ethiopian drug policy ensures that medicines which are required for prevention, diagnosis, treatment, mitigation and rehabilitation of diseases affecting the majority of Ethiopian people have to be identified and classified to respective levels of health service delivery.

The List of Medicines for Drug Shop is hereby revised for the fourth time in light of the above principle and the latest developments in fields of medicine and pharmacy and considering the available pharmacy professional found in Drug Shop. Hence, users of this medicines list are advised to refer to the list whenever they provide the services in different drug shops. It gives me a great pleasure to introduce this edition of the list to all beneficiaries, which is the fruit of the joint effort of the staff of the Authority, the National Drug Advisory Committee, development partners as well as the participants of the review workshops. I hope that the List of Medicine for drug shop will serve as useful guides for the procurement and distribution as well as to increase availability of medicine in the drug shop.

Finally, I would like to express my gratitude to all those who have directly or indirectly extended their helping hands in the revising and printing of the list. I also call upon health professionals and interested parties to continue their usual support in updating the list by forwarding comments and suggestions to the Food, Medicines and Healthcare Administration and control Authority of Ethiopia.

Yehulu Denekew Alemneh, Director General,
Ethiopian Food, Medicines & Healthcare Administration & Control Authority
(EFMHACA)

PHARMACOTHERAPEUTIC CLASSIFICATION OF MEDICINES

GI.000 GASTROINTESTINAL MEDICINES

GI.100 Antacids

- | | |
|--|--|
| 1. Aluminum Hydroxide | Mixture/Gel, 320mg/5ml Suspension, 360mg/5ml Tablet (chewable), 500mg |
| 2. Aluminum Hydroxide + Magnesium Hydroxide♣ | Suspension, 220mg +195mg/5ml Tablet (chewable), 400mg + 400mg |
| 3. Aluminum Hydroxide + Magnesium Hydroxide + Simethicone♣ | Oral Suspension, 225mg + 200mg + 25mg/ 5ml |
| 4. Aluminum Hydroxide + Magnesium Hydroxide+ Simethicone + Alginic Acid | Tablet, 125mg +250mg +50mg + 100mg |
| 5. Aluminum Hydroxide + Magnesium Trisilicate♣ | Suspension, 310mg + 620mg in 5 ml Tablet (chewable), 120mg + 250mg; 250mg +500mg |
| 6. Calcium Carbonate | Tablet, 350mg, 500mg, 700mg |
| 7. Magnesium Hydroxide | Suspension, 375mg/5ml, 7.75% Tablet (chewable), 300mg, 311 mg |
| 8. Magnesium Trisilicate | Tablet (chewable), 500mg |
| 9. Sodium Alginate + Magnesium Hydroxide + Aluminum Hydroxide +Simethicone | Oral suspension, 100mg +250mg +125mg +50mg in 5ml |

♣ And any other combination ratio proven to be therapeutically effective can be used

GI.200 Antiulcer Agents

| | |
|---------------|---|
| 1. Cimetidine | Injection, 200mg/ml in 2ml ampoule Syrup, 200mg/5ml Tablet, 200mg, 400mg, 800mg Tablet (chewable), 200mg |
| 2. Famotidine | Tablet, 20mg, 40mg |
| 3. Nizatidine | Capsule, 150mg, 300mg Injection, 25mg/ml |
| 4. Omeprazole | Capsules(enclosing e/c granules) 20mg Tablet,20mg(enteric coated) |
| 5. Ranitidine | Injection, 10mg/ml in 5ml ampoule; 25mg/ml in 10ml ampoule Tablet, 150mg, 300mg |
| 6. Sucralfate | Tablet, 1g (Scored) |

GI.300 Antispasmodics/Spasmolytic Analgesics

| | |
|---|--|
| 1. Atropine Sulphate | Injection, 1mg/ml in 1 ml ampoule |
| 2. Chlordiazepoxide + Clidinium Bromide | Tablet, 5mg + 2.5mg |
| 3. Drotaverine | Tablet, 40mg Injection, 40mg/2ml ampoule |
| 4. Hyoscine (Scopolamine) Butylbromide | Drops, 5mg/5ml Injection, 20mg/ml Tablet, 10mg Suppository, 7.5mg, 10mg |
| 5. Hyoscine (Scopolamine) Hydrobromide | Injection, 0.4mg/ml, 0.6mg/ml in 1ml ampoule Tablet, 0.6mg |
| 6. Propantheline Bromide | Tablet, 15 mg, 30 mg |

GI.400 Antiemetics

- | | |
|---------------------------------|---|
| 1. Chlorpromazine Hydrochloride | Drops, 25mg/ml Injection, 25mg/ml, 25mg/2ml, 50mg/2ml in 1ml, and 2ml ampoule Syrup, 25mg/5ml Tablet, 25mg, 100mg (film/sugar coated) |
| 2. Dimenhydrinate | Tablet, 50mg |
| 3. Meclizine Hydrochloride | Tablet, 12.5mg, 25mg |
| 4. Metoclopramid Hydrochloride | Drops, 0.2mg/drop Injection, 5mg/ml, 5mg/2ml in 2ml ampoule Syrup, 5mg/5ml Tablet, 10mg |
| 5. Promethazine Hydrochloride | Elixir, 5mg/5ml Injection, 25mg/ml, 25mg/2ml in 1ml and 2ml ampoule Suppository, 25mg, 50mg Tablet, 10mg, 25mg (film/sugar coated) |
| 6. Thiethylperazine Maleate | Injection, 6.5mg/ml Suppository, 6.5 mg Tablet, 6.5 mg (film/sugar coated) |

GI.500 Cathartics and Laxatives

- | | |
|--|---|
| 1. Bisacodyl | Suppository, 5mg, 10mg Tablet, 5mg, 10mg |
| 2. Cascara Sagrada | Tablet, 125mg |
| 3. Castor Oil | Liquid, 30ml, 60ml |
| 4. Dioctyl Sodium Sulphosuccinate (Docusate Sodium) | Syrup, 4mg/ml Tablet, 50mg, 100mg Suppository, 1g, 1.36g, 2g, 2.76g |
| 5. Glycerin | |
| 6. Lactulose | Enema, (300ml Lactulose +700ml Water) Syrup, 3.5mg/5ml |
| 7. Liquid Paraffin | Liquid |

- | | |
|-----------------------|----------------------------------|
| 8. Magnesium Sulphate | Oral powder in Sachet |
| 9. Methyl Cellulose | Tablet, 500 mg |
| 10. Psyllium | Powder |
| 11. Senna | Tablet (total sennosides), 7.5mg |

GI.600 Medicines Used in Diarrhea

- | | | | | |
|-----------------------------|---|------------------------|--|---------------|
| 1. Oral Rehydration Salt | Powder, each sachet for 1 litre contains: | | | |
| | <u>Gram/Liter</u> | | | <u>mmol/L</u> |
| Sodium | 2.6 | Sodium | | 75 |
| Glucose Anhydrase | 13.5 | Chloride | | 65 |
| Potassium Chloride | 1.5 | Glucose Anhydrase | | 75 |
| Trisodium Citrate Dehydrate | 2.9 | Potassium | | 20 |
| | | Citrate | | 10 |
| | | Total Osmolarity = 245 | | |
| 2. Zinc Sulphate | Tablet (dispersible), 10mg, 20mg | | | |
| | Oral liquid, 10mg/unit dosage form | | | |

GI.700 Antiflatulents

- | | |
|-----------------------|-------------------------------------|
| 1. Activated Charcoal | Tablet, 125mg, 250mg |
| 2. Simethicone | Tablet (chewable), 60mg, 80mg, 95mg |
| | Capsule, 95 mg, 125 mg |

GI.800 Antihaemorrhoidal Agents

- | | |
|--|--|
| 1. Bismuth Subgallate Compound* (Bismuth Subgallate + Bismuth Oxide + Peru Balsam+ Zinc Oxide) | Ointment, 2.25% +0.875% +1.875% +10.75% |
| | Suppository, 59mg +24mg +49mg +296mg |
| 2. Bismuth Subgallate Compound * With Hydrocortisone (Bismuth Subgallate +Bismuth Oxide + Peru Balsam + Zinc Oxide +Hydrocortisone Acetate + Benzyl Benzoate) | Ointment, 2.25% + 0.875% + 1.875% +10.75% + 0.25% +1.25% |
| | Suppository, 59mg + 24mg + 49mg + 296mg + 10mg + 33mg |
| 3. Lidocaine + Aluminium Acetate + Zinc Oxide + Hydrocortisone Acetate * | Ointment, 50mg+35mg +180mg+2.5mg |
| | Suppository, 60mg+50mg+500mg+5mg |

*And any other antihaemorrhoidal preparation proven to be therapeutically effective can be used

| | |
|---|--|
| 4. Lignocaine +Tribenoside | Suppository, 40mg+400mg |
| 5. Prednisolone Caproate + Dibucaine Hydrochloride Hexachlorophene + Clemizole Undecenoate | Ointment, 0.19%+0.5%+0.5%+1% Suppository, 1.3mg+1mg+2.5mg+5mg |

CV.000 CARDIOVASCULAR MEDICINES

CV.100 Medicines used for Congestive Cardiac Failure

| | |
|---|---|
| 1. Captopril | Tablet, 12.5mg, 25mg, 50mg, 100mg |
| 2. Enalapril Maleate | Tablet, 2.5mg, 5mg, 10mg, 20mg, 40mg |
| 3. Enalapril Maleate + Hydrochlorothiazide | Tablet, 10mg +25mg |
| 4. Hydralazine | Tablet, 10mg, 25mg, 50mg, 100mg Powder for Injection, 20mg/ml in 1ml ampoule |
| 5. Hydralazine +Isosorbide | Tablet, 37.5mg + 20mg |
| 6. Lisinopril | Tablet, 2.5 mg, 5mg, 10mg, 20mg |

CV.200 Antihypertensives

| | |
|--|--|
| 1. Atenolol | Tablet, 50mg, 100mg |
| 2. Amlodipine | Tablet, 2.5 mg, 5 mg, 10mg |
| 3. Captopril | Tablet, 12.5mg, 25mg, 50mg, 100mg |
| 4. Captopril+Hydrochlorthiazide | Tablet, 50mg+25mg |
| 5. Enalapril Maleate | Tablet, 2.5mg, 5mg, 10mg, 20mg, 40mg |
| 6. Enalapril Maleate+ Hydrochlorothiazide | Tablet, 10mg + 25mg |
| 7. Felodipine | Tablet, 5mg, 10mg |
| 8. Hydralazine | Injection, 20mg/ml in 1ml ampoule Tablet, 25mg, 50 mg |
| 9. Hydrochlorothiazide | Tablet, 25mg |

| | |
|----------------------------|---|
| 10. Lisinopril | Tablet, 2.5 mg, 5mg, 10mg, 20mg |
| 11. Methyldopa | Tablet, 250mg, 500mg |
| 12. Nicardipine | Injection, 0.1mg/ml |
| 13. Nifedipine | Capsule, 5mg, 10mg, 20mg, 30mg (m/r) Tablet, 10mg, 20mg, 30mg, 40mg, 60mg, 90mg (m/r) |
| 14. Prazosin Hydrochloride | Tablet, 1mg, 2mg, 5mg |
| 15. Propranolol | Injection, 1mg/ml in 1 ml ampoule Tablet, 10mg, 40mg |
| 16. Sodium Nitroprusside | Powder for injection, 50mg in ampoule |

CV.400 Diuretics

| | |
|------------------------|--|
| 1. Frusemide | Elixir, 10mg/ml Injection, 10mg/ml in 2ml ampoule Tablet, 40mg, 80mg |
| 2. Hydrochlorothiazide | Tablet, 25mg |
| 3. Mannitol | Injection, 25% in 50ml, 20% in 250ml, 10% in 500ml |
| 4. Spironolactone | Tablet, 25mg, 100mg Syrup, 5mg, 10mg, 25mg, 50mg, 100mg/5ml |

CV.500 Medicines Used in Vascular Shock

| | |
|--------------------------------|-----------------------------------|
| 1. Adrenaline (Epinephrine) | Injection, 0.1%, 1:1000 1mg/ml |
| 2. Dobutamine | Powder for Injection, 250mg |
| 3. Dopamine Hydrochloride | Injection, 40mg/ml |
| 4. Phenylephrine Hydrochloride | Injection, 10mg/ml in 1ml ampoule |

RE.000 RESPIRATORY MEDICINES

RE.100 Antitussives/Expectorants/Mucolytics

| | |
|---|---|
| 1. Acetaminophen + Pseudoephedrine Hydrochloride + Chlorpheniramine | Tablet, 325mg + 15mg + 1mg |
| 2. Bromhexine Hydrochloride | Elixir, 4mg/5ml |
| 3. Carbocisteine | Syrup, 2%, 5% |
| 4. Codeine Phosphate | Linctus, 15mg/5ml |
| 5. Dexchlorpheniramine | Syrup, 2mg/5ml Tablet, 2mg, 4mg, 6mg |
| 6. Dexchlorpheniramine + Guaifenesin + Pseudoephedrine | Syrup, 2mg + 100mg + 20mg/5ml |
| 7. Dextromethorphan- Hydrobromide | Drops, 15mg/ml Syrup, 5mg, 7.5mg, 15mg/5ml Tablet, 15mg |
| 8. Dextromethorphan- Hydrobromid Guaicol Sulphonate | Syrup, 0.3gm + 7.6gm/100ml |
| 9. Diphenhydramine+ Sodium Citrate+ Ammonium Chloride | Syrup, 12.5mg + 60mg + 130mg/5ml |
| 10. Guaifenesin | Capsule, 200mg Syrup, 100mg/5ml Tablet, 100mg, 200mg |
| 11. Pholcodine | Syrup, 0.06%, 0.12% |

RE.200 Bronchodilators/Antiasthmatics

| | |
|--------------------------------|--|
| 1. Adrenaline (Epinephrine) | Injection, 0.1% in 1ml ampoule; 1:1000 1mg/ml |
| 2. Aminophylline | Injection, 250mg/10ml, in 10ml and 20 ml Tablet, 100mg, 200mg Tablet (m/r), 100 mg, 225mg, 350mg |
| 3. Beclomethasone Dipropionate | Oral Inhalation (aerosol), 50mcg/dose, 100mcg/dose, 200mcg/dose |

| | |
|--|--|
| 4. Budesonide +Formoterol-Fumarate | Aerosol, 80mcg +4.5mcg/dose, 160mcg +4.5mcg/dose |
| 5. Ephedrine Sulphate | Injection, 50mg/ml |
| 6. Ephedrine + Theophylline | Elixir, 6mg + 30mg in each 5ml Syrup, 2.24% + 0.30% Tablet, 11mg + 120mg |
| 7. Ipratropium Bromide | Aerosol Solution, 20 mcg/metered inhalation; 400 mcg/ metered inhalation |
| 8. Isoprenaline Sulphate | Tablet (sublingual), 5mg, 10mg Injection, 2.5mg/2ml |
| 9. Salbutamol (Albuterol) | Oral Inhalation (aerosol), 0.1mg/dose Nebulizer Solution, 2.5mg/2.5ml Syrup, 2mg/5ml Tablet, 2mg, 4mg, 4mg(s/r) |
| 10. Salbutamol + Bromhexine+ Guaifenesin + Menthol | Syrup, 2mg + 4mg + 100mg + 1mg |
| 11. Sodium Cromoglycate | Capsules with inhaler, 20mg |
| 12. Theophylline (Anhydrous Theophylline) | Elixir, 33mg in each 15ml Tablet, 100mg,200mg(s/r) |
| 13. Theophylline+ Guaifenesin | Capsule, 150mg + 90mg; 300mg + 180mg Elixir, 150mg + 90mg/15ml Tablet, 150mg + 90mg |

NS.000 CENTRAL NERVOUS SYSTEM MEDICINES

NS.100 Analgesics / Antipyretics and/or Antihistamine Combination

| | |
|-------------------------|--|
| 1. Acetylsalicylic Acid | Tablet, 75mg, 100mg, (Soluble); 300mg, 324mg, (micro fined); 75mg, 81mg, 100mg, 500mg (enteric coated) |
| 2. Celecoxib | Capsule, 100mg, 200mg |
| 3. Diclofenac Sodium | Capsule (S/R), 75 mg Injection, 25mg/ml in 3ml ampoule, 75mg/ml Tablet (e/c), 25mg, 50mg, 75mg(s/r), 100mg(s/r) Suppository,12.5mg, 25mg, 50mg, 100mg |

- | | |
|--|--|
| 4. Diclofenac sodium+Misoprostol | Tablet, 75mg+200mcg |
| 5. Ibuprofen | Capsule, 300mg Syrup, 100mg/5ml Tablet, 200mg, 400mg(enteric coated, optional) |
| 6. Paracetamol | Drops, 100mg/ml Suppository, 125mg, 250mg Syrup, 120mg/5ml, 250mg/5ml Tablet, 100mg, 500mg Injection, 1gm in 100ml |
| 7. Paracetamol + Pseudoephedrine Hydrochloride+ Chlorpheniramine | Tablet, 325mg + 15mg +1mg |
| 8. Tramadol Hydrochloride | Injection, 50mg/ml Oral drops, 100mg/ml Nasal spray, 20 mg/0.1 ml Tablet/capsule, 50 mg, 75mg, 100mg, 150mg, 200mg, 300mg |

NS.200 Antimigraine Headache Medicines

- | | |
|--|--|
| 1. Acetylsalicylic Acid+ Paracetamol+ Caffeine | Tablet, 250mg + 250mg + 65mg |
| 2. Ergotamine Tartrate | Injection, 0.25mg/ml in 1ml ampoule Tablet, 1mg, 2mg (sublingual) |
| 3. Ergotamine Tartrate+ Caffeine ^β | Tablet 1mg + 100mg Suppository, 2mg + 100mg |
| 4. Ergotamine Tartrate + Caffeine Hydrate + Cyclizine Hydrochloride ^β | Tablet, 2mg+50mg+100mg |
| 5. Propranolol | Tablet, 10mg, 20mg, 40mg, 60mg, 80mg |

NS. 300 Hypnotics and Anxiolytics

- | | |
|---------------------|--|
| 1. Chlordiazepoxide | Tablet, 5mg, 10mg, 25mg |
| 2. Diazepam | Injection, 5mg/ml in 2ml ampoule Suppository, 5mg, 10mg Syrup, 2mg/5ml Tablet, 2mg, 5mg, 10mg |

^β And any other combination ratio proven to be therapeutically effective can be used

- | | |
|-----------------------------|--|
| 3. Chloral Hydrate | Capsule, 500mg Suppository, 60mg Syrup, 250mg/5ml, 500mg/5ml, 1g/5ml |
| 4. Flurazepam Hydrochloride | Capsule, 15 mg, 30mg |
| 5. Promethazine | Tablet, 25mg |

NS.400 Antidepressants

- | | |
|------------------------------------|----------------------------------|
| 1. Amitriptyline | Tablet, 10mg, 25mg, 50mg |
| 2. Amitriptyline +Chlordiazepoxide | Capsule, 12.5mg +5mg; 25mg +10mg |
| 3. Clomipramine Hydrochloride | Capsule, 10mg,25mg, 50mg |
| 4. Fluoxetine | Capsule, 20mg |
| 5. Imipramine | Tablet, 10mg, 25mg |
| 6. Nortriptyline | Tablet, 10mg, 25mg |

NS.500 Anticonvulsants

- | | |
|-----------------------------------|--|
| 1. Carbamazepine | Syrup, 100mg/5ml Tablet, 100mg, 200mg |
| 2. Clonazepam | Injection, 1mg/ml in 1ml ampoule Tablet, 0.5mg, 1mg, 2mg |
| 3. Diazepam | Injection, 5mg/ml in 2ml ampoule Suppository, 5mg, 10mg |
| 4. Diphenylhydantoin (Phenytoin) | Capsule, 50mg, 100mg Powder for injection (sodium), 250mg/vial Tablet, 50mg, 100mg Injection, 50mg/ml in 5ml vial (Sodium Salt) |
| 5. Phenobarbitone (Phenobarbital) | Injection (sodium), 25mg/ml, 100mg/ml Tablet, 15mg, 30mg, 60mg, 100mg Elixir, 20mg/5ml |
| 6. Magnesium Sulphate | Injection, 50%in 20ml |

7. Sodium Valproate Syrup, 200mg/5ml
 Tablet, 200mg, 500mg

NS. 600 Antipsychotic Medicines

1. Buspirone Tablet, 5mg, 10mg
2. Chlorpromazine Hydrochloride Drops, 25mg/ml in 10ml, 40mg/ml in 10ml and 30ml bottle
 Injection, 25mg/ml in 1ml and 2ml ampoule, 50mg/ml in 2ml ampoule
 Syrup, 25mg/5ml
 Tablet, 25mg, 50mg, 100mg
3. Clozapine Tablet, 25mg, 50mg, 100mg
4. Fluphenazine Decanoate Injection (Depot. Oily), 25mg/ml in 1ml and 2ml ampoules and in 10ml vial
5. Fluphenazine Hydrochloride Tablet, 1mg
6. Haloperidol Injection, 5mg/ml in 1ml ampoule
 Oral liquid, 2mg/ml
 Tablet, 1 mg, 2mg, 5mg
7. Haloperidol Decanoate Injection (Depot. Oily), 50mg/ml, 100mg/ml in 1ml ampoule
8. Olanzapine Tablet, 5mg
9. Thioridazine Hydrochloride Tablet, 10mg, 25mg, 100mg

NS. 700 Antiparkinson Agent

1. Benzhexol (Trihexyphenidyl hydrochloride) Tablet, 2mg, 5mg

AA.000 MEDICINES USED IN ANAESTHESIA

AA.100 Local Anesthetics

1. Bupivacaine Injection, 0.2%, 0.5%
2. Tetracain Hydrochloride Injection, 0.5%, 2%, 4% in ml vial
3. Ethyl Chloride Spray, 50ml

- | | |
|---|--|
| 4. Lidocaine Hydrochloride | Cartridges, 2% in 1.8ml Injection, 0.5%, 1%, 2%, 5% Jelly, 2% in 30ml Ointment, 5% in 10gm Spray, 2%, 4%, 10% in 80g |
| 5. Lidocaine Hydrochloride + Adrenaline | Injection, 1%+1:200, 000 in 20ml vial Injection, 2%+1:200,000 in 20ml vials |

MS.000 MEDICINES USED IN MUSCULOSKELETAL AND JOINT DISEASES

MS.100 Antirheumatics

- | | |
|---|--|
| 1. Acemetacin | Capsule, 30mg, 60mg, 90mg, (D/R) |
| 2. Acetylsalicylic Acid | Tablet, 75mg, 100mg (soluble), 300mg, 324mg (microfined), 500mg (enteric coated) |
| 3. Acetylsalicylic Acid +Caffeine + Paracetamol | Tablet, 250mg +65mg +250mg |
| 4. Diclofenac Diethylamine | Gel, 1%, 30gm |
| 5. Diclofenac Sodium | Capsule (S/R), 75 mg Injection, 25mg/ml in 3ml ampoule, 75mg/ml Tablet (e/c), 25mg, 50mg, 75mg(s/r), 100mg(s/r) Suppository, 12.5mg, 25mg, 50mg, 100mg Sachet (as potassium salt), 50mg Gel, 1%, 3% |
| 6. Diclofenac sodium+Misoprostol | Tablet, 50mg+200mcg |
| 7. Sulphasalazine | Tablet(e/c), 500mg |
| 8. Etofenamet | Gel, 5%, 10% Cream, 10% Lotion, 10% Spray, 100mg/ml (18mg/dose) |
| 9. Ibuprofen | Capsule, 300mg Tablet, 200mg, 400mg (enteric coated, optional) Syrup, 100mg/5ml |
| 10. Indomethacin | Syrup, 25mg/5ml, 100mg/5ml Capsule, 25mg, 50mg, 75mg Suppository, 100mg Tablet, 25mg (enteric coated, optional) |

| | |
|----------------|--|
| 11. Meloxicam | Tablet, 7.5mg, 15mg |
| 12. Naproxen | Tablet, 200mg, 220mg, 250mg, 375mg, 500mg Suspension, 125mg/5ml |
| 13. Nimesulide | Tablet, 100mg, 200mg |
| 14. Piroxicam | Capsule, 10mg, 20mg Suppository, 20mg Tablet, 10mg, 20mg |
| 15. Tenoxicam | Suppository, 20mg Tablet, 20mg |

MS.200 Medicines Used for Gout

| | |
|-----------------|---|
| 1. Allopurinol | Tablet, 100mg |
| 2. Colchicine | Injection, 0.5mg/ml Tablet, 0.5mg |
| 3. Ibuprofen | Tablet, 200mg, 400mg (enteric coated, optional) |
| 4. Indomethacin | Capsule, 25mg Suppository, 100mg |
| 5. Probenecid | Tablet, 500mg |

MS.300 Skeletal Muscle Relaxants

| | |
|--|---|
| 1. Baclofen | Tablet, 5mg, 10mg |
| 2. Dantrolene Sodium | Tablet, 25mg, 50mg |
| 3. Diazepam | Injection, 10mg/ml in 2ml ampoule Syrup, 2mg/5ml Tablet, 2mg, 5mg, 10mg |
| 4. Orphenadrine Citrate | Drop, 2.5mg/ml Injection, 30mg/ml Tablet, 100mg |
| 5. Orphenadrine Citrate + Paracetamol | Tablet, 35mg + 450mg |

AI.000 ANTI-INFECTIVES

AI. 100 Antibacterials

AI.101 Penicillins

1. Amoxicillin
Capsule, 250mg, 500mg
Injection, 250mg, 500mg in vial
Syrup, 125mg/5ml, 250mg/5ml
Tablet, 500mg
2. Amoxicillin + Clavulanic Acid
Oral suspension, 125mg/5ml +31.25mg/5ml,
200mg/5ml +28.5mg/5ml, 250mg + 62.5mg/5ml,
400mg +57mg/5ml, 228mg/5ml + 457mg/ml
Tablet (chewable), 125mg + 31.25mg,
250mg+62.5mg, (film coated), 250mg +125mg
Capsule, 500mg +125mg, 875mg +125mg
Injection, 500mg +100mg, 1g +200mg
3. Ampicillin
Drop, 100mg/ml
Capsule, 250mg, 500mg
Injection, (Sodium), 250mg, 500mg, 1gm
Oral Suspension, 125mg/5ml, 250mg/5ml
4. Ampicillin Sodium+ Sulbactam Sodium
Injection, 1g +500mg, 2g +1gm
5. Carbenicillin
Injection, 1g, 5g in vial
Tablet (Indanyl sodium), 382mg
6. Cloxacillin Sodium
Capsule, 250mg, 500mg
Injection, 250mg, 500mg in vial
Syrup, 125mg, 250mg in each 5ml
7. Flucloxacillin
Capsule, 250mg, 500mg
Injection, 250mg, 500mg in vial
Syrup, 125 mg/5ml
8. Penicillin G, Benzathine
Injection, 0.6, 1.2, 2.4 million IU in vial
9. Penicillin G, Sodium Crystalline
Injection, 1M.I.U, 10M.I.U, 20M.I.U in vial
10. Phenoxymethyl Penicillin
Oral Suspension, 125mg/5ml, 50,000 IU/ml
Tablet, 125mg, 250mg, 500,000IU
*250mg = 400,000IU

- | | |
|---|--|
| 11. Phenoxymethyl Penicillin, Potassium | Suspension, 195mg/5ml Tablet, 390mg |
| 12. Procaine Pencillin, Fortified | Injection (Buffered), 4,000,000 IU |
| 13. Sultamicillin (Ampicillin Subactam Double Ester) | Tablet, 375mg, 750mg |

AI.102 Other Antibacterials

- | | |
|--------------------|---|
| 1. Chloramphenicol | Capsule, 250mg Injection (sodium succinate), 1g in vial Oral suspension, 125 mg/5ml Oily suspension for injection, 0.5gm (as sodium succinate)/ml in 2 ml ampoule |
| 1. Ceftriaxone | Injection, 0.25g, 0.5g, 1g, 2g in vial Capsule, 250mg, 500mg |
| 2. Ciprofloxacin | Syrurpe 125mg/5ml Intravenous Infusion (as lactate) 2mg/ml in 50ml and 100ml bottle Tablet (as hydrochloride), 250mg, 500mg, 1000mg Capsule, 500mg, 1000mg |
| 4. Doxycycline | Capsule, 100mg Tablet, 100mg |
| 5. Erythromycin | Capsule, 250mg Injection, 50mg/ml in 2ml ampoule Oral suspension, 125mg/5ml, 200mg/5ml, 250mg/5ml Tablet (stearate), 250mg, 500mg Topical Solution, 1.5% |
| 6. Gentamicin | Injection, 40mg/ml, 80 mg/ 2ml |
| 7. Metronidazole | Intravenous Infusion, 5mg/ml in 100ml Tablet/Capsule, 250mg Cream, 0.75%, 1% Gel/Lotion, 1% |
| 8. Nalidixic Acid | Tablet, 500 mg Oral suspension, 300 mg/vial |

| | |
|---|---|
| 9. Nitrofurantoin | Capsule (macrocrystals), 50mg, 100mg Oral Suspension, 0.5% W/V Tablet, 50mg, 100mg |
| 10. Norfloxacin | Tablet, 400mg |
| 11. Spectinomycin | Injection, 2g in vial |
| 12. Sulphamethoxazole + Trimethoprim | Injection, 400mg + 80 mg /5 ml Mixture, 200mg + 40mg in 5ml Tablet (Pediatric), 100mg + 20mg (Dispersible) Tablet (Adult), 400mg +800mg, 800 mg +160mg |
| 14. Tetracycline Hydrochloride | Capsule, 250mg, 500mg Injection, 100mg, 250mg, 500mg Tablet, 250mg, 500mg (coated) |
| 15. Thiamphenicol | Capsule, 250mg Tablet, 250mg |

AI.200 Antifungals

| | |
|--------------------|---|
| 1. Amphotericin B | Powder for Injection, 10mg, 50mg in vial Lozenges, 10mg |
| 2. Clotrimazole | Powder, 1% Mouth Paint, 1% |
| 3. Fluconazole | Capsule /Tablet, 50 mg, 100mg, 200mg Oral suspension, 50 mg/5ml, 200mg/5ml |
| 4. Griseofulvin | Tablet, 125mg, 250mg, 500mg Suspension, 125mg/5ml |
| 5. Ketoconazole | Tablet, 200mg Syrup, 20mg/5ml |
| 6. Miconazole | Oral Gel, 25mg/ml Tablet, 250mg Intravenous Infusion, 10mg/ml |
| 7. Nystatin | Tablet, 500,000 IU Oral suspension, 100,000 units/ml |
| 8. Terbinafine HCl | Tablet, 150mg and 250mg |

AI.300 ANTIVIRALS

- | | |
|--------------|---|
| 1. Acyclovir | Tablet, 200mg, 400mg Powder for Injection, 250mg, 500mg Cream, 5% 2gm Ointment, 5% |
|--------------|---|

I.400 Antiprotozoals

AI.401 Antimalarials

- | | |
|--|---|
| 1. Alpha,Beta Arteether | Injection, 150mg/2ml |
| 2. Artemether | Oral Suspension, 40mg/0.5ml, 80mg/ml Injection, 20mg/ml, 40mg/ml, 80mg/ml Suppository, 40mg |
| 3. Artemether +Lumefantrine | Tablet, 20mg +120mg (Dipersable) |
| 4. Artesunate | Tablet, 100mg, 200mg Injection, 60mg/vial |
| 5. Chloroquine Phosphate | Tablet, 250mg, 500mg(equivalent to 150mg, 300mg base) Syrup, 50mg base/5ml Injection, 50mg/ml (equivalent to 40mg/ml base) |
| 6. Dihydroartemisinin | Tablet, 60mg |
| 7. Dihydroartemisinin + Piperaquine Phosphate | Tablet, 40mg + 320mg |
| 8. Mefloquine Hydrochloride | Tablet, 250mg |
| 9. Primaquine Phosphate | Tablet, 7.5mg base, 15mg base |
| 10. Quinine Dihydrochloride | Injection, 300mg/ml in 1ml ampoule Tablet, 300mg, 600mg |
| 11. Proguanil Hydrochloride | Tablet, 100mg (scored) |
| 12. Sulfadoxine +Pyrimethamine* | Injection, 500mg +25mg in 2.5ml ampoule Tablet, 500mg + 25mg |

* Reserved for non resistant areas.

AI.402 Amoebicides

- | | |
|--------------------------|---|
| 1. Chloroquine Phosphate | Injection, 150mg base in 5ml ampoule Syrup, 50mg base/5ml Tablet, 150mg base |
| 2. Diloxanide Furoate | Tablet, 500mg |
| 3. Metronidazole | Intravenous Infusion, 5mg/ml in 100ml Suspension (Oral), 125mg/5ml, 200mg/5ml, 250mg/5ml Syrup, 4% W/V, 250mg/5ml Capsule/Tablet, 250mg |
| 4. Ornidazole | Tablet, 500mg |
| 5. Tinidazole | Tablet, 250mg, 500mg |

AI.403 Antigiardial Agents

- | | |
|------------------|---|
| 1. Metronidazole | Oral Suspension, 125mg/5ml, 200mg/5ml, 250mg/5ml, Syrup, 4% W/V, 250mg/5ml Tablet/Capsule, 250mg |
| 2. Ornidazole | Tablet, 500mg |
| 3. Tinidazole | Tablet, 250mg, 500m |

AI.404 Antileshmania Medicines

- | | |
|----------------------------|--|
| 1. Amphotericin B | Powder for injection, 50mg /vial Liposomal Injection, 10mg/ml, 50mg/vial Lozenges, 10mg Oral suspension, 100mg/ml |
| 2. Hexadecylphosphocholine | Capsule, 10mg, 50 mg |
| 3. Pentamidine Isethionate | Powder for injection, 200mg, 300mg/vial |
| 4. Sodium Stibugluconate | Injection, 100mg/ml |

AI.406 Medicines for Toxoplasmosis

- | | |
|------------------------------|---|
| 1. Primaquine Phosphate | Tablet, 15mg |
| 2. Pyrimethamine | Tablet, 25mg |
| 3. Sulphadiazine | Tablet, 500mg |
| 4. Sulfadoxine+Pyrimethamine | Injection, 500mg+25mg in 2.5ml ampoule Tablet, 500mg +25mg |

AI.500 Anthelmintics

AI.501 Filaricides

- | | |
|-------------------------------|---------------------------|
| 1. Diethylcarbamazine Citrate | Tablet, 50mg |
| 2. Ivermectin | Tablet, 3mg, 6mg (scored) |
| 3. Primaquine | Tablet, 15mg |
| 4. Suramin Sodium | Powder for Injection, 1g |

AI.502 Schistosomicides

- | | |
|-----------------|---|
| 1. Metrifonate | Tablet, 100mg |
| 2. Oxamniquine | Capsule, 250mg Suspension, 250mg/5ml |
| 3. Praziquantel | Tablet, 600mg |

AI.503 Other Anthelmintics

- | | |
|----------------|--|
| 1. Albendazole | Oral Suspension, 100mg/5ml Tablet, 200mg, 400mg |
| 2. Levamisole | Tablet, 40mg |
| 3. Mebendazole | Oral Suspension, 100mg/5ml Tablet, 100mg, 500mg |
| 4. Niclosamide | Tablet (chewable), 500mg |
| 5. Piperazine | Elixir (Citrate), 500mg, 622.5mg, 706mg, 750mg, 937.5mg, 1g /5ml Tablet (Adipate), 300mg |

6. Pyrantel Pamoate Oral Suspension, 250mg base/5ml
Tablet, 125mg base

7. Thiabendazole Oral Suspension, 500mg/5ml
Tablet, 500mg

ED.000 MEDICINES USED IN ENDOCRINE DISORDERS AND CONTRACEPTIVES

ED.100 Corticosteroidal Preparations

1. Dexamethasone Injection, 4mg/ml, 25mg/ml, 50mg/ml
Tablet, 0.5mg, 0.75mg, 1mg, 2mg, 4mg
2. Fluticasone Furoate Nasal Spray, 27.5mcg
3. Hydrocortisone Injection (Sodium Succinate), 50mg/ml in
2ml ampoule, 125 mg/ml
Powder for Injection, 25mg/ampoule,
500mg in vial
Tablet (Acetate), 5mg, 10mg
4. Prednisolone Injection (Sodium Phosphate), 10mg/ml, 25mg/ml
in 2ml ampoule
Tablet, 1mg, 3.5mg, 5mg, 10mg
5. Triamcinolone Acetonide Injection, 10mg/ml, 40mg/ml in vial
Tablet, 4mg

ED.200 Insulin and Oral Antidiabetic Agents

1. Acarbose Tablet, 50mg, 100mg
2. Chlorpropamide Tablet, 100mg, 250mg
3. Glibenclamide Tablet, 5mg
4. Gliclazide Tablet, 30mg, 40mg, 80mg(Sustained release)
5. Insulin Soluble/Neutral **(HPB)*** Injection, 100u/ml
6. Insulin Zinc Suspension
(Insulin Lente) **(HPB)*** Injection, 100U/ml
7. Isophane/NPH Insulin **(HPB)*** Injection, 100u/ml

* HPB stands for Human, porcine, and Bovine while BP stands for Bovine and porcine

- | | |
|----------------|----------------------|
| 8. Metformin | Tablet, 500mg, 850mg |
| 9. Tolbutamide | Tablet, 500mg |

ED.300 Contraceptives

ED.301 Combined Oral Contraceptives

- | | |
|--|---|
| 1. Drospirenone +Ethinyl Estradiol | Tablet (Film Coated), 3mg +0.03mg |
| 2. Levonorgestrel D-Norgestrel)+ Ethinylestradiol with/without Iron* | Tablet, 0.15mg + 0.03mg; 0.25mg + 0.05mg, 0.5mg + 0.05mg, 0.3mg + 0.03mg, 0.05mg +0.03mg (6tablet), 0.075mg + 0.04mg (5tablet), 0.125mg +0.03mg (10tablet) |
| 3. Norethindrone (Norethisterone) + Ethinylestradiol | Tablet, 0.5mg + 0.035mg |
| 4. Norethindrone (Norethisterone) + Mestranol and Iron* | Tablet, 1mg +0.05mg |

ED.302 Progestogen Only Contraceptives

- | | |
|--|---|
| 1. Ethynodiol Diacetate | Tablet, 0.5mg |
| 2. Etonogestrel | Implant (Subdermal), 68 mg/capsule |
| 3. Levonorgestrel (D-Norgestrel) | Implant Capsule (Subdermal), 108mg/capsule Pack of 2capsules; 75mg/capsule, pack of 2capsules Tablet, 0.03mg, 0.75mg |
| 4. Lynestrenol | Tablet, 0.5 mg |
| 5. Medroxyprogesterone Acetate | Injection (aqueous suspension), 150mg/ml in 1 ml vial |
| 6. Norethindrone (Norethisterone) | Tablet, 0.35mg |
| 7. Norethindrone Enanthate (Norethisterone) | Injection (Oily), 200mg/ml ampoule |

* Each iron tablet contains: Ferrous Fumarate-75mg

BL.000 BLOOD PRODUCTS AND MEDICINES AFFECTING THE BLOOD

BL.100 Hemostatic Agents

1. Phytomenadione (Vitamin K1) Injection, 1mg/0.5ml, 10mg/ml in 1ml ampoule

BL.200 Antiplatelet

1. Acetylsalicylic Acid Tablet, 75mg, 81mg, 100mg (enteric coated)

BL.300 Antianemic Agents

1. Calcium Folate (Lecovorin calcium) Injection, 3mg/ml, 7.5mg/ml, 10mg/ml
2. Cyanocobalamin (vitamin B12) Injection, 100mcg/ml, 1000mcg/ml in 1ml ampoule
3. Ferrous Salt ∞ Capsule, Drop, Tablet (enteric coated)
4. Ferrous Salt ∞ + Folic Acid Iron Complex Capsule, Tablet
Injection, 50mg/ml in 2ml ampoule (Dextran, Sorbitol)
5. Folinic Acid Tablet ,15 mg
6. Iron Gluconate +Manganese-Gluconate +Copper Gluconate Oral solution, 5mg+1.33mg+0.77mg

BL400 Blood Substitutes and Plasma Expanders

1. Dextran (MW 40,000) Solution, 10% w/v in 5% Dextrose
2. Dextran (MW 70,000) Solution, 6% w/v in 5% Dextrose
3. Polygeline + Na⁺ + K⁺ + Ca⁺⁺ + Cl⁻ Solution, 35g + 145mmol + 5.1mmol + 6.25mmol + 145mmol/1000ml

∞ Any ferrous salt containing elemental form of accepted therapeutic value

WE.000 MEDICINES FOR CORRECTING WATER, ELECTROLYTE AND ACID-BASE DISTURBANCES

WE.100 Oral

1. Calcium Tablet (ionizable), 500mg, 1g (eff.)
2. Calcium Glubionate + Calcium Galacto-Gluconate Syrup, 28.75g +5.9g/100ml
3. Calcium Gluconate Syrup, 4g/15ml
Tablet, 500mg
4. Calcium Lactate Tablet, 300mg
5. Oral Rehydration Salt Powder, each sachet for 1 litre contains:

| | <u>Gram/Liter</u> | | <u>mmol/L</u> |
|-----------------------------|-------------------|------------------------|---------------|
| Sodium | 2.6 | Sodium | 75 |
| Glucose Anhydrase | 13.5 | Chloride | 65 |
| Potassium Chloride | 1.5 | Glucose anhydrase | 75 |
| Trisodium Citrate Dehydrate | 2.9 | Potassium | 20 |
| | | Citrate | 10 |
| | | Total osmolarity = 245 | |
6. Potassium Chloride Tablet, 300mg, 500mg, 600mg, 750mg, 1g
7. Sodium Bicarbonate Tablet, 500mg
8. Sodium Chloride Tablet, 650mg, 1g

WE. 200 Parenteral

1. Calcium Chloride Injection, 10% (100mg/ml), 13.6mEq Calcium in 10ml, 5mmol of calcium & Ions in 5ml
2. Calcium Gluconate (Levulinate) Injection, 10% in 10ml ampoule
3. Dextrose Injection, 5% in 500ml, 1000ml, 10% in 500ml, 1000ml, 40% in 20ml; 50% in 50ml
4. Dextrose in Normal Saline Injection, 5% in 500ml, 1000ml; 10% in 500ml, 1000ml
5. Lactated Potassium Saline (Darrow's Solution) Injectable solution, each 1000ml contains:

K⁺ 35mEq + Na⁺ 121mEq + Cl⁻ 103mEq + Lactate 53mEq in 500ml, 1000ml

 Injectable Solution (half strength), each 1000ml contains:

K⁺ 17.5mEq + Na⁺ 60.5mEq + Cl⁻

- 51.5mEq + Lactate 26.5 mEq in 500ml,1000ml
6. Lactated Ringer's (Hartmann's Solution) Injectable solution, each 1000ml contains:
K⁺ 5.4mEq + Na⁺ 130.7mEq + Ca²⁺
3.6mEq Cl⁻ 111.5mEq + Lactate
28.2mEq in 500ml, 1000ml
 7. Potassium Chloride Injection, 150mg/ml in 10ml ampoule
 8. Ringer's Injection Injectable solution, each 1000ml contains:
Na⁺ 147mEq + K⁺ 4mEq + Ca²⁺
456mEq Cl⁻ 155mEq in 500ml. 1000ml
 9. Sodium Chloride Injection 0.9% (Normal Saline), 10ml, 20ml,
500ml, 1000ml; 235mg/ml, 3% in500ml
 10. Sodium Lactate Injection, Na⁺ 16.7mEq +Lactate 16.7mEq in
100ml

WE.300 Enteral Nutrition

1. Calcium Caseinate
2. Soya- based non-milk preparations

VT.000 VITAMINS

VT.100 Vitamins, Single

1. Ascorbic Acid (Vitamin C) Drops, 200mg/ml
Injection, 50mg/ml in 2ml ampoule,
100mg/ml in 5ml ampoule, 200mg/ml
Tablet, 100mg, 500mg, 1g
2. Calciferol (Ergocalciferol /Vitamin D2) Injection, 300,000units/ml in 2ml ampoule
Oral solution, 20,000units/ml, 400,000units/ml
Tablet (strong), 1.25mg (50,000 units)
3. Cholecalciferol (Vitamin D3) Capsule, 250mcg
Injection (oily), 300,000 IU/ml
4. Cynocobalamine (vitamine B12) Injection, 100mcg/ml, 1000mcg/ml in 1ml
ampoule
5. Folic Acid Injection, 5mg/ml in 1ml ampoule
Tablet, 200mcg, 1mg, 5mg

| | |
|--|--|
| 6. Mecobalamine | Tablet, 500mcg |
| 7. Menadiol Sodium Diphosphate | Injection, 10mg/ml Tablet, 10mg |
| 8. Nicotinamide | Injection, 5mg/ml, 100mg/ml in 1ml ampoule Tablet, 100mg |
| 9. Nicotinic Acid | Injection, 50mg/ml in 1ml ampoule Tablet, 50mg |
| 10. Phytomenadione (Vitamin K1) | Injection, 1mg/0.5ml, 10mg/ml in 1ml ampoule |
| 11. Pyridoxine Hydrochloride (Vitamin B6) | Injection, 50mg/ml in 2ml ampoule, 150mg/ml Tablet, 40mg, 50mg 100mg 300mg |
| 12. Thiamine Hydrochloride (Vitamin B1) | Injection, 50mg/ml in 2ml ampoule Tablet, 5mg, 10mg, 100mg, 300mg |
| 13. Vitamin A | Capsule, 25,000IU, 50,000IU, 100,000IU Oral Solution, 150,000IU/ml (concentrate), 50,000IU/ml Tablet, 50,000IU, 100,000IU, 200,000IU Injection, under 200,000IU/ml |

VT. 200 Vitamins, Combinations

| | |
|----------------|----------------------------|
| 1. Vitamin A+D | Capsule, 4,000 IU + 400 IU |
|----------------|----------------------------|

VT.201 Vitamin B Complex Preparations*

VT.202 Multivitamin Preparations*

VT. 203 Multivitamin with Minerals and/or Extracts*

*Any combinations proven to be therapeutically effective can be acceptable

AL.000 ANTIHISTAMINES AND ANTIALLERGICS

AL.100 Antihistamines

| | |
|---|--|
| 1. Budesonide | Nasal Spray, 32mcg, 64mcg |
| 2. Cetirizine | Oral solution, 1mg/ml Tablet, 5mg, 10mg |
| 3. Chlorpheniramine Maleate | Syrup, 2mg/5ml Tablet, 2mg, 4mg, 6mg |
| 4. Desloratadine | Tablet, 5mg Syrup, 0.5mg/ml |
| 5. Dexchlorpheniramine Maleate | Tablet, 2mg, 4mg, 6mg Syrup, 2mg/5ml |
| 6. Dexchlorpheniramine Maleate + Betamethasone | Tablet, 2mg + 0.25mg |
| 7. Diphenhydramine Hydrochloride | Capsule, 25mg, 50mg Elixir, 12.5mg/5ml Injection, 50mg/ml in 1ml ampoule |
| 8. Levocetirizine | Tablet, 5mg |
| 9. Loratadine | Syrup, 5mg/5ml Tablet, 10mg |
| 10. Loratadine +Pseudoephedrine | Tablet, 5mg +120mg |
| 11. Pheniramine Aminosalicylate | Tablet, 50mg, 75mg |
| 12. Promethazine Hydrochloride | Elixir, 5mg/5ml Injection, 25mg/ml in 1ml and 2ml ampoules Suppository, 25mg, 50mg Tablet, 10mg, 25mg |
| 13. Terfenadine | Syrup, 30mg/5ml Tablet, 60mg |
| 14. Triprolidine Hydrochloride | Elixir, 2mg/5ml Tablet, 2.5mg, 10mg |

AL.200 Medicines Used in Allergic Emergencies

| | |
|-----------------------------|---|
| 1. Adrenaline (Epinephrine) | Injection, 0.1% in 1ml ampoule, 1:1000 1mg/ml |
| 2. Hydrocortisone | Injection (Sodium Succinate), 50mg/ml |

3. Promethazine Hydrochloride Injection, 25mg/ml in 1ml and 2ml ampoules

OP. 000 OPHTHALMIC AGENTS

OP. 100 Anti-infective, Ophthalmic

OP. 101 Antibacterials

- | | |
|----------------------------------|--|
| 1. Chloroamphenicol | Eye ointment ,1%,5% Eye drops, 0.4%, 0.5%, 1%, 5% |
| 2. Ciprofloxacin | Eye drops, 0.3% Eye ointments, 0.3% |
| 3. Erythromycin | Eye ointment, 0.5% Eye drops, 1% |
| 4. Gentamycin | Eye drops, 0.3% |
| 5. Oxytetracycline Hydrochloride | Eye ointment, 0.5% |
| 6. Tetracycline | Eye ointment, 1% Eye drops, 1% |

OP.102 Antiviral

- | | |
|--------------|------------------|
| 1. Acyclovir | Eye ointment, 3% |
|--------------|------------------|

OP.200 Anti-inflammatory/Anti-allergic Medicines

OP. 201 Non steroidal anti-inflammatory Medicines

- | | |
|----------------------|-----------------------|
| 1. Bromofenac | Eye drops, 1% |
| 2. Diclofenac Sodium | Eye drops, 0.1% |
| 3. ketorolac | Eye drops, 0.4%, 0.5% |
| 4. Suprofen | Eye drops, 1% |

OP. 202 Anti-histamines

1. Ketotifen Eye drops, 0.025%
2. Levocabastine Eye drops, 0.05%

OP. 203 Vasoconstrictors

1. Oxymetazoline Hydrochloride Eye drops, 0.025%, 0.05%
2. Tetrahydrozoline Hydrochloride Eye drops, 0.05%

OP. 300 Anti-infective/Anti-inflammatory Combinations

1. Gentamicin +Betamethasone Eye drops, 3mg +1mg/ml
2. Oxytetracycline Hydrochloride+
Hydrocortisone Acetate + Polymixin
B Sulphate Eye drops, 5mg + 15mg + 10,000U/ml

OP. 400 Anesthetics, Local

1. Lidocaine Hydrochloride Injection, 1%, 2%
3. Lidocaine Hydrochloride +
Adrenaline Injection, 1%, 2% + 1: 1000 IU
4. Procaine Hydrochloride Injection, 2%, in 2ml Vial
5. Tetracaine hydrochloride Eye Drops, 0.5%

OP. 500 Diagnostics and Miscellaneous Agents

1. Artificial tear(Carboxymethyl
Cellulose + Hydroxypropyl
Methyl Cellulose Ointment, Drops

ENT.000 EAR, NOSE AND THROAT PREPARATIONS

ENT.100 Nasal and Oropharyngeal Preparations

| | |
|---|---|
| 1. Acyclovir | Cream, 5% 2gm |
| 2. Amyl-Meta-Cresol + Dichlorobenzyl Alcohol | Lozenges, 0.6mg + 1.2mg |
| 3. Antazoline + Naphazoline | Solution (Nose drops), 0.5% +0.025% |
| 4. Beclomethasone Dipropionate | Nasal Spray (aerosol), 50mcg/dose |
| 5. Chlorhexidine Gluconate | Oral Solution, 0.12% |
| 6. Clotrimazole | Troches, 10mg Drops, 100ml Spray, 100ml Mouth paint, 1% |
| 7. Dequalinium Chloride | Lozenge, 0.25mg |
| 8. Ephedrine Sulphate | Solution (Nose drops), 1% |
| 9. Gentian Violet | Solution, 1% |
| 10. Hexetidine* | Solution, 0.1% |
| 11. Hexidine | Oral Solution, 0.1gm/100ml, 0.2% |
| 12. Hydrogen Peroxide | Solution, 1.5%, 3% |
| 13. Menthol + Eucalyptus Oil + Light Magnesium Carbonate | Inhalation, 2% +10% 7% |
| 14. Miconazole | Oral Gel, 25mg/ml |
| 15. Nystatin | Pastilles, 100,000 Units Suspension, 100,000Units/ml Oral gel, 1000,000 IU/gm, tube- 50gm Cream, 100,000 IU/gm, Tube- 50gm |
| 16. Oxymetazoline Hydrochloride | Jelly |
| 17. Phenylephrine | Solution (Nose drops), 0.25%, 0.5%, 1% |

*Any preparation proven to be therapeutically effective can be acceptable

| | |
|---|---|
| 18. Povidone-Iodine | Solution, 1% |
| 19. Pseudoephedrine Hydrochloride | Syrup, 30mg/ml |
| 20. Pseudoephedrine +Loratadine | Tablet, 120mg +5mg |
| 21. Saline Solution | Solution, 0.09% |
| 22. Thymol + Methylsalsilate + Ethanol | Oral Solution, 0.639gm +0.6gm +27% Solution (Nose drop), 0.05%, 0.1% |
| 23. Xylometazoline Hydrochloride | Spray, 0.025%, 0.05% Solution (Nose drops), 0.05%, 0.1% |

ENT.200 Otic Agents

| | |
|---|-------------------------------------|
| 1. Acetic Acid | Solution (ear drops), 2% |
| 2. Chloramphenicol | Solution (ear drops), 1%, 2%, 5% |
| 3. Ciprofloxacin | Ear drops, 0.3%, 5ml |
| 4. Clioquinol +Flumethasone Pivalate | Solution (ear drops), 1% + 0.02% |
| 5. Clotrimazole | Solution (ear drops), 1% |
| 6. Dichlorobenzene + Turpentine Oil + Chlorbutol | Solution (ear drops), 2% + 10% + 5% |
| 7. Gentamicin | Solution (ear drops), 0.3% |
| 8. Hydrogen Peroxide | Solution, 3% |
| 9. Oxytetracycline | Ear drop, 0.5% |
| 10. Oxytetracycline Hydrochloride Hydrocortisone Acetate + Polymyxin B sulphate | Ear drop, 5mg +15mg+10.000U/ml |

DE.000 DERMATOLOGICAL AGENTS

DE.100 Anti-infectives, Topical

| | |
|---|--|
| 1. Acyclovir | Ointment, 5% Cream, 2gm 5% |
| 2. Benzoic Acid+ Salicylic Acid | Ointment, 6% +3%, 12% +6% |
| 3. Benzyl Benzoate | Lotion, 25% |
| 4. Boric Acid + Magenta+Phenol +Resorcinol + Alcohol 90% +Acetone | Solution, each 100ml contains: 800mg +400mg +4gm +8gm +8.5ml +4ml |
| 5. Clioquinol | Cream, 3% Ointment, 3% |
| 6. Clotrimazole | Cream, 1% Solution, 1% Topical Powder, 1% Ointment, 1% |
| 7. CrotaMITon | Cream, 10% Lotion, 10% |
| 8. Erythromycin | Cream, 2% Ointment, 1% Solution, 1.5%, 2% |
| 9. Gamabenzene Hexachloride | Cream, 1% |
| 10. Gentamycin | Cream, 0.1% Ointment, 0.3% |
| 11. Gentian Violet | Solution, 0.5%, 1% |
| 12. Ketoconazole | Cream, 2% Lotion, 2% Shampoo, 2% Ointment, 2% |
| 13. Ketoconazol +Zinc Pyrithione | Shampoo, 2% +1% w/w |
| 14. Malathion | Shampoo, 1% |

| | |
|--|--|
| 15. Metronidazole | Cream, 0.75%, 1% Gel, 1% Lotion, 1% |
| 16. Miconazole Nitrate | Cream, 2% Lotion, 2% Tincture, 2% |
| 17. Nitrofurazone gauze | |
| 18. Nystatin | Cream, 100,000IU/g Ointment, 100,000IU/g Powder, 100,000IU/g |
| 19. Permethrine | Cream, 5% Lotion, 1%, 5% |
| 20. Salicylic Acid | Ointment, 2%, 5%, 10% |
| 21. Selenium Sulphide | Suspension, 2.5% |
| 22. Silver Sulphadiazine | Cream, 1% |
| 23. Sodium Fusidate | Ointment, 2% |
| 24. Sulphur | Ointment, 5%, 10% |
| 25. Terbenafine | Cream, 1% |
| 26. Tetracycline | Ointment, 3% |
| 27. Tolnaftate | Solution, 1% |
| 28. Zinc Undecenoate + Undecenoic Acid | Ointment, 20% +5% Powder, 20% +2% Powder (aerosol), 20% +2% |

DE.200 Anti-inflammatories, Topical

| | |
|---|--|
| 1. Dexametasone NaPO ₄ | Cream 0.1% |
| 2. Flucinolone Acetonide | Cream, Ointment, 0.025% |
| 3. Fluocortolone pivalate + Lidocaine Hydrochloride | Cream, 1mg + 20mg/ml suppository, 1mg+40mg/unit |

| | |
|-------------------------------------|--|
| 4. Betamethasone Valerate | Cream, 0.1% Ointment, 0.1% Scalp application, 0.1% |
| 5. Hydrocortisone Acetate | Cream, Ointment, 1% |
| 6. Methyl Prednisolone Aceponate | Ointment, Cream, 0.1% |
| 7. Nimesulide | Gel (transdermal), 1% |
| 8. Triamcinolone | Ointment, 0.1% |

DE. 300 Anti-infective/Anti-inflammatory Combinations

| | |
|--|---|
| 1. Clioquinol + Hydrocortisone | Cream, 3% + 0.5% or 1% Ointment, 3% + 0.5% or 1% |
| 2. Clotrimazole+Hydrocortisone | Cream, Ointment, 1% +1% |
| 3. Dexametason Acetate + clotrimazole | Cream, 0.4mg + 100mg |

DE.400 Keratolytics /Caustics and Antiacne Agents

| | |
|---|---|
| 1. Benzoyl Peroxide | Gel, 2.5%, 5%, 10% Solution, 2.5%, 5%, 10% |
| 2. Camphor | Cream, Lotion, Solution |
| 3. Coal Tar + Salicylic Acid | Ointment, 2%+5%, 2%+10% |
| 4. Glutaraldehyde | Solution, 10% |
| 5. Podophyllin | Solution, 25% |
| 6. Retinoic Acid (Tretinoin) | Cream, 0.025% Gel, 0.01%, 0.025% Lotion, 0.025%, 0.05% Ointment, 0.05% |
| 7. Salicylic Acid | Ointment, 2%, 5%, 10% |
| 8. Salicylic Acid+ Lactic Acid + Polidocanol | Tincture, 2gm+0.5gm+0.2gm/10gm |

DE. 500 Medicines for Psoriasis and Eczema

- | | |
|---------------------|------------------------------|
| 1. Ichthammol | Ointment, 10%, 20% |
| 2. Zinc Oxide | Lotion, 15% Ointment, 15% |
| 3. Zinc Oxide +Talc | Paste, 15% +25% |

DE. 600 Antipruritics

- | | |
|--------------------------|--------------------------------|
| 1. Calamine | Lotion, 5% |
| 2. Calamine + Zinc Oxide | Cream, 4%+3% Lotion, 15%+5% |
| 3. Crotamiton | Cream, 10% Lotion, 10% |

DE.700 Skin Disinfecting Agents

- | | |
|---|--|
| 1. Chlorhexidine Gluconate + Cetrimide | Solution, 1.5%+15%, 0.3%+3%w/v |
| 2. Ethyl Alcohol | Solution, 70% |
| 3. Hydrogen Peroxide | Solution, 3%, 6% |
| 4. Iodine | Solution, 2% |
| 5. Potassium Permanganate | Tablet (for solution), 50mg, 120mg, 200mg, 250mg, 300mg |
| 6. Povidone Iodine | Solution, 4%, 7.5%, 10% |

DE.800 Dermatologicals, Others

- | | |
|--|-----------------------------|
| 1. Aminacrine (Aminocaridine) + Alantoin | Cream, 0.0695% + 2% |
| 2. Methylsalicylate* | |
| 3. Minoxidil | Solution, 20mg/ml (2%), 5%) |
| 4. Paraffin Guaze Dressing | |

5. Talc Dusting Powder

6. Urea Cream, 10%, 15%, 20%, 40%

AD.000 ANTIDOTES AND OTHER SUBSTANCES USED IN POISONING

- | | |
|---|---|
| 1. Acetylcysteine | Injection, 200mg/ml in 10ml ampoule |
| 2. Activated Charcoal | Tablet, 125mg, 250mg Powder for reconstitution, 15gm/120ml, 25gm Gel, 300ml |
| 3. Atropine Sulphate | Injection, 1mg/ml in 1ml ampoule |
| 4. Calcium Gluconate, Levulinate or Chloride | Injection, 10% in 10ml ampoule |
| 5. Desferrioxamine Mesylate | Powder for injection, 0.5g in vial |
| 6. Dimercaprol | Injection, 5% in 2ml ampoule |
| 7. Flumazenil | Injection, 0.1mg/ml in 5ml ampoule |
| 8. Ipecac | Syrup, 7% powdered Ipecac |
| 9. Penicillamine | Capsule, 250mg |
| 10. Physostigmine salicylate | Injection, 1mg/ml in 1ml and 2ml ampoule |
| 11. Pralidoxime Chloride | Powder for injection, 1g/vial Tablet, 500mg |
| 12. Protamine Sulphate | Injection, 10mg/ml in 5ml ampoule; 250mg (10mg/ml), 25ml |
| 13. Sodium Calcium Edetate | Injection, 200mg/ml in 5ml ampoule |
| 14. Sodium Nitrite | Injection, 3% (30mg/ml) |
| 15. Sodium Thiosulphate | Injection, 10% in 50ml ampoule |
| 16. Universal Antidote (Charcoal + Tannic acid + Magnesium oxide) | Powder, 2parts+1part+1part |

IM.000 IMMUNOLOGICAL PREPARATIONS

1. Anti-Rho (D) Immune Globulin Injection, 2ml in vial; 120mcg, 300mcg
2. Hepatitis B Vaccine, inactivated Injection, 16.5% in 2ml and 10ml
3. Hepatitis B Vaccine
 Recombinant yeast DNA Injection, 0.5ml
4. Human Papiloma Virus Vaccine Injection, HPV6L1 20mcg +HPV11L140mcg +
 HPV16L1 20mcg +HPV18L120mcg /0.5mldose
5. Sodium Polystyrene Sulphonate Powder 15mg
6. Scorpion Venon Antisera
 (Scorpion Antivenom) Injection, 0.5ml
7. Snake Venoum Antiserum
 Polyvalent Injection, 10ml
8. Tacrolimus Capsule, 500mcg, 1mg, 2mg, 5mg
 Infusion, 5mg/ml
9. Tetanus Antitoxin, Equine Injection, 1500Units, 3000Units, 20000Units

MI.000 MISCELLANEOUS

1. Aluminum Sulphate +Calcium
 Hypochlorite + Sodium Carbonate Water treatment powder in the ratio of 23:1:1
 by weight
2. Anticoagulant Citrate (ACD
 Solution) Sodium Citrate + Citric
 Acid + Dextrose Solution, 1.32gm +0.44gm +1.47gm
3. Apomorphine Hydrochloride Injection, 3mg/ml in 1ml
4. Calcium Hypochlorite + Iron
 Sulphate + Bentonite+ Potassium
 Permanganet Polyacrylamide +
 Sodium Carbonate Water treatment Powder
5. Formaldehyde Solution, 3%, 8% (w/w or v/v)
6. Glutaraldehyde Solution, 2%

- | | |
|---|--------------------|
| 7. Halazone | Tablet, 4mg |
| 8. Hydroxyethyl Cellulose (KY Jelly) | |
| 9. Iodized Salt | |
| 10. Oxidized Cellulose | |
| 11. Saccharin | Tablet |
| 12. Sodium Chloride Free Salt | |
| 13. Sodium Dichloroisocyanurate | Tablet, 67mg, 75mg |
| 14. Sorbitol | |
| 15. Supportive Hepatic Preparations that contain: Essential Phospholipids and Vitamins | |
| 16. Water for Injection in 2ml, 5ml, 10ml | |

MSI.000 MEDICAL SUPPLIES AND INSTRUMENTS

1. Syringe different size
2. Hypodermic needles different size
3. Disposable glove different size
4. Cotton different sizes
5. Sanitary pads
6. Bandage different size
7. Adhesive plaster different type & size
8. Breast pump
9. IV Canula different size
10. Digital Glucometer
11. Digital Blood Pressure apparatus
12. Digital thermometer
13. Blood glucose test strip
14. Urine Glucose test strip
15. Pricking needle

Index

A

Acarbose, 27
Acetaminophen +Pseudoephedrine Hydrochloride +Chlorpheniramine, 13
Acetic Acid, 38
Acetylcysteine, 43
Acetylsalicylic Acid, 15, 19, 30
Acetylsalicylic Acid+ Paracetamol+ Caffeine, 15
Activated Charcoal, 10, 43
Acyclovir, 24, 36, 37, 39
Adrenaline (Epinephrine), 12, 14, 35
Albendazole, 26
Allopurinol, 20
Alpha,Beta Arteether, 24
Aluminum Hydroxide, 2, 7
Aluminum Hydroxide + Magnesium Hydroxide, 7
Aluminum Hydroxide + Magnesium Hydroxide + Simethicone, 7
Aluminum Hydroxide + Magnesium Hydroxide + Simethicone + Alginate Acid, 7
Aluminum Hydroxide + Magnesium Trisilicate, 7
Aluminum Sulphate +Calcium Hypochlorite + Sodium Carbonate, 44
Aminacrine, 42
Aminophylline, 14
Amitriptyline, 16
Amitriptyline +Chlordiazepoxide, 16
Amlodipine, 11
Amoxicillin, 21
Amoxicillin + Clavulanic Acid, 21
Amphotericin B, 23, 25
Ampicillin, 21
Ampicillin Sodium+ Sulbactam Sodium, 21
Amyl-Meta-Cresol + Dichlorobenzyl Alcohol, 37
Antazoline + Naphazoline, 37
Anticoagulant Citrate (ACD Solution) Sodium Citrate + Citric Acid + Dextrose, 44
Anti-Rho (D) Immune Globulin, 44
Apomorphine Hydrochloride, 44
Artemether, 24
Artemether +Lumefantrine, 24
Artesunate, 24
Artificial tear, 37
Ascorbic Acid, 32
Atenolol, 11
Atropine Sulphate, 8, 43

B

Baclofen, 20
Beclomethasone Dipropionate, 14
Beclomethasone Dipropionate Nasal spray, 37
Benzhexol (Trihexyphenidyl hydrochloride), 18

Benzoic Acid+ Salicylic Acid, 39
Benzoyl Peroxide, 41
Benzyl Benzoate, 39
Betamethasone Valerate, 41
Bisacodyl, 9
Bismuth Subgallate + Bismuth Oxide + Peru Balsam+ Zinc Oxide, 10
Bismuth Subgallate +Bismuth Oxide + Peru Balsam + Zinc Oxide +Hydrocortisone Acetate + Benzyl Benzoate, 10
Boric Acid + Magenta+Phenol +Resorcinol + Alcohol 90% +Acetone, 39
Bromhexine Hydrochloride, 13
Bromofenac, 36
Budesonide, 14, 34
Budesonide +Formoterol-Fumarate, 14
Bupivacaine, 18
Buspirone, 17

C

Calamine, 42
Calamine + Zinc Oxide, 42
Calciferol, 32
Calcium, 7, 30, 31, 43
Calcium Carbonate, 7
Calcium Caseinate, 32
Calcium Chloride, 31
Calcium Folate, 30
Calcium Gluconate, 31
Calcium Hypochlorite + Iron Sulphate + Bentonite+ Potassium Permanganate Polyacrylamide + Sodium Carbonate, 44
CalciumGlubionate + Calcium Galacto-Gluconate, 31
Camphor, 41
Captopril, 11
Captopril+Hydrochlorothiazide, 11
Carbamazepine, 17
Carbenicillin, 21
Carbocysteine, 13
Cascara Sagrada, 9
Castor Oil, 9
Ceftriaxone, 22
Celecoxib, 15
Cetirizine, 34
Chloral Hydrate, 16
Chloramphenicol, 22, 38
Chlordiazepoxide, 8, 16
Chlordiazepoxide + Clidinium Bromide, 8
Chlorhexidine Gluconate, 37
Chlorhexidine Gluconate + Cetrimide, 42
Chloroamphenicol, 35
Chloroquine Phosphate, 24, 25
Chlorpheniramine Maleate, 34

Chlorpromazine Hydrochloride, 9, 17
 Chlorpropamide, 27
 Cholecalciferol, 33
 Cimetidine, 8
 Ciprofloxacin, 22, 35, 38
 Clioquinol, 38, 39
 Clioquinol + Hydrocortisone, 41
 Clioquinol + Flumethasone Pivalate, 38
 Clomipramine Hydrochloride, 16
 Clonazepam, 17
 Clotrimazole, 23, 29, 37, 38, 39
 Clotrimazole+Hydrocortisone, 41
 Cloxacillin Sodium, 21
 Clozapine, 17
 Coal Tar + Salicylic Acid, 41
 Codeine Phosphate, 13
 Colchicine, 20
 Condoms, 29
 Crotamiton, 39, 42
 Cyanocobalamin, 30
 Cynocobalamine, 33

D

Dantrolene Sodium, 20
 Dequalinium Chloride, 37
 Desferrioxamine Mesylate, 43
 Desloratadine, 34
 Dexametason Acetate + clotrimazole, 41
 Dexametasone NaPO₄, 40
 Dexamethasone, 27
 Dexchlorpheniramine, 13, 34
 Dexchlorpheniramine + Guaifenesin + Pseudoephedrine, 13
 Dexchlorpheniramine Maleate + Betamethasone, 34
 Dextran, 30
 Dextromethorphan- Hydrobromid
 Guaicol Sulphonate, 13
 Dextromethorphan- Hydrobromide, 13
 Dextrose, 30, 31, 32
 Diazepam, 16, 17, 20
 Dichlorobenzene + Turpentine Oil + Chlorbutol, 38
 Diclofenac Diethylamine, 19
 Diclofenac Sodium, 15, 19, 36
 Diclofenac sodium+Misoprostol, 15
 Diclofenac sodium+MIsoprostol, 19
 Diethylcarbamazine Citrate, 26
 Dihydroartemisinin, 24
 Dihydroartemisinin + Piperazine Phosphate, 24
 Diloxanide Furoate, 25
 Dimenhydrinate, 9
 Dimercaprol, 43
 Dioctyl Sodium Sulphosuccinate (Docusate Sodium), 9
 Diphenhydramine Hydrochloride, 34

Diphenhydramine+ Sodium Citrate+ Ammonium Chloride, 13
 Diphenylhydantoin (Phenytoin), 17
 Dobutamine, 12
 Dopamine Hydrochloride, 13
 Doxycycline, 22
 Drospirenone +Ethinyl Estradiol, 28
 Drotaverine, 8

E

Enalapril Maleate, 11
 Enalapril Maleate + Hydrochlorothiazide, 11
 Enalapril Maleate+ Hydrochlorothiazide, 12
 Ephedrine + Theophylline, 14
 Ephedrine Sulphate, 14, 37
 Ergotamine Tartrate, 15, 16
 Ergotamine Tartrate + Caffeine Hydrate + Cyclizine Hydrochloride^β, 16
 Ergotamine Tartrate+ Caffeine^β, 15
 Erythromycin, 22, 35, 39
 Ethyl Alcohol, 42
 Ethyl Chloride, 18
 Ethynodiol Diacetate, 28
 Etofenamet, 19
 Etonogestrel, 28

F

Famotidine, 8
 Felodipine, 12
 Ferrous Salt, 30
 Ferrous Salt ∞ + Folic Acid, 30
 Flucinolone Acetonide, 40
 Flucloxacillin, 21
 Fluconazole, 23
 Flumazenil, 43
 Fluocortolone pivalate + Lidocaine Hydrochloride, 40
 Fluoxetine, 16
 Fluphenazine Decanoate, 17
 Fluphenazine Hydrochloride, 17
 Flurazepam Hydrochloride, 16
 Fluticasone Furoate, 27
 Folic Acid, 33
 Folinic Acid, 30
 Formaldehyde, 45
 Frusemide, 12

G

Gamabenzene Hexachloride, 39
 Gentamicin, 22, 38
 Gentamicin +Betamethasone, 36
 Gentamycin, 35, 39
 Gentian Violet, 37, 39
 Glibenclamide, 27
 Gliclazide, 27

Glutaraldehyde, 41, 45
Glycerin, 9
Griseofulvin, 23
Guaifenesin, 13

H

Halazone, 45
Haloperidol, 18
Haloperidol Decanoate, 18
Hepatitis B Vaccine, 44
Hexadecylphosphocholine, 25
Hexetidine, 37
Hexidine, 37
Human Papiloma Virus Vaccine, 44
Hydralazine, 11, 12
Hydralazine +Isosorbide, 11
Hydrochlorothiazide, 12
Hydrocortisone, 10, 11, 27, 35, 39, 41
Hydrogen Peroxide, 37, 38, 42
Hydroxyethyl Cellulose, 45
Hyoscine (Scopolamine) Butylbromide, 8
Hyoscine (Scopolamine) Hydrobromide, 8

I

Ibuprofen, 15, 19, 20
Ichthammol, 42
Imipramine, 16
Indomethacin, 19, 20
Insulin Soluble/Neutral, 27
Insulin Zinc Suspension, 28
Iodine, 42
Iodized Salt, 45
Ipecac, 43
Ipratropium Bromide, 14
Iron Gluconate +Manganese-Gluconate +Copper Gluconate, 30
Isophane/NPH Insulin, 28
Isoprenaline Sulphate, 14
Ivermectin, 26

K

Ketoconazol +Zinc Pyrithione, 40
Ketoconazole, 23, 39
ketorolac, 36
Ketotifen, 36

L

Lactated Potassium, 32
Lactated Ringer's, 32
Lactulose, 9
Levamisole, 26
Levocabastine, 36
Levocetirizine, 34
Levonorgestrel (D-Norgestrel), 28
Levonorgestrel D-Norgestrel)+

Ethinylestradio, 28
Lidocaine + Aluminium Acetate + Zinc Oxide +
Hydrocortisone Acetate, 11
Lidocaine Hydrochloride, 18, 36
Lidocaine Hydrochloride + Adrenaline, 18, 36
Lignocaine +Tribenoside, 11
Liquid Paraffin, 10
Lisinopril, 11, 12
Loratadine, 34
Lynestrenol, 28

M

Magnesium Hydroxide, 7
Magnesium Sulphate, 10, 17, 29
Magnesiumm Trisilicate, 7
Malathion, 40
Mannitol, 12
Mebendazole, 26
Meclizine Hydrochloride, 9
Mecobalamine, 33
Medroxyprogesterone Acetate, 28
Mefloquine Hydrochloride, 24
Meloxicam, 19
Menadiol Sodium Diphosphate, 33
Menfegol, 29
Menthol + Eucalyptus Oil +
Light Magnesium Carbonate, 37
Metformin, 28
Methyl Cellulose, 10
Methyl Prednisolone Aceponate, 41
Methyldopa, 12
Methylsalicylate, 42
Metoclopramid Hydrochloride, 9
Metrifonate, 26
Metronidazole, 22, 25, 29, 40
Metronidazole +Miconazole, 29
Miconazole, 23, 29, 38, 40
Minoxidil, 43

N

Nalidixic Acid, 22
Naproxen
Tablet, Suspension, 19
Nicardipine, 12
Niclosamide, 27
Nicotinamide, 33
Nicotinic Acid, 33
Nifedipine, 12
Nimesulide, 19, 41
Nitrofurantoin, 23
Nitrofurazone gauze, 40
Nizatidine, 8
Nonoxinol, Octoxino, 29
Norethindrone (Norethisterone), 28, 29
Norethindrone (Norethisterone) +
Ethinylestradiol, 28

Norethindrone (Norethisterone) +
Mestranol and Iron, 28
Norethindrone Enanthate, 29
Norfloxacin, 23
Nortriptyline, 16
Nystatin, 23, 29, 38, 40

O

Olanzapine, 18
Omeprazole, 8
Oral Rehydration Salt, 10, 31
Ornidazole, 25
Orphenadrine Citrate, 20
Orphenadrine Citrate + Paracetamol, 20
Oxamniquine, 26
Oxidized Cellulose, 45
Oxymetazoline Hydrochloride, 36, 38
Oxytetracycline, 35, 36, 39
Oxytetracycline Hydrochloride, 35, 39
Oxytetracycline Hydrochloride+ Hydrocortisone Acetate + Polymixin B Sulphate, 36
Oxytocin, 29
Oxytocin + Ergometrine- Maleate, 29

P

Paracetamol, 15, 19
Paracetamol + Pseudoephedrine Hydrochloride+ Chlorpheniramine, 15
Paraffin Gauze Dressing, 43
Penicillamine, 43
Penicillin G, Benzathine, 21
Penicillin G, Sodium Crystalline, 21
Pentamidine Isethionate, 25
Permethrine, 40
Pheniramine Aminosalicilate, 34
Phenoxymethyl Penicillin, 21, 22
Phenylephrine, 13, 38
Phenylephrine Hydrochloride, 13
Pholcodine, 13
Physostigmine salicylate, 43
Phytomenadione, 30, 33
Piperazine, 27
Piroxicam, 20
Podophyllin, 41
Polygeline + Na⁺ + K⁺ + Ca⁺⁺ + Cl, 31
Potassium, 10, 22, 31
Potassium Chloride, 31, 32
Potassium Permanganate, 42
Povidone Iodine, 42
Povidone-Iodine, 38
Pralidoxime Chloride, 43
Praziquantel, 26
Prazosin Hydrochloride, 12
Prednisolone, 11, 27
Prednisolone Caproate + Dibucaine
Hydrochloride Hexachlorophene +
Clemizole Undecenoate, 11
Primaquine, 24, 26

Primaquine Phosphate, 24, 26
Probenecid, 20
Procaine Hydrochloride, 37
Procaine Pencillin, Fortified, 22
Proguanil Hydrochloride, 24
Promethazine, 9, 16, 35
Promethazine Hydrochloride, 9, 35
Propranolol, 12, 16
Protamine Sulphate, 43
Pseudoephedrine +Loratadine, 38
Pseudoephedrine Hydrochloride, 13, 15, 38
Psyllium, 10
Pyrantel Pamoate, 27
Pyridoxine Hydrochloride, 33
Pyrimethamine, 26

Q

Quinine Dihydrochloride, 24

R

Ranitidine, 8
Retinoic Acid, 41
Ringer's Injection, 32

Saccharin, 45
Salbutamol, 14, 30
Salbutamol (Albuterol), 14
Salbutamol + Bromhexine+ Guaifenesin +
Menthol, 14
Salicylic Acid, 40, 41
Salicylic Acid+ Lactic Acid + Polidocanol, 42
Saline Solution, 38
Scorpion Venon Antisera, 44
Selenium Sulphide, 40
Senna, 10
Simethicone, 10
Snake Venom Antiserum Polyvalent, 44
Sodium Alginate + Magnesium Hydroxide +
Aluminum Hydroxide +Simethicone, 7
Sodium Bicarbonate, 31
Sodium Chloride, 31, 32, 45
Sodium Cromoglycate, 14
Sodium Dichloroisocyanurate, 45
Sodium Fusidate, 40
Sodium Lactate, 32
Sodium Nitrite, 43
Sodium Nitroprusside, 12
Sodium Polystyrene Sulphonate, 44
Sodium Stibugluconate, 25
Sodium Thiosulphate, 43
Sodium Valproate, 17
Sorbitol, 30, 45
Soya- based non-milk, 32

Spectinomycin, 23
Spironolactone, 12
Sucralfate, 8
Sulfadoxine +Pyrimethamine
Injection, Tablet, 24
Sulfadoxine+Pyrimethamine
Injection, Tablet, 26
Sulphadiazine, 26, 40
Sulphamethoxazole + Trimethoprim, 23
Sulphasalazine, 19
Sultamicillin, 22
Supportive Hepatic Preparations, 45
Suprofen, 36
Suramin Sodium, 26

T

Tacrolimus, 44
Talc Dusting Powder, 43
Tenoxicam, 20
Terbenafine, 40
Terbinafine HCl, 23
Terfenadine, 35
Tetanus Antitoxin, 44
Tetracain Hydrochloride, 18
Tetracaine hydrochloride, 37
Tetracycline, 23, 30, 35, 40
Tetracycline + Amphotericin, 30
Tetracycline Hydrochloride, 23
Tetrahydrozoline Hydrochloride, 36
Theophylline (Anhydrous), 14
Theophylline+ Guaifenesin, 14
Thiabendazole, 27
Thiamine Hydrochloride, 33
Thiamphenicol, 23
Thiethylperazine Maleate, 9
Thioridazine Hydrochloride, 18
Thymol + Methylsalsilate +, 38
Tinidazole, 25
Tolbutamide, 28
Tolnaftate, 40
Tramadol Hydrochloride, 15
Triamicinolone, 27, 41
Triamicinolone Acetonide, 27
Triprolidine Hydrochloride, 35
Water for Injection, 45

U

Universal Antidote, 50
Urea, 49

V

Vitamin A+D, 38
Vitamin A, 38

W

Water for Injection, 52

X

Xylometazoline Hydrochloride, 43

Z

Zinc Oxide, 12, 48
Zinc Oxide +Talc, 48
Zinc Sulphate, 11
Zinc Undecenoate + Undecenoic Acid, 46

