## Annex 2: November 2015 BEmONC Ranking Progress of selected Government Hospitals in achieving basic emergency obstetric & neonatal care (BEmONC) status, November 2015

Facility Improvement Team (FIT) The assessments score selected health facilities, including Community Health Centres (CHCs), on their readiness to provide quality EmONC based on whether they meet certain criteria (see back) for each of seven enablers ranging from water and sanitation to essential drugs. The criteria for a CHC is different to a hospital because CHCs are not expected to perform complicated deliveries that need instrumental or operative procedures. Each facility is scored using the same traffic light colour system for each enabler as described on the scorecard for hospitals.



 Performance rating	Score	Facility has:
Green	4	Met all criteria
Yellow	3	Mostly met criteria
Orange	2	Partially met criteria
Red	1	Not met criteria

Each facility is given an overall score. The image above shows the progress since the FIT assessments started based on the total scores of all enablers of the CHCs together and expressed as a percentage. Data from September 2012 are excluded as only 26 facilities that fell under the President's Performance Contract were assessed in the rainy season.

See below for more details of how each CHC performed for each enabler using the traffic light rating and how each CHC ranked among all the CHCs assessed under FIT.

For more details, contact Dr. Santigie Sesay, Director, Reproductive & Child Health, MoHS Sierra Leone; <u>sanniesay@gmail.com</u>



FACILITY PERFORMANCE AGAINST ENABLERS		Ţ						
	Ranking	Water & Sanitation	Electricity	Referrals	Equipment	Blood & Laboratory	Staffing	Drugs
Kailahun Distric	<b>t,</b> ranked		ng all distri	icts (overa	ll score 81	•		
Daru CHC	5 <sup>th</sup>							
Koindu CHC	12 <sup>th</sup>							
Pendembu CHC	12 <sup>th</sup>							
Buedu CHC	12 <sup>th</sup>							
Jojoima CHC	28 <sup>th</sup>							•
<b>Pujehun,</b> ranked j	joint <b>4<sup>th</sup></b>	among all	districts (	overall sco	ore 75.7%)	)		
Gbondapi CHC	12 <sup>th</sup>							
Bumpe Peri CHC	28 <sup>th</sup>							
Potoru CHC	28 <sup>th</sup>							
Zimmi CHC	28 <sup>th</sup>							
Sahn Malen CHC	40 <sup>th</sup>							
Port Loko Distric	<b>t,</b> ranke	d joint <b>5<sup>th</sup></b>	among all	districts (	overall sco	re 73.5%)		
Petifu CHC	23 <sup>rd</sup>							
Masiaka CHC	28 <sup>th</sup>							
Mange CHC	40 <sup>th</sup>							
Lunsar CHC	40 <sup>th</sup>							
Rogbere CHC	40 <sup>th</sup>	Ŏ						
Kambia ranked joint 5 <sup>th</sup> among all districts (overall score 73.5%)								
Barmoi Munu CHC	3 <sup>rd</sup>							
Mapotolo CHC	28 <sup>th</sup>							
Mambolo CHC	$12^{th}$							
Kukuna CHC	$12^{th}$							
Kamasassa CHC	12 <sup>th</sup>							•

FACILITY PERFORMANCE AGAINST ENABLERS		Ţ			$\mathbf{V}$	Č.		
	Ranking	Water & Sanitation	Electricity	Referrals	Equipment	Blood & Laboratory	Staffing	Drugs
Koinadugu Distri	<b>ct,</b> ranke	ed <b>7<sup>th</sup> amo</b>	ng all disti	ricts (over	all score 7	2.8%)		
Sinkunia CHC	5 <sup>th</sup>							
Krubula CHC	40 <sup>th</sup>							
Yiffin CHC	47 <sup>th</sup>							
Mongo Bendugu CHC	47th				•			
Kondembaia CHC	40 <sup>th</sup>							
Moyamba Distric	ct, ranke	d <b>7<sup>th</sup> amo</b> i	ng all distr	icts (overa	all score 72	2.8%)		
Rotifunk CHC	3 <sup>rd</sup>							
Moyamba Junction CHC	12 <sup>th</sup>							
Taiama CHC	47 <sup>th</sup>							
Gbangbatuk CHC	51 <sup>st</sup>							
Shenge CHC	56 <sup>th</sup>							
Western Area rar	nked <b>9<sup>th</sup></b>	among a	ll districts	(overall so	ore 71.4%	.)		
Ross Road CHC	5 <sup>th</sup>							
Waterloo CHC	12 <sup>th</sup>							
Regent CHC	28 <sup>th</sup>							
Goderich CHC	56 <sup>th</sup>							
Hastings CHC	56 <sup>th</sup>							
Tonkolili District,	ranked	10 <sup>th</sup> amor	ıg all distri	cts (overa	ll score 70	.7%)		
Bumbuna CHC	5 <sup>th</sup>							
Hinistas CHC	23 <sup>rd</sup>							
Masingbi CHC	28 <sup>th</sup>							
Yele CHC	46 <sup>th</sup>							
Makali CHC	65 <sup>th</sup>							Ó

FACILITY PERFORMANCE AGAINST ENABLERS		Ţ			$\mathbf{V}$	Č		
	Ranking	Water & Sanitation	Electricity	Referrals	Equipment	Blood & Laboratory	Staffing	Drugs
Bo District, ranke	ed <b>11<sup>th</sup> a</b>		listricts (o	verall scor	e 70.0%)			
Jembe CHC	12 <sup>th</sup>							
Koribondo CHC	12 <sup>th</sup>							
Dambala CHC	56 <sup>th</sup>							
Sumbuya CHC	51 <sup>st</sup>							
Ngalu CHC	62 <sup>nd</sup>							
Kono District, rar	Kono District, ranked 12 <sup>th</sup> among all districts (overall score 69.3%)							
Gandorhun CHC	12 <sup>th</sup>							
Sewafe CHC	23 <sup>rd</sup>							
Kayima CHC	21 <sup>st</sup>							
Kombayendeh CHc	54 <sup>th</sup>							
Kangama CHC	63 <sup>rd</sup>							
Bonthe District, ranked 13 <sup>th</sup> among all districts (overall score 57.9%)								
Madina CHC	51 <sup>st</sup>							
Gambia CHC	54 <sup>th</sup>							
Tihun CHC	56 <sup>th</sup>							
Yoni CHC	56 <sup>th</sup>							
Benducha CHC	63 <sup>rd</sup>							

ENABLER	CRITERIA TO ACHIEVE GREEN STATUS FOR COMMUNITY HEALTH CENTRES
Water & Sanitation	<ul> <li>Water supply needs to be:</li> <li>Safe (i.e. drinkable)</li> <li>Piped and available in labor room, theatre toilet</li> <li>Available 24 hours a day</li> <li>Effectively drained from the facility</li> <li>Functional hand washing facilities available in the labor ward, theatre &amp; toilet</li> <li>Waste disposal:</li> <li>Incinerator available</li> <li>Waste bins for dry and wet waste with cover</li> <li>Functional autoclave</li> </ul>
Electricity	Main source: Solar, Generator or Central Power that is available 24 hours daily, when needed Second source: available in labor room (minimum)
Referrals	<ul> <li>Transportation:</li> <li>Availability of functional ambulance 24 hours daily</li> <li>Response time to CHC to hospital and back within 3 hours.</li> <li>Communication:</li> <li>Communications with cellular phone or VHF radio</li> <li>24 hour availability of communication</li> </ul>
Equipment for special procedures	<ul> <li>Availability of functional equipment for the following procedures :</li> <li>Assisted vaginal delivery</li> <li>Manual removal of placenta</li> <li>Resuscitation</li> <li>Routine care</li> <li>Removal of retained product of conception</li> </ul>
Blood storage & handling & laboratory	<ul> <li>Facility needs to have:</li> <li>Full laboratory service</li> <li>Trained Lab Technician available 24 hours daily.</li> </ul>
Staffing	Staff to include at least: • 1 CHO • 1 Midwives • 2 SECHN/ CHA • 3 MCHA • 1 Lab Technician/ assistant • 1 Porter/or Cleaner Plus Staff able to perform all procedures: manual vacuum extraction, removal of placenta, removal of products of conception, resuscitation.
Drugs	<ul> <li>At least a three month supply of:</li> <li>All 16 tracer drugs plus IV/IM ampicillin, gentamycin and calcium gluconate;</li> <li>At least three months' supply of all tracer consumables (e.g. syringes, cannulae, gloves, sutures)</li> <li>Appropriate storage facilities: separate room, cold room, off-ground, locked.</li> <li>Oxytoxics kept in cold chain</li> </ul>