

HIV and AIDS Estimates

Adults and children living with HIV	320 000 [290 000 - 340 000]
Adults aged 15 and over living with HIV	300 000 [280 000 - 320 000]
Women aged 15 and over living with HIV	180 000 [170 000 - 200 000]
Men aged 15 and over living with HIV	120 000 [110 000 - 130 000]
Children aged 0 to 14 living with HIV	16 000 [13 000 - 18 000]
Adult aged 15 to 49 HIV prevalence rate	23.8 [22.5 - 24.7]
Women aged 15 to 49 HIV prevalence rate	29.0 [27.3 - 30.4]
Men aged 15 to 49 HIV prevalence rate	18.7 [17.5 - 19.8]
HIV prevalence among young women	12.0 [5.8 - 16.5]
HIV prevalence among young men	4.7 [2.2 - 7.2]
Adults and children newly infected with HIV	15 000 [13 000 - 17 000]
Adults aged 15 and over newly infected with HIV	13 000 [11 000 - 15 000]
Women aged 15 and over newly infected with HIV	7500 [6200 - 8700]
Men aged 15 and over newly infected with HIV	5900 [5000 - 6800]
Children aged 0 to 14 newly infected with HIV	1400 [1200 - 1600]
HIV incidence per 1000 population (adults 15-49)	16.10 [13.70 - 18.50]
HIV incidence per 1000 population (all ages)	9.07 [7.66 - 10.37]
Adult and child deaths due to AIDS	4900 [4100 - 5900]
Deaths due to AIDS among adults aged 15 and over	4000 [3300 - 5000]
Deaths due to AIDS among women aged 15 and over	2000 [1600 - 2500]



Orphans due to AIDS aged 0 to 17	52 000 [42 000 - 62 000]
Deaths due to AIDS among children aged 0 to 14	<1000 [<1000 - 1100]
Deaths due to AIDS among men aged 15 and over	2000 [1600 - 2500]

Epidemic transition metrics

Percent change in new HIV infections since 2010	-21
Percent change in AIDS-related deaths since 2010	-12
Incidence-to-prevalence ratio	0.05
Incidence:mortality ratio	1.83

HIV testing and treatment cascade

People living with HIV who know their status	250 000
Percent of people living with HIV who know their status	80 [74 - 85]
People living with HIV who have suppressed viral loads	210 000
Percent of people living with HIV who have suppressed viral loads	68

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	74 [68 - 78]
Adults aged 15 and over receiving ART	74 [69 - 80]
Women aged 15 and over receiving ART	80 [75 - 86]
Men aged 15 and over receiving ART	66 [60 - 71]
Children aged 0 to 14 receiving ART	60 [49 - 66]
Number of adults and children receiving ART (#)	233 431

⊗ UNAIDS | AIDSinfo

Country factsheets LESOTHO | 2017

224 003
146 005
77 999
9428
40 385
39 077
1308
70
70
78

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	90 [76 - >95]
Pregnant women who received ARV for PMTCT (#)	11 102
Pregnant women needing ARV for PMTCT (#)	12 000 [10 000 - 14 000]
Early infant diagnosis (%)	51 [46 - 60]
New HIV infections averted due to PMTCT (%)	1900 [1700 - 2200]

Sex workers



Population size estimate (#)	6300	Coverage: Maseru, Leribe
HIV prevalence (%)	71.9	Source: IBBS, 2013-2014
Knowledge of HIV status (%)	60.8	Source: CHARA CTERIZING HIV PREVENTION, TREATMENT AND CARE NEEDS AMONG MEN WHO HAVE SEX WITH MEN AND FEMALE SEX WORKERS IN LESOTHO: ESTIMATES OF HIV PREVALENCE, RISK BEHAVIOR, AND POPULATION SIZE, 2015
Condom use (%)	64.9	Source: IBBSS 2014
Active syphilis (%)	17.98	Representative of Maseru and Maputsoe; Source: BSS 2015

Men who have sex with men

Population size estimate (#)	11 400	
HIV prevalence (%)	32.9	Source: IBBSS, 2013-2014



Knowledge of HIV status (%)	62.2	Source: CHARA CTERIZING HIV PREVENTION, TREATMENT AND CARE NEEDS AMONG MEN WHO HAVE SEX WITH MEN AND FEMALE SEX WORKERS IN LESOTHO: ESTIMATES OF HIV PREVALENCE, RISK BEHAVIOR, AND POPULATION SIZE, 2015
Condom use (%)	02.2	

People who inject drugs

Population size estimate (#)	2600	2014 est.
------------------------------	------	-----------

Prisoners

Antiretroviral therapy coverage (%)	80.1	Source: Lesotho Correctional Service Information of Inmates on HIV Care, 2017
-------------------------------------	------	--

Combination prevention

People receiving pre-exposure prophylaxis (PrEP) (#)	853	
Condom use at last high-risk sex among adults aged 15 to 49 (%)	76.3	Source: 2014 DHS



- Condom use at last high-risk sex among women aged 15 to 49 (%)	76.0	Source: 2014 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	76.6	Source: 2014 DHS
Percentage of men 15-49 that are circumcised (%)	72.3	Source: DHS 2014
Male circumcisions performed (#)	25 150	

Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	13.9	Source: 2014 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

⊗ UNAIDS | AIDSinfo

Country factsheets LESOTHO | 2017

Sex workers: Avoidance of health care because of stigma and discrimination (%)	8	Refers to avoidance of health care due to fear of stigma and discrimination; Source: CHARA CTERIZING HIV PREVENTION, TREATMENT AND CARE NEEDS AMONG MEN WHO HAVE SEX WITH MEN AND FEMALE SEX WORKERS IN LESOTHO: ESTIMATES OF HIV PREVALENCE, RISK BEHAVIOR, AND POPULATION SIZE, 2015
--	---	--

Gender

Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	78.9	Source: 2014 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	71.5	Source: 2014 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		

Young people



Country factsheets

LESOTHO | 2017

Knowledge about HIV prevention among young people aged 15-24	35.51 177 496	Source: DHS 2014
Knowledge about HIV prevention among young women aged 15-24	37.6	Source: DHS 2014
Knowledge about HIV prevention among young men aged 15-24	30.9	Source: DHS 2014

Cervical cancer and HIV

Cervical cancer screening among women living with HIV (survey data)	29	Source: 2014 DHS; reported having undergone a Pap smear
---	----	--