#### Patients and TB: Improving treatment outcomes through a patient centred approach and access to new treatments

5<sup>th</sup> TB Symposium – Eastern Europe and Central Asia Ministry of Labour, Health and Social Affairs of Georgia and Médecins Sans Frontières

22-23 March, 2016, TBILISI, GEORGIA

#### **TB Epidemiological Situation in Georgia**

Giorgi Kuchukhidze MD, MPH National Center for Disease Control and Public Health (NCDC)







MINISTRY OF LABOUR, Health and social Affairs of Georgia

## **TB Epidemiology in Georgia**

- TB prevalence: 103 cases per 100,000
- TB incidence: 75 cases per 100,000
- Case detection rate (all forms) 75%\*
- Treatment success rate 80% (2013)
- Treatment success rate for M/XDR-TB 46% (2012)
- HIV Prevalence among TB Cases 2.2% (2014)

Sources: NTP Database, \*WHO Global TB Report 2015

### Number of TB Cases in Georgia



#### Drug Resistance Surveillance (DRS – Drug Resistance Survey conducted between July 2005 and June 2006) MDR-TB prevalence, pulmonary cases



# **Cases enrolled in 2<sup>nd</sup> line treatment** (absolute numbers)



\*2015 preliminary results

### **Pre-XDR and XDR TB Cases**



# MDR TB Treatment – Current Approach

- Inpatient treatment (on average 3 months)
- Directly Observed Therapy (DOT)
- TB Nurse/TB doctor at PHC (everyday DOT for M/XDR TB)
- Full geographical access in Regions of Georgia
- Patient support activities (state/GFATM/MSF)

## **Poor Geographical Access in Tbilisi**

- Population 1,12 million
  - TB cases 35% (out-patient treatment)



## M/XDR-TB Treatment outcomes 2012 cohort



### XDR-TB Treatment outcomes 2012 cohort



# New Opportunities to Tackle M/XDR TB

 Oct 2015 – Georgia First country to receive BDQ through USAID donation program



Delamanid available through GDF



## **TB Treatment – Planned Approach**

- DOT at the PHC (option 1)
- VOT Video Observed Therapy (option 2)

- 0
- MMAP Model of Mobile Ambulatory Program (option 3)



Photos: outreach/screening vans for HIV program



#### ....explore other options

### CN 2017-18 | Objective 3. To enable supportive environment and systems for effective TB control

Advocacy, communication, social mobilization (ACSM) and civil society engagement for TB control

- Strengthening the TB ACSM activities
- Implementation of patient-centered approaches through fostering the local NGOs' involvement in TB care
- Improving access to TB prevention, diagnosis and treatment for hard-to-reach groups at high risk Innovative approaches in TB treatment adherence support

# Thank you! მადლობა!