

HIV and AIDS Estimates

Adults and children living with HIV	150 000 [130 000 - 180 000]
Adults aged 15 and over living with HIV	140 000 [120 000 - 170 000]
Women aged 15 and over living with HIV	78 000 [67 000 - 95 000]
Men aged 15 and over living with HIV	62 000 [53 000 - 77 000]
Children aged 0 to 14 living with HIV	7600 [5900 - 9800]
Adult aged 15 to 49 HIV prevalence rate	1.9 [1.6 - 2.3]
Women aged 15 to 49 HIV prevalence rate	2.3 [1.9 - 2.8]
Men aged 15 to 49 HIV prevalence rate	1.5 [1.1 - 1.8]
HIV prevalence among young women	0.9 [0.4 - 1.5]
HIV prevalence among young men	0.3 [0.1 - 0.6]
Adults and children newly infected with HIV	7600 [5800 - 10 000]
Adults aged 15 and over newly infected with HIV	6600 [5100 - 9000]
Women aged 15 and over newly infected with HIV	3400 [2600 - 4500]
Men aged 15 and over newly infected with HIV	3200 [2400 - 4600]
Children aged 0 to 14 newly infected with HIV	<1000 [<1000 - 1400]
HIV incidence per 1000 population (adults 15-49)	1.06 [0.78 - 1.38]
HIV incidence per 1000 population (all ages)	0.73 [0.54 - 0.95]
Adult and child deaths due to AIDS	4700 [3600 - 6900]
Deaths due to AIDS among adults aged 15 and over	4100 [3100 - 6100]
Deaths due to AIDS among women aged 15 and over	1800 [1300 - 2700]



Orphans due to AIDS aged 0 to 17	48 000 [38 000 - 67 000]
Deaths due to AIDS among children aged 0 to 14	<1000 [<500 - <1000]
Deaths due to AIDS among men aged 15 and over	2400 [1800 - 3500]

Epidemic transition metrics

Percent change in new HIV infections since 2010	-23
Percent change in AIDS-related deaths since 2010	-10
Incidence-to-prevalence ratio	0.05
Incidence:mortality ratio	1.34

HIV testing and treatment cascade

People living with HIV who know their status	•••
Percent of people living with HIV who know their status	[]
People living with HIV who have suppressed viral loads	•••
Percent of people living with HIV who have suppressed viral loads	

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	64 [54 - 78]
Adults aged 15 and over receiving ART	65 [55 - 79]
Women aged 15 and over receiving ART	74 [63 - 90]
Men aged 15 and over receiving ART	52 [44 - 65]
Children aged 0 to 14 receiving ART	50 [39 - 64]
Number of adults and children receiving ART (#)	94 376

® UNAIDS │ AIDSinfo

Country factsheets HAITI | 2017

Adults aged 15 and over receiving ART	90 606
Women aged 15 and over receiving ART	57 927
Men aged 15 and over receiving ART	32 679
Children aged 0 to 14 receiving ART	3770
Adults and children newly-initiating ART (#)	21 382
Adults aged 15 and over newly-initiating ART	20 656
Children aged 0-14 newly-initiating ART	726
Women newly-initiating ART	
Men newly-initiating ART	
Adults and children known to be on ART 12 months after starting (%)	68
Adults known to be on ART 12 months after starting	75
Children known to be on ART 12 months after starting	

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	70 [55 - 86]
Pregnant women who received ARV for PMTCT (#)	4453
Pregnant women needing ARV for PMTCT (#)	6400 [5000 - 7800]
Early infant diagnosis (%)	40 [32 - 50]
New HIV infections averted due to PMTCT (%)	<1000 [<1000 - 1100]

Sex workers

⊗ UNAIDS | AlDSinfo

Country factsheets HAITI | 2017

Population size estimate (#)	70 302	Coverage: Ouest/ Sud/Artibonite/No rd/Nord-Est
HIV prevalence (%)	8.4	Source: GARPR 2013
Condom use (%)	89.9	Source: GARPR 2014

Men who have sex with men

Population size estimate (#)	30 853	Coverage: Ouest/ Sud/Artibonite/No rd-Est
HIV prevalence (%)	18.2	Source: GARPR 2013
Knowledge of HIV status (%)	69.5	Source: Special Study, 2016
Condom use (%)	75.1	Source: Data provided through GAM 2016
Condoms distributed through prevention programmes (#)	622	Source: UNAIDS Special Analysis and Global AIDS Monitoring, 2017

Prisoners

HIV prevalence (%)	2.7	Source: HIV tests conducted by jails, prisons and other closed settings 2017
Prevalence of TB infection among prisoners (%)	9.3	Representative of HIV/TB; Source: Registre ARV et informations complementaires 2017

Combination prevention



Condom use at last high-risk sex among adults aged 15 to 49 (%)	58.9	Source: 2012 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	51.0	Source: 2012 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	63.9	Source: 2012 DHS
Percentage of men 15-49 that are circumcised (%)	5.8	Source: DHS 2005-06

Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	57.7	Source: 2012 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

Gender

Prevalence of recent intimate partner violence among women aged 15-49 (%)	14.9	Source: 2012 DHS
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)		



Prevalence of recent intimate partner violence among women aged 25-49 (%)		
Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	45.6	Source: 2012 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	36.2	Source: 2012 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		

Young people

Knowledge about HIV prevention among young people aged 15-24	37.30 100 825	Source: DHS 2017
Knowledge about HIV prevention among young women aged 15-24	38.3	Source: DHS 2017
Knowledge about HIV prevention among young men aged 15-24	36.2	Source: DHS 2017