

HIV and AIDS Estimates

Adults and children living with HIV	2 100 000 [1 500 000 - 3 000 000]
Adults aged 15 and over living with HIV	2 100 000 [1 500 000 - 2 900 000]
Women aged 15 and over living with HIV	880 000 [630 000 - 1 200 000]
Men aged 15 and over living with HIV	1 200 000 [850 000 - 1 700 000]
Children aged 0 to 14 living with HIV	61 000 [42 000 - 88 000]
Adult aged 15 to 49 HIV prevalence rate	0.2 [0.2 - 0.3]
Women aged 15 to 49 HIV prevalence rate	0.2 [0.1 - 0.3]
Men aged 15 to 49 HIV prevalence rate	0.2 [0.2 - 0.4]
HIV prevalence among young women	<0.1 [<0.1 - 0.1]
HIV prevalence among young men	<0.1 [<0.1 - 0.1]
Adults and children newly infected with HIV	88 000 [44 000 - 160 000]
Adults aged 15 and over newly infected with HIV	84 000 [41 000 - 150 000]
Women aged 15 and over newly infected with HIV	34 000 [16 000 - 60 000]
Men aged 15 and over newly infected with HIV	50 000 [25 000 - 92 000]
Children aged 0 to 14 newly infected with HIV	3700 [2300 - 5800]
HIV incidence per 1000 population (adults 15-49)	0.15 [0.05 - 0.18]
HIV incidence per 1000 population (all ages)	0.10 [0.03 - 0.12]
Adult and child deaths due to AIDS	69 000 [34 000 - 130 000]
Deaths due to AIDS among adults aged 15 and over	67 000 [32 000 - 120 000]
Deaths due to AIDS among women aged 15 and over	20 000 [8800 - 42 000]



Deaths due to AIDS among men aged 15 and over	46 000 [23 000 - 84 000]
Deaths due to AIDS among children aged 0 to 14	2600 [1400 - 4600]
Orphans due to AIDS aged 0 to 17	930 000 [620 000 - 1 400 000]

Epidemic transition metrics

Percent change in new HIV infections since 2010	-27
Percent change in AIDS-related deaths since 2010	-56
Incidence-to-prevalence ratio	0.04
Incidence:mortality ratio	1.02

HIV testing and treatment cascade

People living with HIV who know their status	1 700 000
Percent of people living with HIV who know their status	79 [56 - >95]
People living with HIV who have suppressed viral loads	•••
Percent of people living with HIV who have suppressed viral loads	

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	56 [40 - 79]
Adults aged 15 and over receiving ART	56 [40 - 78]
Women aged 15 and over receiving ART	63 [45 - 88]
Men aged 15 and over receiving ART	50 [35 - 71]
Children aged 0 to 14 receiving ART	[]
Number of adults and children receiving ART (#)	1 200 965



1 154 195
555 804
598 392
46 767
236 906
220 915
15 991
71
71
77

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	60 [41 - 89]
Pregnant women who received ARV for PMTCT (#)	13 716
Pregnant women needing ARV for PMTCT (#)	23 000 [15 000 - 33 000]
Early infant diagnosis (%)	23 [16 - 33]
New HIV infections averted due to PMTCT (%)	3500 [2200 - 5400]

Sex workers



Population size estimate (#)	657 829	Source: Programme data 2016; Coverage: Entire country
HIV prevalence (%)	1.6	Source: HIV Sentinel Surveillance 2016-17
Knowledge of HIV status (%)	68.6	Source: Behavioural Surveillance Survey 2017
Condom use (%)	90.8	Source: National Integrated Bio-Behavioral Surveillance 2014-15
Condoms distributed through prevention programmes (#)	259	Source: UNAIDS Special Analysis and Global AIDS Monitoring, 2017

Men who have sex with men

Population size estimate (#)	238 175	Source: Programme data of Targeted Intervention Programme, 2015-2016
HIV prevalence (%)	2.7	Source: HIV Sentinel Surveillance 2016-17
Knowledge of HIV status (%)	69.2	Source: National Programme data 2016
Condom use (%)	83.9	Source: National Integrated Biological and Behavioural Surveillance, 2015



Condoms distributed through prevention programmes (#)	200	Source: UNAIDS Special Analysis and Global AIDS Monitoring, 2017
Active syphilis (%)	0.4	Source: Routine health information systems 2017

People who inject drugs

Population size estimate (#)	127 532	Source:Programm e data of Targeted Intervention Programme, 2015-2016
HIV prevalence (%)	6.3	Source: Sentinel surveillance 2017
Knowledge of HIV status (%)	72	Source: National Programme data 2016
Condom use (%)	77.4	Source: National Integrated Biological and Behavioural Surveillance (IBBS) 2014-15
Safe injecting practices (%)	86.4	Source: National Integrated Biological and Behavioural Surveillance (IBBS) 2014-15
Needles and syringes distributed per person who injects drugs (#)	424	
Coverage of opioid substitution therapy	19	Source: NACP programme data as under Targeted Interventions 2017

Prisoners



Population size estimate (#)	185 182	Year of estimation: 2015	

Transgender people

Population size estimate (#)	25 984	Source: Programme data of Targeted Intervention Programme 2015-16
HIV prevalence (%)	3.1	Source: Sentinel surveillance 2017
Knowledge of HIV status (%)	59.7	Source: National Programme data 2016
Condom use (%)	79.7	Source: IBBS 2014-15

Combination prevention

Condom use at last high-risk sex among adults aged 15 to 49 (%)	40.3	Source: National Family Health Survey (NFHS) 2015-16
- Condom use at last high-risk sex among women aged 15 to 49 (%)	15.4	Source: 2005-06 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	40.8	Source: National Family Health Survey (NFHS) 2015-16
Percentage of men 15-49 that are circumcised (%)	13	Source: DHS 2005-06

Stigma and discrimination



Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	27.6	Source: DHS 2015-16
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

Gender

Prevalence of recent intimate partner violence among women aged 15-49 (%)	22	Source: 2015-16 DHS
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)		
Prevalence of recent intimate partner violence among women aged 25-49 (%)		
Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	72.8	Source: 2015-16 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	28.1	Source: 2015-16 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		



Knowledge about HIV prevention among young people aged 15-24	26.16 750 029	Source: NFHS 2016
Knowledge about HIV prevention among young women aged 15-24	21.7	Source: NFHS 2016
Knowledge about HIV prevention among young men aged 15-24	31.5	Source: NFHS 2016

HIV expenditure

Total country-reported HIV expenditure (USD)	371 000 000
HIV expenditure from domestic public sources (USD)	371 000 000
HIV expenditure from domestic private sources (USD)	
HIV expenditure from international sources (USD)	

Cervical cancer and HIV

Cervical cancer screening among women living with HIV (survey data)	35	Source: 2015-16 DHS; reported having undergone a cervix examination
---	----	---