

HIV and AIDS Estimates

Adults and children living with HIV	200 000 [180 000 - 210 000]
Adults aged 15 and over living with HIV	190 000 [170 000 - 200 000]
Women aged 15 and over living with HIV	110 000 [100 000 - 120 000]
Men aged 15 and over living with HIV	74 000 [67 000 - 81 000]
Children aged 0 to 14 living with HIV	12 000 [9400 - 14 000]
Adult aged 15 to 49 HIV prevalence rate	12.1 [10.7 - 13.0]
Women aged 15 to 49 HIV prevalence rate	14.5 [12.9 - 15.6]
Men aged 15 to 49 HIV prevalence rate	9.5 [7.9 - 10.4]
HIV prevalence among young women	5.0 [2.6 - 7.0]
HIV prevalence among young men	2.7 [1.2 - 4.0]
Adults and children newly infected with HIV	7400 [5900 - 8400]
Adults aged 15 and over newly infected with HIV	6800 [5400 - 7800]
Women aged 15 and over newly infected with HIV	3900 [3000 - 4500]
Men aged 15 and over newly infected with HIV	2900 [2300 - 3500]
Children aged 0 to 14 newly infected with HIV	<1000 [<1000 - <1000]
HIV incidence per 1000 population (adults 15-49)	6.03 [4.77 - 6.77]
HIV incidence per 1000 population (all ages)	3.49 [2.73 - 4.01]
Adult and child deaths due to AIDS	2700 [2000 - 3500]
Deaths due to AIDS among adults aged 15 and over	2400 [1800 - 3100]
Deaths due to AIDS among women aged 15 and over	1200 [<1000 - 1600]



Orphans due to AIDS aged 0 to 17	34 000 [27 000 - 40 000]
Deaths due to AIDS among children aged 0 to 14	<500 [<200 - <500]
Deaths due to AIDS among men aged 15 and over	1200 [<1000 - 1500]

Epidemic transition metrics

Percent change in new HIV infections since 2010	-24
Percent change in AIDS-related deaths since 2010	-21
Incidence-to-prevalence ratio	0.04
Incidence:mortality ratio	1.83

HIV testing and treatment cascade

People living with HIV who know their status	180 000
Percent of people living with HIV who know their status	90 [84 - >95]
People living with HIV who have suppressed viral loads	150 000
Percent of people living with HIV who have suppressed viral loads	74

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	84 [79 - 91]
Adults aged 15 and over receiving ART	85 [78 - 92]
Women aged 15 and over receiving ART	95 [88 - >95]
Men aged 15 and over receiving ART	70 [64 - 77]
Children aged 0 to 14 receiving ART	76 [60 - 88]
Number of adults and children receiving ART (#)	167 629

® UNAIDS │ AIDSinfo

Country factsheets NAMIBIA | 2017

Adults aged 15 and over receiving ART	158 439
Women aged 15 and over receiving ART	106 600
Men aged 15 and over receiving ART	51 839
Children aged 0 to 14 receiving ART	9190
Adults and children newly-initiating ART (#)	21 213
Adults aged 15 and over newly-initiating ART	20 381
Children aged 0-14 newly-initiating ART	832
Women newly-initiating ART	
Men newly-initiating ART	
Adults and children known to be on ART 12 months after starting (%)	84
Adults known to be on ART 12 months after starting	84
Children known to be on ART 12 months after starting	79

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	>95 [>95 - >95]
Pregnant women who received ARV for PMTCT (#)	12 422
Pregnant women needing ARV for PMTCT (#)	10 000 [8100 - 11 000]
Early infant diagnosis (%)	>95 [>95 - >95]
New HIV infections averted due to PMTCT (%)	1900 [1600 - 2100]

Sex workers



Population size estimate (#)	8082	Female sex workers; Year of estimation: 2014 in four cities
------------------------------	------	--

Men who have sex with men

Population size	e estimate (#)	6508	Year of estimation: 2014	

Combination prevention

People receiving pre-exposure prophylaxis (PrEP) (#)	190	
Condom use at last high-risk sex among adults aged 15 to 49 (%)	70.3	Source: 2013 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	65.5	Source: 2013 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	79.7	Source: 2013 DHS
Percentage of men 15-49 that are circumcised (%)	25.5	Source: DHS 2013
Male circumcisions performed (#)	30 134	

Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	13	Source: 2013 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		



Percentage of adults (15-49) who	
responded No to both questions	

Gender

Prevalence of recent intimate partner violence among women aged 15-49 (%)	20.2	Source: 2013 DHS
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)		
Prevalence of recent intimate partner violence among women aged 25-49 (%)		
Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	80.4	Source: 2013 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	72.1	Source: 2013 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		

Young people

Knowledge about HIV prevention among young people aged 15-24	58.24 914 222	Source: DHS 2013
Knowledge about HIV prevention among young women aged 15-24	61.6	Source: DHS 2013



Cervical cancer and HIV

Cervical cancer screening among	54	Source: 2013 DHS
women living with HIV (survey		
data)		