

### HIV and AIDS Estimates

Adults and children living with HIV	43 000 [36 000 - 51 000]
Adults aged 15 and over living with HIV	38 000 [31 000 - 45 000]
Women aged 15 and over living with HIV	25 000 [21 000 - 30 000]
Men aged 15 and over living with HIV	13 000 [10 000 - 15 000]
Children aged 0 to 14 living with HIV	5000 [4200 - 6100]
Adult aged 15 to 49 HIV prevalence rate	0.4 [0.3 - 0.5]
Women aged 15 to 49 HIV prevalence rate	0.6 [0.5 - 0.7]
Men aged 15 to 49 HIV prevalence rate	0.3 [0.2 - 0.3]
HIV prevalence among young women	0.2 [0.1 - 0.2]
HIV prevalence among young men	<0.1 [<0.1 - 0.1]
Adults and children newly infected with HIV	1600 [<1000 - 2300]
Adults aged 15 and over newly infected with HIV	1100 [<1000 - 1700]
Women aged 15 and over newly infected with HIV	<1000 [<500 - 1100]
Men aged 15 and over newly infected with HIV	<500 [<500 - <1000]
Children aged 0 to 14 newly infected with HIV	<500 [<500 - <1000]
HIV incidence per 1000 population (adults 15-49)	0.14 [0.08 - 0.22]
HIV incidence per 1000 population (all ages)	0.10 [0.06 - 0.15]
Adult and child deaths due to AIDS	2100 [1500 - 2800]
Deaths due to AIDS among adults aged 15 and over	1700 [1200 - 2300]
Deaths due to AIDS among women aged 15 and over	<1000 [<1000 - 1400]



Orphans due to AIDS aged 0 to 17	26 000 [20 000 - 33 000]
Deaths due to AIDS among children aged 0 to 14	<500 [<500 - <1000]
Deaths due to AIDS among men aged 15 and over	<1000 [<1000 - <1000]

#### Epidemic transition metrics

Percent change in new HIV infections since 2010	-30
Percent change in AIDS-related deaths since 2010	14
Incidence-to-prevalence ratio	0.04
Incidence:mortality ratio	0.66

### HIV testing and treatment cascade

People living with HIV who know their status	30 000
Percent of people living with HIV who know their status	71 [59 - 84]
People living with HIV who have suppressed viral loads	17 000
Percent of people living with HIV who have suppressed viral loads	41

### Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	54 [45 - 64]
Adults aged 15 and over receiving ART	58 [47 - 69]
Women aged 15 and over receiving ART	62 [51 - 74]
Men aged 15 and over receiving ART	50 [40 - 61]
Children aged 0 to 14 receiving ART	25 [20 - 29]
Number of adults and children receiving ART (#)	23 204

#### **WUNAIDS** | AIDSinfo

# Country factsheets SENEGAL | 2017

21 969
15 691
6278
1235
5355
5038
317
79
78
79

#### Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	53 [44 - 62]
Pregnant women who received ARV for PMTCT (#)	1232
Pregnant women needing ARV for PMTCT (#)	2300 [1900 - 2700]
Early infant diagnosis (%)	23 [20 - 28]
New HIV infections averted due to PMTCT (%)	<500 [<200 - <500]

Sex workers



Population size estimate (#)	20 763	Source: GAM 2016
HIV prevalence (%)	6.6	Source: Behavioural Surveillance Survey, 2016
Antiretroviral therapy coverage (%)	19.7	Source: Enquête nationale couvrant les 14 régions du Sénégal, 2017
Condom use (%)	94.1	Source: Behavioural Surveillance Survey, 2015-2016
Active syphilis (%)	9.7	Source: Behavioural Surveillance Survey, 2015-2016

#### Men who have sex with men

Population size estimate (#)	9265	Year of estimation: 2016
HIV prevalence (%)	41.9	Source: Enquête spéciale comportement et biologique chez les HSH, 2013-2014
Condom use (%)	72.6	Source: Data submitted through GARPR 2014

### People who inject drugs



Population size estimate (#)	2991	Year of estimation: 2016
HIV prevalence (%)	1.6	Source: Behavioural Surveillance Survey 2017
Antiretroviral therapy coverage (%)	14.3	Mbour only; Source: Behavioural Surveillance Survey 2017
Condom use (%)	42.7	Source: Behavioural Surveillance Survey, 2017
Safe injecting practices (%)	74.3	Source: L'enquête auprès des CDI, 2011
Needles and syringes distributed per person who injects drugs (#)	131.013	
Coverage of opioid substitution therapy	57	Source: National programme data 2017

#### Prisoners

Population size estimate (#)	8630	Year of estimation: 2016
HIV prevalence (%)	2	Source: Enquête Nationale de Surveillance combinée auprès des détenus, 2015-2016
HIV prevention programmes in prisons: prisoners receiving opioid substitution therapy (#)	2	Source: Rapport du secteur de la Justice et du Centre de Prise en charge Intégré d'Addictologie de Dakar, 2016



Condom use at last high-risk sex among adults aged 15 to 49 (%)	68.9	Source: 2014 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)		
- Condom use at last high-risk sex among men aged 15 to 49 (%)	68.9	Source: 2014 DHS
Percentage of men 15-49 that are circumcised (%)	98.2	Source: DHS 2005

### Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	53.2	Source: DHS 2016
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

#### Gender

Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	48.6	Source: 2016 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	38.8	Source: 2016 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		



satisfied by modern methods (%)	Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		
---------------------------------	--	--	--

### Young people

Knowledge about HIV prevention among young people aged 15-24	27.49 586 248	Source: DHS 2016
Knowledge about HIV prevention among young women aged 15-24	25.7	Source: DHS 2016
Knowledge about HIV prevention among young men aged 15-24	32.4	Source: DHS 2016

### Hepatitis and HIV

Hepatitis B testing	45.9	Source: Clinical and/or laboratory records 2017
Proportion of people coinfected with HIV and HBV receiving combined treatment	87.8	Source: Clinical records of health-care facilities 2017