

### **HIV and AIDS Estimates**

Adults and children living with HIV	61 000 [51 000 - 73 000]
Adults aged 15 and over living with HIV	55 000 [46 000 - 66 000]
Women aged 15 and over living with HIV	32 000 [27 000 - 39 000]
Men aged 15 and over living with HIV	23 000 [18 000 - 29 000]
Children aged 0 to 14 living with HIV	5500 [4400 - 6700]
Adult aged 15 to 49 HIV prevalence rate	1.4 [1.1 - 1.7]
Women aged 15 to 49 HIV prevalence rate	1.6 [1.3 - 1.9]
Men aged 15 to 49 HIV prevalence rate	1.1 [0.8 - 1.4]
HIV prevalence among young women	0.7 [0.3 - 1.3]
HIV prevalence among young men	0.4 [0.1 - 0.8]
Adults and children newly infected with HIV	3200 [2000 - 4800]
Adults aged 15 and over newly infected with HIV	2700 [1600 - 4000]
Women aged 15 and over newly infected with HIV	1500 [<1000 - 2200]
Men aged 15 and over newly infected with HIV	1200 [<1000 - 1900]
Children aged 0 to 14 newly infected with HIV	<1000 [<500 - <1000]
HIV incidence per 1000 population (adults 15-49)	0.71 [0.44 - 1.07]
HIV incidence per 1000 population (all ages)	0.44 [0.28 - 0.66]
Adult and child deaths due to AIDS	2600 [2100 - 3200]
Deaths due to AIDS among adults aged 15 and over	2100 [1700 - 2700]
Deaths due to AIDS among women aged 15 and over	<1000 [<1000 - 1100]



Orphans due to AIDS aged 0 to 17	29 000 [23 000 - 35 000]
Deaths due to AIDS among children aged 0 to 14	<500 [<500 - <1000]
Deaths due to AIDS among men aged 15 and over	1300 [1100 - 1600]

### Epidemic transition metrics

Percent change in new HIV infections since 2010	-34
Percent change in AIDS-related deaths since 2010	-11
Incidence-to-prevalence ratio	0.05
Incidence:mortality ratio	1.01

### HIV testing and treatment cascade

People living with HIV who know their status	28 000
Percent of people living with HIV who know their status	47 [39 - 56]
People living with HIV who have suppressed viral loads	15 000
Percent of people living with HIV who have suppressed viral loads	24

### Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	39 [33 - 47]
Adults aged 15 and over receiving ART	41 [34 - 50]
Women aged 15 and over receiving ART	53 [44 - 64]
Men aged 15 and over receiving ART	25 [20 - 31]
Children aged 0 to 14 receiving ART	18 [14 - 22]
Number of adults and children receiving ART (#)	23 693



Adults aged 15 and over receiving ART	22 710
Women aged 15 and over receiving ART	17 013
Men aged 15 and over receiving ART	5697
Children aged 0 to 14 receiving ART	983
Adults and children known to be on	75
ART 12 months after starting (%)	
ART 12 months after starting	

#### Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	89 [67 - >95]
Pregnant women who received ARV for PMTCT (#)	3795
Pregnant women needing ARV for PMTCT (#)	4300 [3200 - 5500]
Early infant diagnosis (%)	7 [6 - 10]
New HIV infections averted due to PMTCT (%)	<1000 [<500 - 1100]

#### Sex workers

Population size estimate (#)	240 000	2013 est.; Coverage: Entire country
HIV prevalence (%)	8.5	Source: GARPR 2013
Condom use (%)	14.9	Source: Data provided through GARPR 2014

#### Men who have sex with men



Population size estimate (#)	20 000	2013 est.; Coverage: Entire country
HIV prevalence (%)	14	Source: HIV Sero - Prevalence Study for Key Populations, 2015
Condom use (%)	32.2	

### People who inject drugs

Population size estimate (#)	1500	2013 est.; Coverage: Entire country
HIV prevalence (%)	8.5	Source: HIV Sero - Prevalence Study for Key Populations, 2015
Condom use (%)	32.1	
Safe injecting practices (%)	40.7	Source: Data provided through GARPR 2014

#### Prisoners

HIV prevalence (%)	5.9	Source: Programme data 2017
Prevalence of TB infection among prisoners (%)	0.7	Representative of HIV/TB; Source: Routine programme data 2017

### Transgender people

Population size estimate (#)	3400	2015 est.; Coverage: For the entire country

### Combination prevention



Condom use at last high-risk sex among adults aged 15 to 49 (%)	11.9	Source: 2013 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	6.8	Source: 2013 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	19.4	Source: 2013 DHS
Percentage of men 15-49 that are circumcised (%)	99.4	Source: DHS 2013

### Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	53.4	Source: 2013 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

### Gender

Prevalence of recent intimate partner violence among women aged 15-49 (%)	28.7	Source: 2013 DHS
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)		



Prevalence of recent intimate partner violence among women aged 25-49 (%)		
Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	49	Source: 2013 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	54.4	Source: 2013 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		

### Young people

Knowledge about HIV prevention among young people aged 15-24	29.12 926 344	Source: DHS 2013
Knowledge about HIV prevention among young women aged 15-24	28.8	Source: DHS 2013
Knowledge about HIV prevention among young men aged 15-24	30	Source: DHS 2013