

Country factsheets  
RWANDA | 2017

## HIV and AIDS Estimates

<b>Adults and children living with HIV</b>	<b>220 000 [200 000 - 250 000]</b>
Adults aged 15 and over living with HIV	210 000 [190 000 - 240 000]
Women aged 15 and over living with HIV	130 000 [120 000 - 150 000]
Men aged 15 and over living with HIV	80 000 [70 000 - 91 000]
Children aged 0 to 14 living with HIV	11 000 [7000 - 14 000]
<b>Adult aged 15 to 49 HIV prevalence rate</b>	<b>2.7 [2.2 - 3.0]</b>
Women aged 15 to 49 HIV prevalence rate	3.4 [2.8 - 3.9]
Men aged 15 to 49 HIV prevalence rate	1.9 [1.5 - 2.2]
HIV prevalence among young women	1.1 [0.6 - 1.6]
HIV prevalence among young men	0.6 [0.4 - 0.8]
<b>Adults and children newly infected with HIV</b>	<b>7400 [5700 - 9100]</b>
Adults aged 15 and over newly infected with HIV	6500 [5000 - 8200]
Women aged 15 and over newly infected with HIV	4000 [3100 - 5000]
Men aged 15 and over newly infected with HIV	2600 [1900 - 3300]
Children aged 0 to 14 newly infected with HIV	<1000 [<500 - 1200]
<b>HIV incidence per 1000 population (adults 15-49)</b>	<b>1.06 [0.81 - 1.32]</b>
HIV incidence per 1000 population (all ages)	0.61 [0.47 - 0.76]
<b>Adult and child deaths due to AIDS</b>	<b>3100 [2200 - 4100]</b>
Deaths due to AIDS among adults aged 15 and over	2700 [2000 - 3800]
Deaths due to AIDS among women aged 15 and over	1500 [1100 - 2000]

## Country factsheets

### RWANDA | 2017

Deaths due to AIDS among men aged 15 and over	1200 [<1000 - 1600]
Deaths due to AIDS among children aged 0 to 14	<500 [<200 - <1000]
<b>Orphans due to AIDS aged 0 to 17</b>	<b>69 000 [57 000 - 82 000]</b>

### Epidemic transition metrics

Percent change in new HIV infections since 2010	-20
Percent change in AIDS-related deaths since 2010	-49
Incidence-to-prevalence ratio	0.03
Incidence:mortality ratio	1.73

### HIV testing and treatment cascade

<b>People living with HIV who know their status</b>	...
Percent of people living with HIV who know their status	... [... - ...]
<b>People living with HIV who have suppressed viral loads</b>	...
Percent of people living with HIV who have suppressed viral loads	...

### Antiretroviral therapy (ART)

<b>Coverage of adults and children receiving ART (%)</b>	<b>83 [72 - 93]</b>
Adults aged 15 and over receiving ART	83 [73 - 93]
Women aged 15 and over receiving ART	84 [74 - 95]
Men aged 15 and over receiving ART	81 [71 - 92]
Children aged 0 to 14 receiving ART	76 [50 - >95]
<b>Number of adults and children receiving ART (#)</b>	<b>185 644</b>

## Country factsheets

### RWANDA | 2017

Adults aged 15 and over receiving ART	177 526
Women aged 15 and over receiving ART	112 587
Men aged 15 and over receiving ART	64 939
Children aged 0 to 14 receiving ART	8118
<b>Adults and children newly-initiating ART (#)</b>	<b>13 451</b>
Adults aged 15 and over newly-initiating ART	12 899
Children aged 0-14 newly-initiating ART	552
Women newly-initiating ART	
Men newly-initiating ART	

### Elimination of mother-to-child transmission

<b>Coverage of pregnant women who receive ARV for PMTCT (%)</b>	<b>92 [72 - &gt;95]</b>
Pregnant women who received ARV for PMTCT (#)	8394
Pregnant women needing ARV for PMTCT (#)	9200 [7100 - 11 000]
<b>Early infant diagnosis (%)</b>	<b>85 [74 - &gt;95]</b>
<b>New HIV infections averted due to PMTCT (%)</b>	<b>1900 [&lt;1000 - 2700]</b>

### Sex workers

Population size estimate (#)	12 278	Year of estimation: 2012
HIV prevalence (%)	45.8	Source: IBBS 2015
Knowledge of HIV status (%)	95.1	Source: BSS 2015
Condom use (%)	84.3	Source: Behavioural Surveillance Survey, 2015-2016

## Country factsheets

### RWANDA | 2017

Hepatitis B and coinfection with HIV (%)	3.3	Source: Data provided through GAM 2016
Hepatitis C and coinfection with HIV (%)	1.2	Source: Data provided through GAM 2016

### Men who have sex with men

Population size estimate (#)	5000	2012 est.
Knowledge of HIV status (%)	83	Source: Behavioural Surveillance Survey, 2016
Condom use (%)	71.4	Source: Data provided through Global AIDS Monitoring 2016

### Combination prevention

Condom use at last high-risk sex among adults aged 15 to 49 (%)	54.7	Source: 2014-15 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	47.5	Source: 2014-15 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	65.9	Source: 2014-15 DHS
Percentage of men 15-49 that are circumcised (%)	29.6	Source: DHS 2014-15
Male circumcisions performed (#)	264 973	

### Stigma and discrimination

## Country factsheets RWANDA | 2017

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	9.9	Source: 2014-2015 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

### Gender

<b>Prevalence of recent intimate partner violence among women aged 15-49 (%)</b>	<b>20.7</b>	<b>Source: 2014-15 DHS</b>
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)		
Prevalence of recent intimate partner violence among women aged 25-49 (%)		
<b>Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)</b>	<b>63.9</b>	<b>Source: 2014-15 DHS</b>
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	34.6	Source: 2014-15 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)		
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)		

Country factsheets

RWANDA | 2017

<b>Knowledge about HIV prevention among young people aged 15-24</b>	<b>64.50 897 214</b>	<b>Source: DHS 2015</b>
Knowledge about HIV prevention among young women aged 15-24	64.6	Source: DHS 2015
Knowledge about HIV prevention among young men aged 15-24	64.3	Source: DHS 2015