

# **Patient Safety**

# **SAVE LIVES** Clean Your Hands

	h o	O 1/1	101	0 10	E	14 100
U	DS	e۲۱	/ati	OH	ΓO	rm

Facility:				Period Number*:					Number*:							
Servi	ce:					Date: (dd/mm/y	/y)	,	/	/		Obser (initials)				
Ward	l:					Start/E (hh:mm)	nd time:		: / :			Page N°:				
Department:				Sessio (mm)	n duration					City**:						
Country**:  Prof.cat																
Prof.	cat			Prof.				Prof.	cat				Prof.			
Code	;			Code				Code	•				Code	)		
N°				N°				N°					N°			
Орр.	Indicati		HH Action	Opp.	_	cation	HH Action	Орр.	_	ication	НН	Action	Орр.	_	ication	HH Action
1	aft-b	asept. o.f.	HR HW O missed	1	☐ b ☐ a ☐ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW O missed	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	□ H O n	HR HW nissed gloves	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves
2	aft-b	asept. o.f.	HR HW O missed	2	□ b □ a □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW O missed ○ gloves	2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HW nissed gloves	2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
3	aft-b	asept. o.f.	HR HW O missed O gloves	3	☐ b ☐ a ☐ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW O missed O gloves	3		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	□ H O n	HR HW nissed gloves	3		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
4	aft-b	asept. o.f.	HR HW O missed O gloves	4	□ b □ a □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW O missed	4		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ H O n	HR HW nissed gloves	4		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves
5	aft-b	asept. o.f.	HR HW O missed	5	□ b □ a □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW O missed	5		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	□ H O n	HR HW nissed gloves	5		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
6	aft-b	asept. o.f.	HR HW O missed O gloves	6	□ b □ a □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW O missed	6		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	□ H O n	HR HW nissed gloves	6		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
7	aft-b	asept. o.f.	HR HW O missed O gloves	7	☐ b ☐ a ☐ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW O missed ○ gloves	7		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	□ H O n	HR HW nissed gloves	7		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
8	aft-b	asept. o.f.	HR HW O missed	8	□ b □ a □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW O missed ○ gloves	8		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	□ H O n	HR HW nissed gloves	8		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves

<sup>\*</sup> To be completed by the data manager.

\*\* **Optional**, to be used if appropriate, according to the local needs and regulations.



## **Patient Safety**

A World Alliance for Safer Health Care

# SAVE LIVES Clean Your Hands

## **General Recommendations**

### (refer to the Hand Hygiene Technical Reference Manual)

- 1. In the context of open and direct observations, the observer introduces him/herself to the health-care worker and to the patient when appropriate, explains his/her task and proposes immediate informal feed back.
- 2. The health-care worker, belonging to one of the main four following professional categories (see below), is observed during the delivery of health-care activities to patients.
- 3. Detected and observed data should be recorded with a pencil in order to be immediately corrected if needed.
- 4. The top of the form (header) is completed before starting data collection (excepted end time and session duration).
- 5. The session should last no more than 20 minutes (± 10 minutes according to the observed activity); the end time and the session duration are to be completed at the end of the observation session.
- 6. The observer may observe up to three health-care workers simultaneously, if the density of hand hygiene opportunities permits.
- 7. Each column of the grid to record hand hygiene practices is intended to be dedicated to a specific professional category. Therefore numerous health-care workers may be sequentially included during one session in the column dedicated to their category. Alternatively each column may be dedicated to a single health-care worker only of whom the professional category should be indicated.
- 8. As soon as you detect an indication for hand hygiene, count an opportunity in the appropriate column and cross the square corresponding to the indication(s) you detected. Then complete all the indications that apply and the related hand hygiene actions observed or missed.
- 9. Each opportunity refers to one line in each column; each line is independent from one column to another.
- 10. Cross items in squares (several may apply for one opportunity) or circles (only a single item may apply at one moment).
- 11. When several indications fall in one opportunity, each one must be recorded by crossing the squares.
- 12. Performed or missed actions must always be registered within the context of an opportunity.
- 13. Glove use may be recorded only when the hand hygiene action is missed while the health-care worker is wearing gloves.

### Short description of items

Facility:		to complete according to the local nomenclature									
Service:		to the local nomenclature									
Ward:	o complete according to the local nomenclature o complete according to the following standardized nomenclature:										
Department:											
	medical, including der		surgery, including neurosurgery, urology, EENT,								
	haematology, oncolog		ophthalmology, etc.								
		gical), including gynaecology	obstetrics, including related surgery								
	paediatrics, including	related surgery	intensive care & resuscitation								
	emergency unit		long term care & rehabilitation								
	ambulatory care, inclu		other (to specify)								
Period N°:		ention; and then according to th	e institutional counter.								
Date:	day (dd) / month (mm										
Start/end time:	hour (hh) / minute (mr										
Session duration:		art and end time, resulting in mir	nutes of observation.								
Session N°:		ent of data entry for analysis.									
Observer:			data collection and for checking their accuracy								
	before submitting the										
Page N°:		re than one form is used for one	e session.								
Prof.cat:	according to the follow										
	1. nurse / midwife	1.1 nurse, 1.2 midwife, 1.3 stud	dent.								
	2. auxiliary										
	3. medical doctor		eon, 3.3 anaesthetist / resuscitator / emergency								
			ynaecologist, 3.6 consultant, 3.7 medical student.								
	4. other health-		occupational therapist, audiologist, speech								
	care worker		ologist, cardiology technician, operating room								
			n, etc), 4.3 other (dietician, dentist, social worker								
			ofessional involved in patient care), 4.4 student.								
Number:	number of observed health-care workers belonging to the same professional category (same code) as										
	they enter the field of observation and you detect opportunities.										
Opp(ortunity):	defined by one indication at least										
Indication:			ns that apply at one moment must be recorded								
	bef.pat: before touching		aft.b.f: after body fluid exposure risk								
	bef.asept: before clea	n/aseptic procedure	aft.pat: after touching a patient								
			aft.p.surr: after touching patient surroundings								
HH action:	handwash, or a negat	ive action by missing handrub o									
		n by handrubbing with an	Missed: no hand hygiene action performed								
	alcohol-based formula										
		on by handwashing with soap and									
	water										

## **Observation Form – Basic Compliance Calculation**

	Facility	<b>/</b> :					Period	:		Setting	j:				
	Prof.cat.		Prof.ca	at.		Prof.cat.			Prof.cat.			Total per session			
Session N°	Opp (n)	HW (n)	HR (n)	Opp (n)	HW (n)	HR (n)	Opp (n)	HW (n)	HR (n)	Opp (n)	HW (n)	HR (n)	Opp (n)	HW (n)	HR (n)
1					. ,							. ,	, ,		. ,
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
Total															
Calculation	Ac	ct (n) =		Ac	Act (n) =		Act	(n) =		Ac	t (n) =		Act	(n) =	
	Opp (n	) =		Opp (n	) =		Opp (n	) =		Opp (n) =			Opp (n	) =	
Compliance															

Compliance (%) =	Actions	x 100
	Opportunities	

#### Instructions for use

- 1. Define the setting outlining the scope for analysis and report related data according to the chosen setting.
- 2. Check data in the observation form. Hand hygiene actions not related to an indication should not be taken into account and vice versa.
- 3. Report the session number and the related observation data in the same line. This attribution of session number validates the fact that data has been taken into count for compliance calculation.
- 4. Results per professional category and per session (vertical):
  - 4.1 Sum up recorded opportunities (opp) in the case report form per professional category: report the sum in the corresponding cell in the calculation form.
  - 4.2 Sum up the positive hand hygiene actions related to the total of opportunities above, making difference between handwash (HW) and handrub (HR): report the sum in the corresponding cell in the calculation form.
  - 4.3 Proceed in the same way for each session (data record form).
  - 4.4 Add up all sums per each professional category and put the calculation to calculate the compliance rate (given in percent)
- 5. The addition of results of each line permits to get the global compliance at the end of the last right column.

# Patient Safety

A World Alliance for Safer Health Care

# SAVE LIVES Clean Your Hands

## **Observation Form – Optional Calculation Form**

(Indication-related compliance with hand hygiene)

	Facility	<b>/</b> :					Period	:		Setting:							
	Before patient	touchi	ng a	Before		aseptic		ody flui ure risk	d	After to patient		j a		ouching			
Session N°	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)		
1																	
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
Total Calculation		o4 /m\		Λ-	t (n)		A = 4	· /n\		A =	4 (n)		A 54	(n)			
Calculation	AC	ct (n) =		AC	Act (n) =		Act (n) =		Act (n) =			Act (n) =					
	Indic1	(n) =		Indic2	(n) =		Indic3	(n) =		Indic4	(n) =		Indic5	(n) =			
Ratio act / indic*																	

#### Instructions for use

- 1. Define the setting outlining the scope for analysis and report related data according to the chosen setting.
- 2. Check data in the observation form. Hand hygiene actions not related to an indication should not be taken into account and vice versa.
- If several indications occur within the same opportunity, each one should be considered separately as well as the related action.
- 4. Report the session number and the related observation data in the same line. This attribution of session number validates the fact that data has been taken into count for compliance calculation.
- 5. Results per indication (indic) and per session (vertical):
  - 4.1 Sum up indications per indication in the observation form: report the sum in the corresponding cell in the calculation form.
  - 4.2 Sum up positive hand hygiene actions related to the total of indications above, making the difference between handwash (HW) and handrub (HR): report the sum in the corresponding cell in the calculation form.
  - 4.3 Proceed in the same way for each session (observation form).
  - 4.4 Add up all sums per each indication and put the calculation to calculate the ratio (given in percent)

<sup>\*</sup>Note: This calculation is not exactly a compliance result, as the denominator of the calculation is an indication instead of an opportunity. Action is artificially overestimated according to each indication. However, the result gives an overall idea of health-care worker's behaviour towards each type of indication.