

Country factsheets
ALBANIA | 2016

HIV and AIDS Estimates

Adults and children living with HIV	1700 [1500 - 2000]
Adults aged 15 and over living with HIV	1700 [1400 - 1900]
Women aged 15 and over living with HIV	<1000 [<500 - <1000]
Men aged 15 and over living with HIV	1200 [1000 - 1300]
Children aged 0 to 14 living with HIV	... [... - ...]
Adult aged 15 to 49 HIV prevalence rate	0.1 [<0.1 - 0.1]
Women aged 15 to 49 HIV prevalence rate	<0.1 [<0.1 - <0.1]
Men aged 15 to 49 HIV prevalence rate	0.1 [0.1 - 0.2]
HIV prevalence among young women	<0.1 [<0.1 - <0.1]
HIV prevalence among young men	<0.1 [<0.1 - 0.1]
Adults and children newly infected with HIV	<500 [<200 - <500]
Adults aged 15 and over newly infected with HIV	<500 [<200 - <500]
Women aged 15 and over newly infected with HIV	<100 [<100 - <100]
Men aged 15 and over newly infected with HIV	<200 [<200 - <200]
Children aged 0 to 14 newly infected with HIV	... [... - ...]
HIV incidence per 1000 population (adults 15-49)	0.15 [0.15 - 0.15]
HIV incidence per 1000 population (all ages)	0.08 [0.07 - 0.09]
Adult and child deaths due to AIDS	<100 [<100 - <100]
Deaths due to AIDS among adults aged 15 and over	<100 [<100 - <100]
Deaths due to AIDS among women aged 15 and over	<100 [<100 - <100]

Country factsheets ALBANIA | 2016

Deaths due to AIDS among men aged 15 and over	<100 [<100 - <100]
Deaths due to AIDS among children aged 0 to 14	... [... - ...]
Orphans due to AIDS aged 0 to 17	... [... - ...]

HIV testing and treatment cascade

People living with HIV	1700 [1500 - 2000]	Source: Spectrum
People living with HIV who know their status	<1000	Source: GAM (case surveillance)
Percent of people living with HIV who know their status	47 [40 - 53]	
People living with HIV who are on ART	<1000	Source: Spectrum
Percent of people living with HIV who are on ART	30	
People living with HIV who have suppressed viral loads	<500	Source: GAM; Viral load testing coverage: 47%
Percent of people living with HIV who have suppressed viral loads	24	

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	30 [26 - 34]
Adults aged 15 and over receiving ART	29 [24 - 32]
Women aged 15 and over receiving ART	28 [25 - 31]
Men aged 15 and over receiving ART	29 [24 - 33]
Children aged 0 to 14 receiving ART	... [... - ...]

Country factsheets

ALBANIA | 2016

Number of adults and children receiving ART (#)	520
Adults aged 15 and over receiving ART	480
Women aged 15 and over receiving ART	140
Men aged 15 and over receiving ART	340
Children aged 0 to 14 receiving ART	...
Late HIV diagnosis [with the initial CD4 cell count <200 cells/ mm3] (%)	49
Late HIV diagnosis among adults aged 15 and over	49
Late HIV diagnosis among women	44
Late HIV diagnosis among men	51
Adults and children newly-initiating ART (#)	80
Adults aged 15 and over newly-initiating ART	80
Children aged 0-14 newly-initiating ART	
Women newly-initiating ART	15
Men newly-initiating ART	65

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	... [... - ...]
Pregnant women who received ARV for PMTCT (#)	...
Pregnant women needing ARV for PMTCT (#)	... [... - ...]
New HIV infections averted due to PMTCT (%)	... [... - ...]

Sex workers

Country factsheets

ALBANIA | 2016

HIV prevalence (%)		Source: GARPR 2011
Condom use (%)	76.7	Source: GARPR 2013

Men who have sex with men

HIV prevalence (%)	0.5	Source: GARPR 2013
Condom use (%)	66.7	

People who inject drugs

Population size estimate (#)	6300	Year of estimation: 2011
HIV prevalence (%)	0.5	Source: GARPR 2011
Condom use (%)	46.3	
Safe injecting practices (%)	74.5	
Needles and syringes distributed per person who injects drugs (#)	6.551	
Coverage of opioid substitution therapy	9.8	Source: MMT register, 2016

Combination prevention

Condom use at last high-risk sex among adults aged 15 to 49 (%)	41.9	Source: 2008-09 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	24.9	Source: 2008-09 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	51.4	Source: 2008-09 DHS
Percentage of men 15-49 that are circumcised (%)	47.7	Source: DHS 2008-09

Stigma and discrimination

Country factsheets

ALBANIA | 2016

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	64.1	Source: 2008 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

Young people

Knowledge about HIV prevention among young people aged 15-24	31.72	Source: 2008-09 DHIS
Knowledge about HIV prevention among young women aged 15-24	35.88	Source: 2008-09 DHIS
Knowledge about HIV prevention among young men aged 15-24	22	Source: 2008-09 DHIS

TB and HIV

Co-management of TB and HIV treatment (%)	>95 [70 - >95]
Proportion of people living with HIV newly enrolled in HIV care with active TB disease (%)	5
Estimated TB-related deaths among people living with HIV (#)	<100 [<100 - <100]