Country factsheets ARMENIA | 2016

HIV and AIDS Estimates

Adults and children living with HIV	3300 [2700 - 4100]
Adults aged 15 and over living with HIV	3300 [2700 - 4100]
Women aged 15 and over living with HIV	<1000 [<1000 - 1200]
Men aged 15 and over living with HIV	2300 [1900 - 3000]
Children aged 0 to 14 living with HIV	[]
Adult aged 15 to 49 HIV prevalence rate	0.2 [0.1 - 0.2]
Women aged 15 to 49 HIV prevalence rate	0.1 [<0.1 - 0.1]
Men aged 15 to 49 HIV prevalence rate	0.3 [0.2 - 0.3]
HIV prevalence among young women	<0.1 [<0.1 - <0.1]
HIV prevalence among young men	0.1 [<0.1 - 0.2]
Adults and children newly infected with HIV	<500 [<200 - <500]
Adults aged 15 and over newly infected with HIV	<500 [<200 - <500]
Women aged 15 and over newly infected with HIV	<100 [<100 - <100]
Men aged 15 and over newly infected with HIV	<200 [<200 - <500]
Children aged 0 to 14 newly infected with HIV	[]
HIV incidence per 1000 population (adults 15-49)	0.16 [0.12 - 0.23]
HIV incidence per 1000 population (all ages)	0.09 [0.06 - 0.12]
Adult and child deaths due to AIDS	<200 [<100 - <200]
Deaths due to AIDS among adults aged 15 and over	<200 [<100 - <200]
Deaths due to AIDS among women aged 15 and over	<100 [<100 - <100]

Country factsheets ARMENIA | 2016

Deaths due to AIDS among men aged 15 and over	<100 [<100 - <200]
Deaths due to AIDS among children aged 0 to 14	[]
Orphans due to AIDS aged 0 to 17	[]

HIV testing and treatment cascade

People living with HIV	3300 [2700 - 4100]	Source: Spectrum
People living with HIV who know their status	2000	Source: GAM (case surveillance)
Percent of people living with HIV who know their status	60 [49 - 74]	
People living with HIV who are on ART	1200	Source: Spectrum
Percent of people living with HIV who are on ART	36	
People living with HIV who have suppressed viral loads	<1000	Source: GAM; Viral load testing coverage: 121%
Percent of people living with HIV who have suppressed viral loads	25	

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	36 [29 - 44]
Adults aged 15 and over receiving ART	35 [29 - 43]
Women aged 15 and over receiving ART	45 [37 - 56]
Men aged 15 and over receiving ART	31 [25 - 38]
Children aged 0 to 14 receiving ART	[]

Country factsheets ARMENIA | 2016

Number of adults and children receiving ART (#)	1200
Adults aged 15 and over receiving ART	1200
Women aged 15 and over receiving ART	430
Men aged 15 and over receiving ART	730
Children aged 0 to 14 receiving ART	
Late HIV diagnosis [with the initial CD4 cell count <200 cells/ mm3] (%)	39
Late HIV diagnosis among adults aged 15 and over	39
Late HIV diagnosis among women	29
Late HIV diagnosis among men	43
Adults and children newly-initiating ART (#)	305
Adults aged 15 and over newly-initiating ART	302
Children aged 0-14 newly-initiating ART	3
Women newly-initiating ART	105
Men newly-initiating ART	200
Adults and children known to be on ART 12 months after starting (%)	89
Adults known to be on ART 12 months after starting	89
Children known to be on ART 12 months after starting	>95

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	[]
Pregnant women who received ARV for PMTCT (#)	
Pregnant women needing ARV for PMTCT (#)	[]

Country factsheets ARMENIA | 2016

New HIV infections averted due to PMTCT (%)	[]
---	----

Sex workers

Population size estimate (#)	5600	Source: GAM 2016
HIV prevalence (%)	0.1	Source: Integrated Biological and Behavioral Survaillance Survey 2016
Condom use (%)	99	Source: Integrated Biological and Behavioral Survaillance Survey 2016
Condoms distributed through prevention programmes (#)	259	Source: UNAIDS Special Analysis and Global AIDS Monitoring, 2017
Active syphilis (%)	4	Source: IBBS 2016

Men who have sex with men

Population size estimate (#)	12 500	Source: GAM 2016
HIV prevalence (%)	0.8	Source: Integrated Biological and Behavioral Survaillance Survey 2016
Condom use (%)	80.4	Source: IBBS 2016

Country factsheets ARMENIA | 2016

Condoms distributed through prevention programmes (#)	77	Source: UNAIDS Special Analysis and Global AIDS Monitoring, 2017
Active syphilis (%)		Source: IBBS 2016
Hepatitis B and coinfection with HIV (%)		Source: Integrated Biological and Behavioral Survaillance Survey, 2016
Hepatitis C and coinfection with HIV (%)		

People who inject drugs

Population size estimate (#)	9400	Source: GAM 2016
HIV prevalence (%)	0.5	Source: IBBS 2016
Condom use (%)	54.9	Source: IBBS 2016
Safe injecting practices (%)	96.9	Source: Integrated Biological and Behavioral Survaillance Survey, 2014
Needles and syringes distributed per person who injects drugs (#)	72.128	
Coverage of opioid substitution therapy	5.3	Source: National Programme data 2016
Hepatitis B and coinfection with HIV (%)		
Hepatitis C and coinfection with HIV (%)	0.3	Source: IBBS 2016

Prisoners

Country factsheets ARMENIA | 2016

HIV prevalence (%)	1.2	Source: Programme Data 2015
HIV prevention programmes in prisons: prisoners receiving opioid substitution therapy (#)	162	Source: ART and Pre-ART registers 2016

Combination prevention

Condom use at last high-risk sex among adults aged 15 to 49 (%)	68.0	Source: 2005 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	18.3	Source: 2005 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	76.4	Source: 2005 DHS

Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	73	Source: 2010 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

Gender

Country factsheets ARMENIA | 2016

Prevalence of recent intimate partner violence among women aged 15-49 (%)	3.5	Source: DHS 2015-2016
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)	2.5	Source: DHS 2015-2016
Prevalence of recent intimate partner violence among women aged 25-49 (%)	3.6	Source: DHS 2015-2016

Young people

Knowledge about HIV prevention among young people aged 15-24	39.4	Source: 2016 BSS
Knowledge about HIV prevention among young women aged 15-24	36	Source: 2016 BSS
Knowledge about HIV prevention among young men aged 15-24	45.1	Source: 2016 BSS

HIV expenditure

Total country-reported HIV expenditure (USD)	4 200 000	GAM 2017 validated records
HIV expenditure from domestic public sources (USD)	1 900 000	GAM 2017 validated records
HIV expenditure from domestic private sources (USD)		GAM 2017 validated records
HIV expenditure from international sources (USD)	2 300 000	GAM 2017 validated records

TB and HIV

INAIDS AIDSinfo

Country factsheets ARMENIA | 2016

Co-management of TB and HIV treatment (%)	77 [54 - >95]
Proportion of people living with HIV newly enrolled in HIV care with active TB disease (%)	17
Proportion of people living with HIV newly enrolled in HIV care started on TB preventive therapy (%)	23
Estimated TB-related deaths among people living with HIV (#)	<100 [<100 - <100]