

## **HIV and AIDS Estimates**

Adults and children living with HIV	[]
Adults aged 15 and over living with HIV	[]
Women aged 15 and over living with HIV	[]
Men aged 15 and over living with HIV	[]
Children aged 0 to 14 living with HIV	[]
Adult aged 15 to 49 HIV prevalence rate	[]
Women aged 15 to 49 HIV prevalence rate	[]
Men aged 15 to 49 HIV prevalence rate	[]
HIV prevalence among young women	[]
HIV prevalence among young men	[]
Adults and children newly infected with HIV	[]
Adults aged 15 and over newly infected with HIV	[]
Women aged 15 and over newly infected with HIV	[]
Men aged 15 and over newly infected with HIV	[]
Children aged 0 to 14 newly infected with HIV	[]
HIV incidence per 1000 population (adults 15-49)	[]
HIV incidence per 1000 population (all ages)	[]
Adult and child deaths due to AIDS	[]
Deaths due to AIDS among adults aged 15 and over	[]
Deaths due to AIDS among women aged 15 and over	[]



## Country factsheets

## UZBEKISTAN | 2016

Orphans due to AIDS aged 0 to 17	[]
Deaths due to AIDS among children aged 0 to 14	[]
Deaths due to AIDS among men aged 15 and over	[]

## HIV testing and treatment cascade

People living with HIV	44 000 [34 000 - 57 000]	
People living with HIV who are on ART	16 000	Source: GAM
People living with HIV who have suppressed viral loads	14 000	Source: GAM

## Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	[]
Adults aged 15 and over receiving ART	[]
Women aged 15 and over receiving ART	[]
Men aged 15 and over receiving ART	[]
Children aged 0 to 14 receiving ART	[]
Number of adults and children receiving ART (#)	•••
Adults aged 15 and over receiving ART	
Women aged 15 and over receiving ART	
Men aged 15 and over receiving ART	
Children aged 0 to 14 receiving ART	
Late HIV diagnosis [with the initial CD4 cell count <200 cells/ mm3] (%)	24
Late HIV diagnosis among adults aged 15 and over	25



Late HIV diagnosis among women	20
Late HIV diagnosis among men	26
Adults and children newly-initiating ART (#)	4082
Adults aged 15 and over newly-initiating ART	3229
Children aged 0-14 newly-initiating ART	853
Women newly-initiating ART	1939
Men newly-initiating ART	2143
Adults and children known to be on ART 12 months after starting (%)	83
Adults known to be on ART 12 months after starting	80
Children known to be on ART 12 months after starting	94

#### Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	[]
Pregnant women who received ARV for PMTCT (#)	
Pregnant women needing ARV for PMTCT (#)	[]
New HIV infections averted due to PMTCT (%)	[]

## Sex workers

Population size estimate (#)	22 000	Year of estimation: 2012
HIV prevalence (%)	2.9	Source: HSS 2015
Condom use (%)	51.7	Source: Behavioural Surveillance Survey, 2015



Hepatitis B and coinfection with HIV (%)		
Hepatitis C and coinfection with HIV (%)	4.2	Source: Behavioural Surveillance Survey, 2016

## Men who have sex with men

HIV prevalence (%)	3.3	Source: Sentinel surveillance, 2015
Condom use (%)	94.6	Source: Behaviour Surveillance Survey, 2015
Hepatitis B and coinfection with HIV (%)		
Hepatitis C and coinfection with HIV (%)	18	Source: Behavioural Surveillance Survey, 2016

## People who inject drugs

Population size estimate (#)	48 000	Year of estimation: 2012
HIV prevalence (%)	5.6	Source: Sentinel surveillance 2015
Condom use (%)	45.1	Source: Behavioural Surveillance Survey, 2015
Safe injecting practices (%)	85.1	Source: Behavioural Surveillance Survey, 2015
Needles and syringes distributed per person who injects drugs (#)	62.3	
Hepatitis B and coinfection with HIV (%)		



Hepatitis C and coinfection with HIV (%)	15.7	Source: Behavioural Surveillance Survey, 2016
--	------	--

#### TB and HIV

Proportion of people living with HIV newly enrolled in HIV care with active TB disease (%)	15
Proportion of people living with HIV newly enrolled in HIV care started on TB preventive therapy (%)	>95
Estimated TB-related deaths among people living with HIV (#)	<500 [<500 - <500]