

SEARCH



 Country profiles

Map Disclaimer

Senegal

[← Back](#)

[All countries](#)

Key demographic indicators

43.6


PER 1,000 LIVE BIRTHS



Under-five mortality rate

Population

Trends in under-five mortality rate



➤ [Visit childmortality.org](http://childmortality.org) for complete data

Child health



Careseeking for ARI - percentage of children (under age 5) with acute respiratory infection symptoms whom advice or treatment was sought from a health facility or provider (%)		View
Diarrhoea treatment - percentage of children (under age 5) with diarrhoea who received ORS (packets or pre-packaged fluids) (%)	28	View
ITN use by children - percentage of children (under age 5) who slept under an insecticide-treated mosquito net the night prior to the survey (%)	61	View
Percentage of households with at least one insecticide-treated mosquito net (ITN) (%)	84	View
Percentage of surviving infants who received the third dose of DTP-containing vaccine (%)	81	View
Percentage of children who received the 2nd dose of measles-containing vaccine, as per administered in the national schedule (%)	63	View

[Visit childmortality.org for complete data](#)

Child protection

Percentage of children under age 5 whose births are registered (%)	77	View
Percentage of women (aged 20-24 years) married or in union before age 18 (%)	29	View



Percentage of children (aged 5-17 years) engaged in child labour (economic activities and household chores) (%) **23** [View](#)

Percentage of children (aged 1-14 years) who experienced any physical punishment and/or psychological aggression by caregivers **Not available**

Percentage of women (aged 15-49 years) who consider a husband to be justified in hitting or beating his wife for at least one of the specified reasons (%) **46** [View](#)

Percentage of men (aged 15-49 years) who consider a husband to be justified in hitting or beating his wife for at least one of the specified reasons (%) **28** [View](#)

Percentage of girls and women (aged 15-49 years) who have undergone female genital mutilation (FGM) (%) **24** [View](#)

[> Read more about child protection](#)

Child survival

Under-five mortality rate (Deaths per 1000 live births) **44** [View](#)

Under-five deaths (Number of deaths) **23,480** [View](#)

Infant mortality rate (Deaths per 1000 live births) **32** [View](#)

Neonatal mortality rate (Deaths per 1000 live births) **21** [View](#)

Under-five mortality rate (Female) (Deaths per 1000 live births) **39** [View](#)

Under-five mortality rate (Male) (Deaths per 1000 live births) **48** [View](#)

[> Read more about child survival](#)

Early childhood

Percentage of children aged 36-59 months attending an early childhood education programme (%) **24** [View](#)

Percentage of children (aged 36-59 months) with whom any adult household member has engaged in 4 or more activities to provide early stimulation and responsive care in the last 3 days (%) **29** [View](#)

Percentage of children (aged 36-59 months) whose father has engaged in 4 or more activities to provide early stimulation and responsive care in the last 3 days (%) **1** [View](#)

Percentage of children under age 5 who have 3 or more children's books (%) **1** [View](#)

Percentage of children under age 5 who play with 2 or more types of playthings (%) **24** [View](#)

Percentage of children under age 5 left alone or under the supervision of another child younger than 10 years of age for more than 1 hour at least once in the last week (%) **28** [View](#)



[> Read more about early childhood development](#)

Education

Adjusted net attendance rate, one year before the official primary entry age (%) **30** [View](#)

Adjusted net attendance rate for children of primary school age (%) **63** [View](#)

Adjusted net attendance rate for adolescents of lower secondary school age (%) **33** [View](#)

Adjusted net attendance rate for youth of upper secondary school age (%) **15** [View](#)

Completion rate for children of primary school age (%) **49** [View](#)

Youth literacy rate for 15-24 years (%) **69** [View](#)

[> Read more about education](#)

HIV/AIDS

Per cent of pregnant women living with HIV receiving effective ARVs for PMTCT (excludes single-dose nevirapine) (%) **65** [View](#)

Estimated number of new HIV infections (children aged 0-19 years) (Number) **580** [View ^](#)

Reported number of children (aged 0-14 years) receiving antiretroviral treatment (ART) (Number) **1,400** [View](#)

Per cent of young people (aged 15-24 years) who were tested for HIV in the last 12 months and received the result of the last test (Female) **Not available**

Per cent of young people (aged 15-24 years) who were tested for HIV in the last 12 months and received the result of the last test (Male) **Not available**

Estimated number of new HIV infections (adolescents and young people aged 15-24 years) (Number) **<500**

[> Read more about HIV/AIDS](#)

Maternal and newborn health

Postnatal care for mothers - percentage of women (aged 15-49 years) who received postnatal care within 2 days of giving birth (Female) (%) **77** [View](#)

Antenatal care 4+ visits - percentage of women (aged 15-49 years) attended at least four times during pregnancy by any provider (Female) (%) **57** [View](#)

Skilled birth attendant - percentage of deliveries attended by skilled health personnel (Female) (%) **68** [View](#)

C-section rate - percentage of deliveries by cesarean section (%) **5** [View](#)

Early childbearing - percentage of women (aged 20-24 years) who gave birth before age 18 (Female) (%) **16** [View](#)

Institutional deliveries - percentage of deliveries in a health facility (%) **78** [View](#)

Postnatal care for newborns - percentage of newborns who have a postnatal contact with a health provider within 2 days of delivery (%) **78** [View](#)

[> Read more about maternal health](#)

Nutrition

Early initiation of breastfeeding (%) **34** [View](#)

Exclusive breastfeeding (0-5 months) (%) **42** [View](#)

Continued breastfeeding (20-23 months) (%) **40** [View](#)

Height-for-age <-2 SD (stunting) (%) **17** [View](#)

Vitamin A two-dose coverage (%) **58** [View](#)

Percentage of households consuming iodized salt (>0 ppm) among all tested households (%) **62** [View](#)

[> Read more about child nutrition](#)



Sanitation

Proportion of population using safely managed sanitation services (%) 21 [View](#)

Proportion of population using basic sanitation services (%) 30 [View](#)

Proportion of population using at least basic sanitation services **Not available**

Proportion of population using limited sanitation services (%) 17 [View](#)

Proportion of population using unimproved sanitation facilities (%) 18 [View](#)

Proportion of population practising open defecation (%) 14 [View](#)

[> Read more about sanitation](#)

Drinking water

Proportion of population using safely managed drinking water services **Not available**

Proportion of population using basic drinking water services **Not available**

81 [View](#)

Proportion of population using at least basic drinking water services (%)

Proportion of population using limited drinking water services (%)

3

[View](#)

Proportion of population using unimproved drinking water sources (%)

16

[View](#)

Proportion of population using surface water (%)

0

[View](#)

[> Read more about drinking water](#)

[> View Civil registration and vital statistics](#)

MICS

Since its inception in 1995, the Multiple Indicator Cluster Surveys, known as MICS, has become the largest source of statistically sound and internationally comparable data on women and children worldwide. In countries as diverse as Costa Rica, Mali and Qatar, trained fieldwork teams conduct face-to-face interviews with household members on a variety of topics – focusing mainly on those issues that directly affect the lives of children and women.

[See MICS Surveys by Country](#) | [About MICS](#)



UNICEF Data

[Contact Us](#)

[Legal](#)

[Go back to UNICEF.org](#)

Support us

[Facebook](#)

[Twitter](#)

[Support UNICEF](#)

