

Main Indicators of the COVID-19-Pandemic in the Most Affected Countries

Data sources:


European Centre for Disease Prevention and Control, as of 10-June-20

EuroMOMO Network, Bulletin, Week 23, 2020


Worldometer

Joachim Rüppel


Global Trend of Weekly Cases and Deaths Related to COVID-19 by Calendar Week Reported by all Countries, Source: ECDC




Weekly Deaths Related to COVID-19 Reported by Countries with Shares exceeding 1% of Total, by Calendar Week, Source: ECDC




Weekly Reported Deaths Related to COVID-19 by Proportional Increase between Weeks 24 and 25, showing only countries with >20 reported deaths in week 25



Reported Cumulated Cases and Deaths Related to COVID-19, with death rates >1 per 100,000, Date: 25-6-2020 (Source: ECDC)




Reported Cumulated Cases and Deaths Related to COVID-19, with death rates >2 per 100,000, Date: 25-6-2020 (Source: ECDC)




Weekly Deaths Related to COVID-19 per 100.000 Population by Calendar Week

(20 Countries with Highest Cumulative Mortality Highlighting the Peak Value, Source: ECDC)




Weekly Deaths Related to COVID-19 per 100.000 Population by Calendar Week

20 Countries of Europe with Highest Cumulative Mortality, Source: ECDC




Weekly Deaths Related to COVID-19 per 100.000 Population by Calendar Week

20 Countries of America with Highest Cumulative Mortality, Source: ECDC




Weekly Deaths Related to COVID-19 per 100.000 Population by Calendar Week 20 Countries of Asia with Highest Cumulative Mortality, Source: ECDC




Weekly Deaths Related to COVID-19 per 100.000 Population by Calendar Week


20 Countries of Africa with Highest Cumulative Mortality, Source: ECDC



Reported Cumulated Deaths Related to COVID-19, Total Number and in relation to Population, countries with death rates >1 per 100,000, Date: 9-6-2020 (Source: ECDC)




Cumulated COVID-19-Related Deaths per 100,000 Population, until 24-06-2020, Source: ECDC







Unterstützt von Bing
© GeoNames, Microsoft, Navinfo, TomTom

Cumulated COVID-19 Cases Reported per 100,000 Population, until 24-06-2020, Source: ECDC




Weekly Excess Mortality in the Data-providing EuroMOMO Partner Countries




Cumulative Excess Deaths in the Data-providing EuroMOMO Partner Countries over the last years (deviation in mortality from the expected level)

---- Baseline 2020 2019 2018 2017 2016




Cumulative Excess Deaths in the Data-providing EuroMOMO Partner Countries over the last years (deviation in mortality from the expected level)

0-14 years




15-44 years




Cumulative Excess Deaths in the Data-providing EuroMOMO Partner Countries over the last years (deviation in mortality from the expected level)

45-64 years




65-74 years




Cumulative Excess Deaths in the Data-providing EuroMOMO Partner Countries over the last years (deviation in mortality from the expected level)


75-84 years



85+ years



Reported Cumulated Tests and Cases of COVID-19, excl. outlier countries with death rates > 2 per 100,000, Date: 25-6-2020 (Source: Worldometer)



Reported Cumulated Tests and Cases of COVID-19, excl. outlier countries with death rates > 2 per 100,000, Date: 25-6-2020, incl. Outliers (Source: Worldometer)

